

National Call Centre
0114347000

FOLLOW US ON:



Adendorff machinery mart

2ND EDITION
JULY 2026

SPECIALISTS
GUIDE FOR

QUALITY TOOLS



Scan to explore our website

30 stores across South Africa

Buy Online   www.adendorff.co.za

TOOLS

Prices listed are valid as at 1 July 2026. All prices include 15% VAT. Prices will be updated and subject to change without prior notification. For the most up-to-date pricing and stock availability, please visit our website at www.adendorff.co.za. Errors and Omissions Excepted.

INDEX

SPECIALISTS GUIDE FOR **QUALITY TOOLS**

PAGE	SECTION	FEATURING
2	BRANCH	Store locations & contact details
3	WINCHES, OUTDOOR & 4X4 EQUIPMENT	12V winches, hydraulic winches, hand winches, synthetic winch lines, tow ropes, recovery tracks, high-lift jacks, tyre inflation-deflation systems & 12V air compressors
4	LIFTING & MATERIAL HANDLING EQUIPMENT	Chain blocks, lever blocks, electric hoists, pallet trucks, I-beam trolleys, beam clamps, webbing slings & gantry cranes
5	BATTERY CHARGERS & AUTOMOTIVE EQUIPMENT	Battery chargers, charger/boosters, DC-DC chargers, jump starters, battery testers, mechanic creepers & garage seats
6	GARAGE EQUIPMENT	12V car jack kits, hydraulic transmission jacks, engine stands, engine cranes, coil spring compressors, bead breaker & hydraulic pumps
7	GARAGE EQUIPMENT	Trolley jacks, bottle jacks, jack stands, 2-post lifts, 4-post lift, tyre changers & wheel balancers
8	GARAGE EQUIPMENT: AUTOMOTIVE	Timing tool kits, fuel & compression testers, diesel injector tools, oil filter tools, bearing removal tools, ball joint & bush kits
9	GARAGE EQUIPMENT: AUTOMOTIVE	Diagnostic testers, borescopes, smoke leak detector, brake tools, radiator pressure testers, A/C gauges, vacuum pumps & valve spring tools
10	GARAGE EQUIPMENT	Workshop presses, gear pullers, bearing separator kit, race & seal driver kit, ultrasonic cleaners & parts washers
11	PANELBEATING EQUIPMENT	Body repair kits, dent lifters, panelbeating kits, slide hammers, trim tools, paintless dent repair tools, paint stand & wheel arch rollers
12	GARAGE EQUIPMENT	Oil pumps, diesel pumps, oil extractors, drum pumps, oil drain tanks, oil dispensing stations & grease drums
13	GARAGE EQUIPMENT	Hose reels, air hoses, air die grinders, quick couplers, sandblasting guns, sandblast pots, cabinets & sandblasting accessories
14	SPRAY GUNS	Gravity and suction feed spray guns, SATA spray guns, airless sprayers, electric spray guns & paint pressure pots
15	COMPRESSORS	Silent oil-free, direct drive, belt drive, petrol-driven & diesel-driven compressors
16	PNEUMATIC EQUIPMENT	Mini silent compressors, air brushes, nailers, staplers, pneumatic riveters, nut-sert tools & pneumatic drills
17	PNEUMATIC EQUIPMENT	Air tool kits, air dusters, coating guns, needle scalers, air hammers, sanders, grinders, polishers & pneumatic screwdrivers
18	AEROPRO PNEUMATIC EQUIPMENT	Impact wrenches, ratchet wrenches, die grinders, angle grinders, spray guns, air saws, belt sanders & tyre inflator gauges
19	PNEUMATIC/GARAGE EQUIPMENT	Impact wrenches, air wrench kits, impact socket sets, tyre inflators/deflators & truck wheel nut removers
20	WELDING	TIG welders, inverter welders, plasma cutters, spot welders, welding magnets & oxygen acetylene kits
21	WELDING	MIG welders, MIG/MMA welders, 4-in-1 welders, laser welders, welding helmets & welding helmets with air respirators
22	METALWORK	Pipe benders, box & pan folders, sheet metal folders, guillotines, slip rollers, arbor presses & steel croppers

TOOLS

INDEX



Adendorff
machinery mart

PAGE	SECTION	FEATURING
23	ENGINEERING	<i>Bench grinders, cut-off machines, metal/wood bandsaws, drill presses, pedestal drills & magnetic base drills</i>
24	ENGINEERING	<i>Mini drilling/milling machines, bench milling machines, belt-driven lathes, brake disc & drum lathes</i>
25	ENGINEERING	<i>Metal lathes, geared head lathes, mini bench lathes, CNC lathes & CNC milling machines</i>
26	ENGINEERING ACCESSORIES	<i>Lathe chucks, quick-change tool posts, clamping kits, live centres, boring heads, collets, milling cutters & cutting tool sets</i>
27	ENGINEERING ACCESSORIES	<i>Machine vices, drill press vices, bench vices, verniers, micrometers, dial gauges, measuring sets & setup blocks</i>
28	CONTRACTORS EQUIPMENT	<i>Scaffolding, dumpy levels, measuring wheels, trench digger, earth augers, line striper, industrial/ventilation fans, laser levels & work lights</i>
29	CONTRACTORS EQUIPMENT	<i>Concrete mixers, plate compactors, mini dumpers, rammers, concrete cutters, power trowels, vibrating pokers & floor grinders</i>
30	HIGH-PRESSURE CLEANERS, SPRAYERS, VACUUM CLEANERS, PIPE WELDERS & PLUMBING EQUIPMENT	<i>High-pressure cleaners, foam sprayers, vacuum cleaners, HDPE butt-fusion welders, pipe threading machines & drain cleaners</i>
31	MAIZE GRINDERS, TAIFU WATER PUMPS, CATERING EQUIPMENT & TARPAULINS	<i>Maize grinders, TAIFU water pumps, meat mincers, bone saws, sausage fillers & tarpaulins</i>
32	WOODWORKING	<i>Band saws, mitre saws, table saws, panel saws, planers, thickness planers & dust collectors</i>
33	GROUND MAINTENANCE, LOG SAWS & WOOD CHIPPERS	<i>Chainsaws, brush cutters, hedge trimmers, blowers, tillers, wood chippers, log splitters & log saws</i>
34	KINWAY POWER TOOLS	<i>Cordless impact wrenches, drills, impact drivers, saws, polishers, sanders, blower/vacuum, compressor, pressure washer & hedge cutter</i>
35	MAC AFRIC POWER TOOLS	<i>Drills, rotary hammers, grinders, sanders, polishers, routers, circular saws, heat guns, blowers & cordless power tool range</i>
36	HAND TOOLS	<i>Spanner sets, screwdrivers, torque wrenches, gear wrenches, power bars, torx & hex bit sets</i>
37	HAND TOOLS & TEST EQUIPMENT	<i>Multimeters, voltage testers, crimpers, VDE pliers, riveters, strapping tools, tie-downs, soldering station & hydraulic hole punchers</i>
38	TOOL CABINETS, WORK BENCHES & WORKSHOP SOLUTIONS	<i>Tool cabinets, work benches, service trolleys & garage storage solutions</i>
39	TOOL KITS, TOOLBOXES & SOCKET SETS	<i>Tool kits, cantilever toolboxes, socket sets, jobsite toolboxes & tool bags</i>
40	GENERATORS & WATER PUMPS	<i>Petrol standby generators, diesel standby generators, inverter generators, petrol & diesel water pumps</i>



Scan to explore our website

30 stores across South Africa

WINCHES, OUTDOOR & 4X4 EQUIPMENT	3
LIFTING & MATERIAL HANDLING EQUIPMENT	4
BATTERY CHARGERS & AUTOMOTIVE EQUIPMENT	5
GARAGE EQUIPMENT	6-7 10, 12-13
GARAGE EQUIPMENT: AUTOMOTIVE	8-9
PANELBEATING EQUIPMENT	11
SPRAY GUNS	14
COMPRESSORS	15
PNEUMATIC EQUIPMENT	16-17
AEROPRO PNEUMATIC EQUIPMENT	18
PNEUMATIC/GARAGE EQUIPMENT	19
WELDING	20-21
METALWORK	22
ENGINEERING & ENGINEERING ACCESSORIES	23-27
CONTRACTORS EQUIPMENT	28-29
HIGH-PRESSURE CLEANERS, SPRAYERS, VACUUM CLEANERS, PIPE WELDERS & PLUMBING EQUIPMENT	30
MAIZE GRINDERS, TAIFU WATER PUMPS, CATERING EQUIPMENT & TARPAULINS	31
WOODWORKING	32
GROUND MAINTENANCE, LOG SAWS & WOOD CHIPPERS	33
KINWAY POWER TOOLS	34
MACAFRIC POWER TOOLS	35
HAND TOOLS	36
HAND TOOLS & TEST EQUIPMENT	37
TOOL CABINETS, WORK BENCHES & WORKSHOP SOLUTIONS	38
TOOL KITS, TOOL BOXES & SOCKET SETS	39
GENERATORS & WATER PUMPS	40

GAUTENG

AEROTON SALES (HEAD OFFICE)	☎ (011) 434-7100	98 Sailor Malan Avenue, off Rand Show Road, Aeroton, ✉ aeroton@adendorff.co.za
AEROTON SERVICE CENTRE	☎ (011) 434-7111	98 Sailor Malan Avenue, off Rand Show Road, Aeroton, ✉ aeroton@adendorff.co.za
TURFFONTEIN	☎ (011) 434-7152	152 Rosettenville Road, Springfield, Johannesburg, ✉ jhbsouth@adendorff.co.za
ALBERTON	☎ (011) 869-1110	Unit No. 60, Lemon Tree Shopping Centre, Cnr. Swartkoppies & Heidelberg Road, New Market, ✉ alberton@adendorff.co.za
EDENVALE (MEADOWDALE)	☎ (011) 454-1407	Unit No. 8, Route 24 Complex, Herman Road, Between Edenvale & Barbara Road Offramps, ✉ edenvale@adendorff.co.za
BOKSBURG	☎ (011) 914-1550	518 Commissioner Street, Boksburg East Industrial, ✉ boksburg@adendorff.co.za
RANDBURG (STRYDOM PARK)	☎ (011) 793-3380	2013 Malibongwe Drive, Randburg, ✉ randburg@adendorff.co.za
ROODEPOORT/KRUGERSDORP	☎ (011) 664-8336	17 Carol Road, (Service Road to Ontdekkers) Opp. Witpoortjie Station, Breaunanda, ✉ roodepoort@adendorff.co.za
SPRINGS	☎ (010) 442-6969	13 Bell Street, New Era, ✉ springs@adendorff.co.za
PRETORIA	☎ (012) 329-9576	300 Steve Biko Road (Voortrekkers Road), Cnr. Adcock Street, Gezina, ✉ pretoria@adendorff.co.za
CENTURION	☎ (012) 653-0586	Shop 33, Miracle Retail Park, Cnr. Old Johannesburg Road R101 & Lenchen Extension, Rooihuiskraal, ✉ centurion@adendorff.co.za
SILVER LAKES (PRETORIA EAST)	☎ (012) 054-5969	Silver Oaks Crossing (Shop 41), Cnr. Solomon Mahlangu & Von Backstrom Boulevard, Pretoria East, ✉ silverlakes@adendorff.co.za
VEREENIGING	☎ (016) 422-6057	26 De Villiers Avenue, ✉ vereeniging@adendorff.co.za

FREE STATE

BLOEMFONTEIN	☎ (051) 448-1689	Oliver Tambo Road (Church Street), Cnr. Harvey Road, Blackwood Crossing, Oranjesig, ✉ bloemfontein@adendorff.co.za
WELKOM	☎ (057) 355-6600	137 Constantia Street, Dagbreek, ✉ welkom@adendorff.co.za

NORTH WEST

RUSTENBURG	☎ (014) 594-1545	Oliver Tambo Drive R104, Cnr. Beyers Naude Drive, ✉ rustenburg@adendorff.co.za
KLERKSDORP	☎ (018) 462-1116	Joe Slovo Road, N12, between Matlosana Mall and Total Energies Garage, ✉ klerksdorp@adendorff.co.za

**WESTERN CAPE**

CAPE TOWN	☎ (021) 552-7389	Unit 1, 21 Montague Drive, Montague Gardens, ✉ capetown@adendorff.co.za
STRAND	☎ (021) 205-7878	30 Mynhardt Street, ✉ loc30@adendorff.co.za
BRACKENFELL	☎ (021) 205-7888	2 Orion Road, Everite Industrial, Brackenfell, ✉ loc27@adendorff.co.za
GEORGE	☎ (044) 050-3610	3 Saffier Crescent (14783 PW Botha Blvd), Tamsui Industrial, ✉ loc29@adendorff.co.za

EASTERN CAPE

EAST LONDON (KuGompu)	☎ (043) 422-0596	11 Dunn Street, Arcadia, ✉ el@adendorff.co.za
PORT ELIZABETH (Gqeberha)	☎ (041) 484-3995	27 Grahamstown Road, North End, ✉ pe@adendorff.co.za

NORTHERN CAPE

KIMBERLEY	☎ (053) 831-1882	12 Fabricia Road, Fabricia, ✉ kimberley@adendorff.co.za
-----------	------------------	---

LIMPOPO

POLOKWANE	☎ (015) 292-0243	31 Nikkel Street, Superbia, ✉ polokwane@adendorff.co.za
MAKHADO (LOUIS TRICHARDT)	☎ (015) 023-0650	90 Kruger Street, Louis Trichardt, ✉ loc31@adendorff.co.za

**MPUMALANGA**

WITBANK	☎ (013) 690-2305	40 Watermeyer Street, Klipfontein, Ext. 8, ✉ witbank@adendorff.co.za
NELSPRUIT	☎ (013) 753-3580	3 Emnotweni Avenue, Riverside Park, ✉ nelspruit@adendorff.co.za

KWAZULU-NATAL

DURBAN UMGENI BUSINESS PARK	☎ (031) 263-0007	99 Intersite Avenue (near Bluff Meat Supply and National Security and Fire), Springfield Park, ✉ durban@adendorff.co.za
DURBAN	☎ (031) 202-4355	192 Umbilo Road, Dalbridge, ✉ umbilo@adendorff.co.za
PIETERMARITZBURG	☎ (033) 345-1996	300 Boom Street, ✉ pmb@adendorff.co.za

Adendorff Machinery Mart Reg. No 2020/454513/07 **Warranty and Guarantee.** A 1 (one) year "Carry in" conditional warranty applies on all goods purchased. The warranty does not apply to defects due to negligence, wear and tear parts, misuse, abuse, accidental damage, modifications, lack of maintenance, improper wiring, unauthorized repairs, damage caused by lightning or power surges, goods used contrary to their instruction manuals and on batteries. If not fully satisfied with the product, the unused product can be returned for a full no hassle refund. The following conditions however, strictly apply: (a) the product must be in its original packaging (b) the product must be returned within 10 days from date of purchase (c) original invoice to accompany the product. Adendorff Machinery Mart reserves the right to charge a "packaging fee" for items not returned in their original packaging. Refunds, returns, exchange and cancellation policy is in accordance with CPA regulations. If the product is not suitable for the purposes anticipated and indicated to the salesperson, a handling fee will be applicable based on the condition of the product subject to our policy. Warranties on generators will be null and void if not installed by a qualified electrician who must be registered with the Department of Labour and have the required certification in accordance with the law to issue a COC (Certificate of Compliance) after completion of the installation. A factory warranty of 1 year or 300 hours, whichever may occur first, is applicable to our large generators. 3-month warranty applicable on all repairs. Please note, parts will not be covered under warranty if not fitted by an Adendorff in-house technician on all Adendorff Machinery Mart products. Parts deemed to be wear and tear will not be covered under the warranty. **Terms and Conditions.** All prices quoted are payable in ZAR's and are inclusive of 15% VAT. Errors and Omissions Excepted.



To use our Click-&-collect service please visit our website www.adendorff.co.za and select your products for purchase. Check your shopping cart and complete the checkout process to pay. Certain items may not be available in all stores. Please enquire directly with your nearest branch. You will receive confirmation of your order via email and will be notified when goods are ready for collection in store. For full instructions, terms & conditions, please visit www.adendorff.co.za, or mail our website support on tooltime@adendorff.co.za.

Unless a specific limitation is stated, Adendorff Machinery Mart will endeavour to have sufficient advertised stock available to meet anticipated demands. Prices are reviewed on a regular basis and are subject to change without prior notification. Please contact your nearest branch or consult our website. We take great care to ensure that all advertisements are correct. If a mistake occurs or incomplete information is printed, a notice will be displayed in-store with the correct details. Actual products may vary from pictures. Please note that certain products may not be available in all stores. Enquire directly with your nearest branch. Large generators and certain items are only available at our Aeroton Johannesburg South Warehouse. Accessories are used for illustrative purposes only. Please refer to the safety tips on our website and take protective and preventative measures when using these items. For more information, visit our website at www.adendorff.co.za. Cross border customers, please note that our warranty applies only to items purchased and used within the Republic of South Africa. Any items exported which are found to be faulty must be returned to Adendorff Machinery Mart at your own cost.

PLEASE CALL YOUR NEAREST BRANCH FOR ASSISTANCE. Trading hours: Mon. to Fri. 08:00 - 17:00 | Sat. 08:00 - 13:00 | See website for Public Holidays

Adendorff Machinery Mart has taken all relevant steps to ensure customer data is protected in line with the protection of Personal Information Act 4 of 2013 (POPIA).

Should you wish to update your communication preferences please send an email to customercare@adendorff.co.za. For a copy of our privacy policy please refer to our website www.adendorff.co.za



WINCHES, OUTDOOR & 4X4 EQUIPMENT

12 VOLT WINCHES

FAIRLEAD INCLUDED

HEAVY DUTY



	Motor	Weight	Rolling Load Capacity	Price
EWK 8 000U 12 Volt (shown)	1.6kW p/m	31kg	3 620kg @ 6m / 2 170kg @ 29m	R4995 GWINCH-800
EWG 8 000U 12 Volt	2.7kW s/w	36kg	3 620kg @ 6m / 2 170kg @ 29m	R6495 GWINCH-802
EWX 10 000U 12 Volt	4.3kW s/w	38kg	4 536kg @ 5.3m / 2 571kg @ 26m	R7495 GWINCH-901
EWX 12 000U 12 Volt	4.5kW s/w	42kg	5 440kg @ 4.8m / 3 125kg @ 25m	R8495 GWINCH-912
EWP 12 000U 12 Volt 2-Speed with High & Low Gear	5.4kW s/w	44kg	5 443kg @ 4.9m / 3 084kg @ 25.5m	R9950 GWINCH-914

FAIRLEAD INCLUDED

p/m = permanent magnet s/w = series wound

EXCELLENT QUALITY



	Motor	Capacity	Price
EWK 2 000D 12 Volt (shown) • 2-Way Control	1.7kW p/m	907kg @ 2.1m	R1495 GWINCH-200
EWP 2 500D 12 Volt • 2-Way Control	1.9kW p/m	1 134kg @ 2.1m	R1995 GWINCH-250
EWP 2 500A 12 Volt • With ATV Control	1.9kW p/m	1 134kg @ 2.1m	R1995 GWINCH-201
EWP 3 500D 12 Volt • 2-Way Control	2.4kW p/m	1 588kg @ 2.1m	R2095 GWINCH-350

p/m = permanent magnet



HYDRAULIC WINCHES

MAC AFRIC


HEAVY DUTY

	Oil Flow	Pressure	Capacity	Price
HWN 15 000YD Ideal for Roll Back Applications	20~60 l/min	13MPa	6 804kg @ 1 885.5psi	R13895 GWINCH-916
HWD 12 000A 2-speed ideal for 4x4's	5~45 l/min	11MPa	5 443kg @ 1 595.4psi	R13950 GWINCH-915
HWP20 000Y1P 2-speed (shown)	15~75 l/min	17.5MPa	9 072kg @ 2 538.1psi	R40950 GWINCH-920

HAND GEAR WINCHES

- ① 1 360kg (shown)
- With Nylon Strap Belt
 - Length of Strap: 7m

R795 GWINCH-502



- 1 360kg
- With Steel Cable
 - Length of Cable: 10m

R785 GWINCH-501

- ② 450kg (shown)
- With Steel Cable
 - Length of Cable: 10m

R465 GWINCH-050

NEW

MAC AFRIC

	Rope Diameter	Length	Breaking Strength	Price
①	12mm	9m	4 000kg	R595 TROPET-003
②	19mm	9m	8 600kg	R1295 TROPET-004
③	25mm	6m	14 500kg	R1395 TROPET-005
④	32mm	9m	24 000kg	R2695 TROPET-006

MAC AFRIC NYLON RECOVERY TOW ROPE KITS

NEW

MAC AFRIC

	Rope Diameter	Length	Breaking Strength	Price
①	10mm	30m	8 000kg	R2495 GWINCH-002
②	11mm	30m	11 000kg	R2895 GWINCH-003
③	12mm	28m	13 734kg	R3295 GWINCH-004
④	12mm	38m	13 734kg	R3895 GWINCH-005

MAC AFRIC SYNTHETIC WINCH LINE KITS

RECOVERY TRACKS

MAC AFRIC

(1065 X 297 X 70MM) **R895** GTRACK-002

FLEXIBLE (100CM X 28.5CM) **R895** GTRACK-001

(583 X 300 X 68MM) **R495** GTRACK-003

DIGITAL TYRE PRESSURE TESTER GAUGE



TYRE INFLATION-DEFLATION SYSTEMS



HIGH LIFT JACKS

	1.21m (48")	1.52m (60")
Capacity	3 000kg	3 000kg
Max. Height	48"	60"
Min. Height	6"	6"
Can Lift	2 Ton at 50% Height 1.75 Ton at Max. Height	2 Ton at 50% Height 1.75 Ton at Max. Height

OPTIONAL EXTRA **R1195** GJACKF-048 **R1295** GJACKF-060

NYLON BASE FOR HIGH LIFT JACK **R465** GJACKF-001

12 VOLT AIR COMPRESSORS



Deliver high-volume airflow on demand with this portable 12V automotive air compressor. Compact construction makes it easy to store and transport, while the digital display supports accurate pressure monitoring. • Amperage: 90A • Working Pressure: 8.7 Bar (125psi) • Output Airflow: 300l/min

LIFTING & MATERIAL HANDLING EQUIPMENT

230V ELECTRIC HOISTS

I-beam for illustrative purposes only

① 1 Ton Manual Crawl for Electric Hoist
For Models: PA250, PA400 & PA1000

R1795 GCRAWL-000

② Universal Crawl Mounting Bracket

R225 GHOIST-001

MAC AFRIC

	PA250	PA400	PA600	PA1000
Capacity Double Line	250kg/5.5m	400kg/5.5m	600kg/5.5m	1 000kg/5.5m
Capacity Single Line	125kg/11m	200kg/11m	300kg/11m	500kg/11m

R2195
GHOIST-250

R2995
GHOIST-400

R3295
GHOIST-601

R7995
GHOIST-500



ELECTRIC CHAIN HOISTS (DOUBLE CHAIN)

€ Model	① 1000	② 1000	③ 2000
Safe Working Capacity	0.75 Ton x 6m	0.75 Ton x 6m	1.5 Ton x 6m
Voltage/Motor	230V - 0.8kW	380V - 1.1kW	380V - 1.5kW
Lifting Speed	1.8m/min	3.6m/min	3.4m/min

HEAVY DUTY

R14750
GHOIST-100

R13950
GHOIST-101

R14950
GHOIST-102


BEAM CLAMP

Model 2000 • 74 - 230mm (shown)

R895 GCLAMB-002

Model 5000 • 89 - 320mm

R1595 GCLAMB-005



DUPLEX FLAT WEBBING SLINGS

	①	②	③	
Rated	2 Ton	3 Ton	5 Ton	
Length	1.5m	2.5m	4m	
Width	30mm	90mm	150mm	
Price	R100	R195	R495	GSLING-002 GSLING-003 GSLING-005



CHAIN BLOCKS

① Triangle VC Type with 3m Lift

€ Model	Safe Working Capacity	Price
1000	0.75 Ton	R1495 GCHAIN-101
2000	1.5 Ton	R1995 GCHAIN-102
5000	4 Ton	R3795 GCHAIN-105

② With 3m Lift

€ Model	Safe Working Capacity	Price
1000	0.75 Ton	R995 GCHAIN-001
2000	1.5 Ton	R1395 GCHAIN-002
5000	4 Ton	R2895 GCHAIN-005

③ Lever Blocks with 1.5m Lift

€ Model	Safe Working Capacity	Price
1000	0.75 Ton	R1595 GCHALB-001
2000	1.5 Ton	R1995 GCHALB-002
3000	2.25 Ton	R2795 GCHALB-003
5000	3.75 Ton	R3895 GCHALB-005



HAND PALLET STACKER

R12950
GPALLT-003

- Capacity: 1 000kg
- Lift (Stroke/Travel): 1.6m
- Heavy Duty Construction

HYDRAULIC



2 TON I-BEAM TROLLEYS

I-beam for illustrative purposes only

GEARED WITH CHAIN

- I-beam Size: 100 - 150mm

R1895 (shown)

GCRAWL-001

MANUAL TYPE

- I-beam Size: 80 - 150mm

R1395

GCRAWL-002



COLOUR MAY VARY

MAC AFRIC

MANUAL HYDRAULIC PALLET TRUCKS

HYDRAULIC

	(shown) 2.5 Ton	2 Ton	2 Ton (Narrow Fork)	1.5 Ton (Low Level)
Outer Width of Fork	685mm	685mm	520mm	665mm
Inner Width of Fork	360mm	375mm	200.5mm	340mm
Fork Length	1 220mm	1 200mm	1 100mm	1 220mm
Height	85 - 200mm	80 - 200mm	85 - 200mm	52 - 140mm
	R4995 GPALLT-002	R4695 GPALLT-000	R4495 GPALLT-005	R5995 GPALLT-001

HEAVY DUTY

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

1.5 TON GANTRY CRANE

- Adjustable
- Mobile
- Height Adjustment: 2.4 - 3.6m

R12950

GCRANE-000



MAC AFRIC

BATTERY CHARGERS & AUTOMOTIVE EQUIPMENT

INTELLIGENT/DIGITAL BATTERY CHARGERS



EXCELLENT QUALITY



	Charging Current	Charging Stages	Output Voltage	Price
①	1.5 Amp (12V)	3-step	12V	R295 GCHARG-001
②	4 Amp (12V) / 2 Amp (6V)	9-step	6V & 12V	R495 GCHARG-103
③	8 Amp (12V) / 2 Amp (6V)	9-step	6V & 12V	R695 GCHARG-107

	Charging Current	Charging Stages	Output Voltage	Price
④	10 Amp (12V) / 2 Amp (6V)	9-step	6V & 12V	R895 GCHARG-110
⑤	15 Amp	9-step	12V	R1495 GCHARG-123
⑥	25 Amp	9-step	12V	R2395 GCHARG-124

PROFESSIONAL

630L 12/24V CHARGER/BOOSTER

R3995

GCHARG-630

- Charging & Current: 12V – 60A / 24V – 30A

Ideal for Standard & LiFePO4 Batteries



BATTERY CHARGERS/BOOSTERS

Battery for illustrative purposes only

Model	Charging Current	Price
320	35A (12V & 24V)	R2195 GCHARG-321
400	40A (12V & 24V)	R2495 GCHARG-400
600	52A on 12V & 55A on 24V	R2995 GCHARG-600

MAC AFRIC BATTERY JUMP STARTERS

Compact 400 A lithium-ion jump starter with USB output, ideal for emergency vehicle starting and mobile device charging.



12V COMBINATION (WITH INFLATOR)

R1695 GSTART-008

- Peak Start Current: 400A
- USB Output: 5V / 3A
- Output Voltage: 9V / 2A, 12V / 1.5A
- Battery Capacity: 10 000 mAh (37 WH)

- Peak Start Current: 800A
- Start Current: 400A

R995

GSTART-009



MAC AFRIC

MAC AFRIC DC-DC CHARGERS



Model	Voltage	Price
① 25 Amp	9 - 32V	R2495 GCHARG-025
② 40 Amp	9 - 32V	R3295 GCHARG-040

MAC AFRIC

PROFESSIONAL

12V/24V LITHIUM-ION JUMP STARTERS



Start Current	400A (12V); 500A (24V)	600A (12V); 600A (24V)
Peak Current	800A (12V); 1 000A (24V)	1 500A (12V); 1 500A (24V)
Battery Type	Lithium-Ion Polymer	Lithium-Ion Polymer
Battery Capacity	27 000mAh	45 000mAh

R3495 GSTART-007

P.O.A. GSTART-005

GARAGE MECHANIC CREEPERS AND SEATS

PROFESSIONAL

BATTERY TESTER & ANALYSER

R2395

TTESTB-003

- Testing Range: 100 - 2 000 CCA (12V)
- 12V & 24V Starting & Charging System

3-IN-1 BATTERY TESTER, CHARGER & REPAIRER

R1295

TTESTB-008

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



ROLLER SEAT WITH BOTTOM TOOL TRAY

R395 GCREEP-002

Tools for illustrative purposes only



SWIVEL BAR / GARAGE STOOL

The all-new garage stool is ideal for everyday use by mechanics and DIY users

R895 GSTOOL-001



36" PLASTIC CREEPER

R695 GCREEP-003



PADDED MECHANICS CREEPER

R595

GCREEP-001



HEAVY DUTY

48" PLASTIC CREEPER

R1095 GCREEP-005



HEAVY DUTY

44" CREEPER

- Heavy Duty Frame Designs
- 150kg rating

R1495 GCREEP-044



GARAGE EQUIPMENT

4-IN-1 12V CAR JACK KIT WITH IMPACT WRENCH & TYRE INFLATOR

R2495

GJACKC-001



- Complete 4-in-1 roadside solution: Electric Impact Wrench, Built-in Light, Safety Hammer, Gloves and Integrated Tyre Inflator.
- Plugs directly into any 12V DC vehicle power supply.
- Packs neatly into a **portable carry case** for easy storage.
- Provides powered lifting with an 11" (450mm) lift height, suitable for vehicles up to 1.5 ton.

12V CAR SCISSOR JACKS

R1595 **GJACKC-004**

- Model 2000
- Lifting Height Capacity: 14 - 43cm



HEAVY DUTY

12V HYDRAULIC JACK

R3495 **GJACKC-002**

- Safe Working Capacity: 2.25 Ton
- Lifting Height: 20 - 56cm
- Stroke: 350mm



HYDRAULIC TRANSMISSION JACKS

HEAVY DUTY

R6995

GJACKT-102

CE MODEL-500
TELESCOPIC

- Height Range: 870 - 1 847mm
- Safe Working Capacity: 0.4 Ton



R4950 **GJACKT-100**

CE MODEL-1000 LOW LEVEL

- Length: 760mm
- Width: 430mm • Height: 220mm
- Extended: 625mm
- Lifting Height: 760mm
- Safe Working Capacity: 0.8 Ton

MOTORCYCLE LIFT JACK

R2495 **GJACKM-001**

- Base: 290 x 290mm • Min. Height: 130mm
- Max. Height: 420mm



MAC AFRIC ENGINE STANDS

④

Adjustable Arms to fit Standard Passenger & Light Commercial Vehicles

① **Model 450 Universal**
(4 & 6 Cylinder Engines)

R1195
GSTAND-450

② **Model 550 Universal with Oil Pan & Parts Tray**
(4 & 6 Cylinder Engines)

R2495
GSTAND-550

③ **Model 900**
(4, 6 & 8 Cylinder Engines)

R2495
GSTAND-500

④ **Model 900 with Geared Rotator** (shown)
(4, 6 & 8 Cylinder Engines)

R4695
GSTAND-100



COMBINATION HYDRAULIC
BEAD BREAKER ONLY

R3695 **GBEADB-001**



PNEUMATIC HYDRAULIC
PUMP FOR GBEADB-001

R3495 **GPUMPS-001**

1 TON HYDRAULIC COIL SPRING COMPRESSOR

R2995 **GCOILS-010**

- Capacity: Max. Compression/Tension, 1 Ton (hand-pump included)
- Max. Extension: 260mm
- Retracted Dimension: 100mm
- Rod Travel: 100mm



MANUAL COIL SPRING STRUT COMPRESSOR

R6295 **GCOILS-006**

- Max. Diameter: 300mm • Max. Height: 630mm
- Travel/Stroke: 330mm
- Max Shock Absorber Length: 580mm



INTERCHANGEABLE FORK STRUT COIL
SPRING COMPRESSOR KIT

R2395 **GCOILS-005**

MODEL 2000 ENGINE CRANES

FIXED FRAME • Net Weight: 85kg
• Gross Weight: 88kg (shown)

R4495 **GCRANE-002**



OPTIONAL EXTRA

750KG LOAD LEVELLER
(shown)

R595 **GLEVEL-002**

ALSO AVAILABLE

EXTRA HEAVY DUTY TYPE
MODEL 2 000 FOR TRUCKS

R9450 **GCRANE-005**

- Net weight: 168kg • Gross Weight: 191kg

FOLDABLE WITH
6 WHEELS (shown)

- Net Weight: 85kg
- Gross Weight: 89kg

R4695

GCRANE-004

WITH PNEUMATIC
FUNCTION

- Net Weight: 83kg
- Gross Weight: 86kg

R4995

GCRANE-003



GARAGE EQUIPMENT

COMPACT MINI TROLLEY JACKS



	2250-LD	2250-HD
Weight	8.3kg	12.5kg
Lifting Height	135 - 330mm	135 - 385mm
Safe Working Capacity	1.1 Ton	1.5 Ton
	R695 GJACKT-000	R895 GJACKT-001

MODEL-2500 SHORT WHEEL BASE

R2495 GJACKT-002

- Lifting Height: 120 - 500mm
- Safe Working Capacity: 2.0 Ton
- 32kg



HEAVY DUTY

MAC AFRIC

GARAGE TROLLEY JACKS

MODEL-3000 SHORT WHEEL BASE

R3695 GJACKT-300

- Lifting Height: 100 - 530mm
- Safe Working Capacity: 2.25 Ton • 42kg



BOTTLE JACKS



EXCELLENT QUALITY

€ Model	Safe Working Capacity	Min. Height	Max. Height	Price
2	2 Ton	158mm	308mm	R245 GJACKB-002
5	5 Ton	200mm	405mm	R375 GJACKB-005
10	10 Ton	240mm	480mm	R495 GJACKB-010
20	15 Ton	250mm	490mm	R895 GJACKB-020
30	20 Ton	285mm	475mm	R1245 GJACKB-030
50	30 Ton	285mm	465mm	R1945 GJACKB-050

HEAVY DUTY

LONG REACH TROLLEY JACKS

€ Model	Safe Working Capacity	Lifting Height	Length of Jack	Weight of Jack	Price
3000	2.25 Ton	600mm	1290mm	54kg	R6495 GJACKT-003
5000	4.0 Ton	685mm	1410mm	89kg	R9995 GJACKT-005
10000	8 Ton	700mm	1560mm	133kg	R15950 GJACKT-010
20000	11 Ton	640mm	1420mm	230kg	R21950 GJACKT-020

4 TON 2 POST ELECTRIC/HYDRAULIC LIFT



Vehicle for illustrative purposes only

COLOUR MAY VARY

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

AVAILABLE FROM AEROTON JOHANNESBURG SOUTH WAREHOUSE ONLY

AUTO RELEASE
R35950 GLIFTS-003

MANUAL RELEASE
R34950 GLIFTS-002

RATCHET TYPE JACK STANDS



3 Ton Capacity for Cars (shown)

R395
PER PAIR

GSTAND-003

6 Ton Capacity for LDVs & Trucks

R695
PER PAIR

GSTAND-006

12 Ton Capacity for LDVs & Trucks

R1695
PER PAIR

GSTAND-012

PNEUMATIC TYRE CHANGERS AND BALANCERS



MAC AFRIC

	(shown) Model F 112	Model LT 910	Model LT 950A With Helping Arm
Motor	1.1kW, 230V	1.1kW, 230V	1.1kW, 230V
Internal Clamp	12" - 22"	14" - 26"	14" - 26"
Max. Wheel Ø	1 000mm	1 100mm	1 100mm
Max. Wheel Width	270mm	381mm	381mm
	R17995 GTYREC-002	R24995 GTYREC-005	R34950 GTYREC-006

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

Compressor Required

(shown) CB530 CB800

	CB530	CB800
Motor Power	230V	230V
Rim Width	40 - 310mm	40 - 510mm
Rim Ø	254 - 508mm	265 - 615mm
Balancing Speed	210rpm	200rpm
Rim Accuracy	1G	1G

R17995
GTYREB-001

R21995
GTYREB-002



Wheel for illustrative purposes only

MAC AFRIC 5 TON FOUR POST LIFT

NEW

A heavy-duty four-post lift for professional workshops and demanding automotive service work. Built with a robust steel structure and hydraulic lifting system, it lifts vehicles up to 5 ton. Ideal for cars, bakkies and light commercial vehicles, with a four-post design that provides stability, safety and clear access.

- Rolling Jack sold separately.

R49950
GLIFTS-004

HEAVY DUTY

PLEASE NOTE

This product is available from our Johannesburg South warehouse. Delivery requires specialised rigging and transport, which will be quoted separately.



MAC AFRIC


GARAGE EQUIPMENT: AUTOMOTIVE



23 PIECE OIL FILTER WRENCH KIT
R895
GOILFR-002



114 PIECE OIL SUMP THREAD REPAIR SET
R795 GOILTR-114



WHEEL BEARING REMOVAL TOOL KIT
R1495
TBears-005



CAMBELT TENSION GAUGE
R295
GCAMBT-001



UNIVERSAL BUSH REMOVAL/INSTALL SLEEVE SET
R2295
HEAVY DUTY GBUSHK-001



DIESEL INJECTOR TESTER
MAC AFRIC
R1695
GTESTD-001



HIGH PRESSURE DIESEL PUMP TEST KIT
R3995 GTESDP-001



DIESEL INJECTOR SEAT CUTTER SET
R545 GINJEC-007

- Suitable for cleaning and decarbonising injector seats
- Includes 5 precision cutters for a wide range of diesel engines



FUEL INJECTOR CLEANING SYSTEM
R1995 GFUELT-003



BALL JOINT INSTALLER/REMOVER KIT
R995 GJOINT-003



UNIVERSAL BALL JOINT SEPARATOR
• Jaw Capacity: 50 - 120mm

R465 GJOINT-001



AUXILIARY STRETCH BELT REMOVAL & INSTALLATION TOOL KIT
R695 GBELTS-001
MAC AFRIC



DIESEL INJECTOR PULLER KIT
R895 GPULLE-004

- Open range: 50-120mm
- Includes slide hammer
- Ideal for removing stuck or seized common rail injectors without removing the cylinder head




COMPRESSION TESTER KITS
PETROL
R345
GCOMPT-003

DIESEL
R1595 GCOMPT-002



FUEL PRESSURE TESTER
R325
GFUELT-001



22 PIECE FUEL & A/C LINE DISCONNECT SET
R545 GFUELT-022

This kit allows for fast, easy separation of quick-disconnect fittings



2M SELF PRIMING SIPHON HOSE WITH BRASS HEAD
R95
GPIPES-001



ADJUSTABLE FUEL TANK REMOVER
R235
GFUEL-R-001




PETROL
R1795
GTIMEK-009

- Suitable for BMW 2.5, 3.0 (N51-52-52-53-54)



PETROL
R1695
GTIMEK-015

- Suitable for BMW 2.0 (N20/N26)



R395 GTIMEK-003

- Complete timing-tool set for VAG chain-drive engines, including 1.2 and 1.4 TFSI and 1.4 and 1.6 FSI variants. Includes tools for accurate crankshaft top dead centre (TDC) alignment, camshaft adjustment and secure chain-tensioner locking during service or repair work.



R1295 GTIMEK-002

VW/AUDI ENGINE TIMING TOOL SET

- For VW and Audi engines including Golf V TFSI, VW 3-cylinder and common rail systems, and Audi A4, A6 & A8 (1997 - 2004) as well as VW Passat (1998 - 2004).
- Suitable for 1.9 and 2.0 litre TDI pump-nozzle engines, 1.9 litre TDI, 2.5 litre V6 TDI, 3.3 litre V8 TDI, 1.2 litre 3-cylinder engines and 1.4/1.6 litre petrol engines.

LARGE RANGE AVAILABLE
SCAN TO VIEW THE FULL RANGE

GARAGE EQUIPMENT: AUTOMOTIVE

SMOKE LEAK DETECTOR 12V DC – 65W

- Operates on 12V DC with a 65W heating element
- Produces dense visible smoke to quickly locate EVAP, intake and vacuum leaks
- Includes multiple adaptors for various diagnostic applications

MAC AFRIC



R2995
GSMOKD-001

iCarsoft DIAGNOSTIC TESTERS

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



i800 Plus
R895
GTSTC-001



CR Elite
R4295
GTSTC-002



CR Pro
R5995
GTSTC-003

SINGLE-STAGE VACUUM PUMP

R2495 GVACUM-004



HAND-HELD VACUUM PUMP

R345 GVACUM-001



- Suitable for wide range of vehicles

PORTABLE 2-WAY ARTICULATING BORESCOPE

R3950
GSCOPE-005



PORTABLE INSPECTION CAMERA-BORESCOPE

R1895
GSCOPE-000



PORTABLE VISUAL INSPECTION AND CLEANING BORESCOPE

R2495
GSCOPE-006



BRAKE FLUID TESTER

R895
GBRAKT-001



ONE-MAN BRAKE BLEEDING KIT

R75
GBRAKB-002



UNIVERSAL FUEL SUCTION RETRIEVER PUMP (1.5-LITRE) WITH CONNECTORS

R595 GFUELT-004



VEHICLE CURRENT TESTER

R295
TTESMF-001

- Measurement range: 0.1A ~ 19.9A
- Max. Load: 20A/32V DC for max. 10 secs.
- Accuracy: ± (2% of reading + 2 digits)



6 PIECE TELESCOPIC GAUGE SET

R385
GGAUGE-001



A/C MANIFOLD GAUGE SET FOR R134A REFRIGERANT

R1095 GAIRCN-001



- Tests, evaluates and fills air-conditioning systems
- Highly accurate Gauge Set
- Let's you quickly compare high-side and low-side pressure readings
- 1/2" ACME Fittings

VALVE SPRING COMPRESSOR SET WITH PIPE FRAME

R325 GVALVC-001



UNIVERSAL VALVE SPRING REMOVER AND INSTALLER COMPRESSOR KIT

R1195 GVALVC-002



RADIATOR/WATER TANK LEAK/PRESSURE DETECTOR SETS

- Test Cooling Systems for Leaks
- Includes Hand Pump and Test Head

33 PIECE
R1895
GTSTR-002



15 PIECE
R1595
GTSTR-001



BRAKE CALIPER WIND BACK TOOL SETS

- Winds Back Brake Piston for replacing Brake Pads
- Prevents damage to the Piston & Boot

MAC AFRIC



18 Piece
R375 GBRAKE-018



22 Piece
R395 GBRAKE-022


PNEUMATIC BRAKE BLEEDER

R295
GBRAKB-001



GARAGE EQUIPMENT

ULTRASONIC CLEANERS



BEFORE


AFTER

30L

3L

6L

10L



3ℓ Parts Cleaner

R1895
GCLEAN-003

10ℓ Parts Cleaner

R4295
GCLEAN-010

6ℓ Parts Cleaner

R3895
GCLEAN-006

30ℓ Parts Cleaner

R6495
GCLEAN-030

(Crank Type) (shown)
10 Ton 10 Ton 20 Ton

GEAR PULLERS

Rated Output	10T	10T	20T
Reach	160mm	135mm	350mm
Max. Stroke	60mm	170mm	100mm
Spread	250mm	250mm	560mm

R1995 GPULLE-011
R3295 GPULLE-010
R5950 GPULLE-020



HYDRAULIC



COMBINATION 2/3 JAW PULLERS



75mm	R125 TPULLG-075
100mm	R185 TPULLG-100
150mm	R295 TPULLG-150
250mm	R945 TPULLG-250
300mm	R1395 TPULLG-300



WORKSHOP PRESSES

① D.I.Y. 12-Ton Bottle-Jack Type (shown)
D.I.Y. 20-Ton Bottle-Jack Type

R2695
GPRESS-009

R3695
GPRESS-010



BOTTLE JACK TYPE



② 12-Ton Press with Gauge (shown)

R5495
GPRESS-012

20-Ton Press with Gauge

R6795
GPRESS-020

20-Ton Pneumatic Press with Gauge (Dual Function)

R7295
GPRESS-021



HYDRAULIC

PARTS WASHERS

SUITABLE FOR WATER-BASED CLEANING SOLUTIONS ONLY



90ℓ COMPACT ON TROLLEY

R3995 GWASHP-091

- Includes Pump
- 750 x 530 x 900mm



90ℓ COMPACT

R2495 GWASHP-090

- Stationary
- Includes Pump
- 760 x 520 x 890mm

13ℓ

• Bench Type
R945

GWASHP-012



180ℓ



R3995 GWASHP-180

- Stationary
- Includes Pump
- 1 100 x 550 x 900mm
- Suitable for cleaning larger parts

BEARING SEPARATOR KIT

R995 TBARS-001

- Range: 30 - 50mm; 50 - 75mm
- Length of Jaws: 110mm (2 Jaw Puller)
- Max. Shaft Length: 210mm



10 PIECE BEARING RACE & SEAL DRIVER KIT

R645 TBARS-006

- Easily replace bearing races without damaging race or axle housing
- Collars fit most wheel bearing sizes
- Machined aluminium construction



HYDRAULIC WORKSHOP PRESSES

(shown) 40-Ton Hydraulic-Pneumatic 100-Ton Hydraulic

Stroke	235mm	300mm
Distance between H-frame	680mm	710mm
Height of Press	1.6m	1.95m
Width of Work Table	235mm	370mm

R16995
GPRESS-041

R42950
GPRESR-001



6-Ton Bench Type Hydraulic Press (Bottle-Jack Type - no Gauge)

R1995 GPRESS-006



PANELBEATING EQUIPMENT

DENT LIFTER KIT WITH ATTACHMENTS & GLUE GUN



R895 **GBODYR-001**

ALSO AVAILABLE

SLIDING HAMMER FOR DENT LIFTER KIT

R395 **GHAMSL-002**

DENT REPAIR SLIDE BAR SET (17-PIECE & STORAGE MAT)

PROFESSIONAL **R945** **GPANEL-000**

Expertly repair panel dents with this precision leverage tool. Features 71.5cm and 72.5cm bar lengths, a 6mm head and a durable 4mm thick profile – ideal for accessing tight spaces in automotive bodywork.



TRIM REMOVAL TOOL SETS



11 PIECE (shown) **R225** **GPANEL-011**

27 PIECE **R395** **GPANEL-027**


LED REFLECTABLE BOARD

R395 **GBODYL-002**

Essential tool for professional dent repair and paintless dent removal (PDR).



YELLOW REFLECTABLE BOARD **R100** **GBODYL-001**



MINI COATING THICKNESS GAUGE

R395 **GGAUGP-001**



7 PIECE WINDSCREEN REMOVAL KIT

R395 **GWINDS-001**

Includes gripping handles, feeder tools, moulding release tools and more.



PROFESSIONAL

MAC AFRIC

WHEEL ARCH FENDER ROLLER

- Flares Arches • Repair Arch Damage
- Bolts directly to Hub Flange
- Adjustable

R1795 **GPANFR-001**



10 TON FRAME STRAIGHTENER

R17995 **GSTRGT-001**

With anchor post for added flexibility. Includes accessories as shown.



HYDRAULIC BODY REPAIR KITS WITH ATTACHMENTS

HEAVY DUTY

EXCELLENT QUALITY

MAC AFRIC

WITH NEW IMPROVED SEALS



Model Contents Vary

(shown) 10 Ton **R3195** **GBODYR-010**

15 Ton **R4995** **GBODYR-015**

20 Ton **R8950** **GBODYR-020**

PROFESSIONAL

PANELBEATING KITS



7 PIECE **R695** **GPANEL-001**



COLOUR MAY VARY

9 PIECE **R1895** **GPANEL-009**

PAINTLESS HAIL ROD DENT REMOVAL KIT

R3895 **GBODYR-002**

Designed for efficient dent removal without the need for repainting. Includes a variety of rod tips in different sizes and shapes, along with essential accessories like pump wedges, plastic chisels, chains, and a small hammer.



PORTABLE FOLDABLE PAINT STAND

R795

GSTAND-020

- Equipped with protective rubber
- Super sturdy



PROFESSIONAL

SLIDE HAMMER & DENT PULLER KITS



(shown)

12 PIECE

R995

GHAMSL-013

HEAVY DUTY

14 PIECE

R1595

GHAMSL-014

HYDRAULIC VEHICLE POSITIONING GO-JACKS



R3695 PER PAIR **GJACKT-150**

Wheel for illustrative purposes only


GARAGE EQUIPMENT

12V DIESEL PUMP

COMPLETE KIT (shown)

- 40ℓ/min • Includes Pump, Gun, Hose, Meter and Bracket

R2895 HPUMPO-008



ALSO AVAILABLE

230V MODELS (SINGLE PHASE)

ENQUIRE IN STORE

ALSO AVAILABLE

- ① Pump Only
- ② Hose Only
- ③ Gun Only
- ⑤ Meter Only

R895 HPUMPO-011

R845 HPUMPH-005

R345 HPUMPO-009

R845 HPUMPO-010

① + ② + ③ Pump + Gun + Hose (Kit) (Excluding Bracket)

R1895 HPUMPO-007

MAC AFRIC 70ℓ TRUCK OIL DRAIN WITH HAND ROTARY PUMP

R3295 GOILCN-070



- Capacity: 70ℓ
- Drain Hole Size: 340 x 500mm
- Outlet Size: 20mm
- Catch Tray Dimensions: 610 x 500mm

MAC AFRIC 30ℓ WASTE OIL DRAIN TANK

R1695

GOILCN-008



- Tank Capacity: 30ℓ
- Bowl Capacity: 13ℓ
- Max. Height: 1 575mm
- Min. Height: 1 092mm
- Telescopic Range: 440 - 930mm (17"-36")

MAC AFRIC

12ℓ OIL LUBE DISPENSER & DRUM

R1195

GOILCN-004



Designed for easy and efficient dispensing of all types of lubricants. Featuring a handle with three pivot points to handle different viscosities. Ensures smooth and effortless pumping action. Large capacity and robust design.

9ℓ FLUID/OIL EXTRACTORS



① Manual

R1195

HPUMPO-013

② Pneumatic

R1195

HPUMPO-012

Capacity: 9 litres. Designed to extract a wide range of fluids and widely used in automotive maintenance for removing oil from engines and other confined areas. Available in manual ① and pneumatic ② versions

PNEUMATIC OIL PUMP

MOBILE PNEUMATIC OIL DISPENSING STATION (without drum) (complete unit shown)

R13950 HPUMPO-004

- Ratio 5:1
- Trolley, Pump, Hose Reel & Digital Oil Gun




Drum for illustrative purposes only

PNEUMATIC OIL DISPENSING PUMP (only)

- Ratio 5:1

R6295 HPUMPO-003



DIGITAL OIL GUN (only)

- Flow Rate: 0 - 60ℓ/min

R2195 HPUMPO-005

ROTARY HAND DRUM PUMPS

FITS INTO A 210ℓ DRUM

Ideal for Oil, Paraffin & Diesel (shown)

R395 TPUMPD-001

ALUMINIUM HAND PUMP

Ideal for Oil, Paraffin & Diesel

R695 TPUMPH-001



PROFESSIONAL **R795** TPUMPD-003

P.P. (polypropylene). Manufactured from P.P. (polypropylene) Suitable for AdBlue/DEF, water, alcohols, kerosene, lubricants, compatible water-based acidic and alkaline solutions

12V MINI OIL EXTRACTOR PUMP

R375 HPUMPO-002



PVC Clear Pipe included

MAC AFRIC

8KG FOOT OPERATED GREASE DRUM

R2395

GGREAS-010



Featuring a foot-operated treadle. Allows for hands-free operation. Includes a lock-on grease coupler for precise delivery. Ideal for heavy-duty use. Minimizes wastage and mess while ensuring optimal performance.

G.GUN 10ℓ HIGH PRESSURE FOOT OPERATED GREASE DRUM

R2695 GGREAS-009

- Two Stage Pump
- Canisters can use 5 - 8kg Grease



PNEUMATIC GREASE DRUMS

INCLUDES HOSE, GUN & TROLLEY



Grease Pump	Inlet Pressure	Price
12ℓ (shown)	6 - 8 bar	R2950 GGREAS-012
30ℓ	6 - 8 bar	R4495 GGREAS-005
40ℓ	4 - 8 bar	R4995 GGREAS-017



GARAGE EQUIPMENT

AUTO-RETRACTABLE HOSE REELS

DISCLAIMER: Image provided for illustrative purposes only; actual product appearance may differ



① **20m (10mm fittings)**
• Steel design with enhanced durability

R2495
GHOSER-020

② **15m (10mm fittings)**
• Steel design with enhanced durability

R2295
GHOSER-016

③ **15m (8mm fittings)**

R1395
GHOSER-015

④ **8m (10mm fittings)**
• Steel design with enhanced durability

R1195
GHOSER-008

⑤ **10m (10mm fittings)**

R1195
GHOSER-010

⑥ **20m (10mm fittings)**

R1950
GHOSER-021

8MM I.D. Ø AIR LINE HOSES

BLUE PVC FLEX HOSE 20M WITH COUPLINGS (shown)

R325
AHOSSES-020



BLUE PVC FLEX HOSE
10m with Couplings

R215
AHOSSES-028

BLUE PVC FLEX HOSE
100m Roll

R1500
AHOSSES-006

RUBBER REINFORCED



8mm I.D. Ø

R22 AHOSSES-009
per meter cut (min 10m)

10mm I.D. Ø

R25 AHOSSES-011
per meter cut (min 10m)

14 PIECE AIR DIE GRINDER KIT

For grinding in difficult-to-reach areas.

R395

AGRIND-001

- 8cfm
- 25 000rpm
- Collet Chuck Capacity: 3mm & 6mm



17 PIECE AIR MICRO DIE GRINDER KIT

R485 AGRINK-017

- 3 mm Collet and Inline Lubricator
- 10-Piece Grinding Stone Set Included
- Compact Body: 140mm x Ø15.5mm
- High-Speed Output: 54 000rpm



AIR DIE GRINDER



R1895

AGRIND-002

- Ideal for Tyre Repair • Includes Bits



5 PIECE BRASS QUICK COUPLER SET

R100

ACOURL-005

- For use on all Air Operated Equipment
- Extensive Pneumatic Coupling Range available

ENQUIRE IN STORE OR ONLINE



RECOIL AIR HOSE WITH 1/4" MALE BSP-ADAPTOR

Hose Length: 15m

R215 AHOSSES-015

Hose Length: 7m

R145 AHOSSES-007



SANDBLASTING GUNS



R245

AGUNSB-000

SAND BLAST POT GUN WITH 4 NOZZLES



GUN WITH 4 CERAMIC NOZZLES

R245

AGUNSB-003

GRAVITY FEED (TOP LOAD TYPE)

R495 AGUNSB-118



R395 GCABSB-008

SANDBLASTING HOOD



SANDBLASTING SAND (Fine Grit)
• 25kg Bag • 47 - 58 Microns

R75

GCABSG-030

SANDBLAST PRESSURE POTS

90% DUST-FREE
SANDBLASTING SYSTEM
WITH BUILT-IN 1200W
VACUUM - COMPLETE
UNIT WITH HOSE AND GUN

R6495

GPOTSB-001

- Range of Blasting Pressure: 420kPa - 900kPa (4.2 - 9 bar)
- Nozzle Sizes: Ø 2.4, 2.7, 3.2, 3.6mm

45ℓ **R2195** GPOTSB-045

90ℓ **R2995** GPOTSB-090



Compressor Required

SANDBLASTING CABINETS



BENCH TYPE
R2495 GCABSB-001

- Complete with High Efficiency Gun, Light, Pick-up Hose, Gloves, Spare Glass Shields and Nozzles
- 580 x 490 x 490mm



VERTICAL TYPE
R6950 GCABSB-002


- Heavy Duty Steel Construction
- Complete with High Efficiency Gun, Hose, Light, Gloves, etc.
- 890 x 570 x 1 390mm



INDUSTRIAL SAND
BLAST CABINET WITH
FOOT PEDAL & EXTRACTOR
R19450 GCABSB-003

- 1 220 x 600 x 1 710mm

SPRAY GUNS



Low-Volume Low-Pressure • Bar: 2 - 3.5 • CFM Requirements: 3 - 3.9

- 1 Gravity Feed • 1.3mm Nozzle **R695** ASPRAG-700
 - 2 Gravity Feed • 1.3mm Nozzle **R695** ASPRAG-500
 - 3 Gravity Feed (Anodized Finish) • 1.5mm Nozzle **R695** ASPRAG-109
 - 4 Mini Side Feed Touch-up • 0.6mm Nozzle **R475** ASPRAG-019
 - 5 Spray Gun Holder/Stand **R110** ASPRAA-001
- High Volume Low-Pressure • Bar: 2 - 3.5 • CFM Requirements: 4.2 - 7.1
- 6 Gravity Feed Mini Touch-up • 0.8mm Nozzle **R295** ASPRAG-110
 - 7 Gravity Feed • 2.5mm Nozzle **R365** ASPRAG-025
 - 8 Gravity Feed • 1.4mm Nozzle **R385** ASPRAG-106
 - 9 Gravity Feed • 1.4mm Nozzle **R275** ASPRAG-107
 - 10 Gravity Feed with Regulator • 1.4mm Nozzle **R445** ASPRAG-827

NEW SATA SPRAY GUNS

 1000B R7305 ASPRAG-801	 JET X RP 1.3 BASIC R12295 ASPRAG-803	 MINI 440 B HVLP 1.0 RPS R6795 ASPRAG-804	 JET 100B FRP 1.8MM R6105 ASPRAG-802
--	---	---	--

AVAILABLE EX JHB AEROTON WAREHOUSE OR ONLINE

GRAVITY FEED SPRAY GUNS **PROFESSIONAL**

1 (HVLP) • 1.0mm Nozzle R1095 ASPRAG-300	
2 With Stand (HVLP) • 1.3mm Nozzle R1195 ASPRAG-100	
3 (HVLP) • 1.3mm Nozzle R1995 ASPRAG-101	

SUCTION FEED SPRAY GUNS **EXCELLENT QUALITY**

1 High Pressure • 4 - 7cfm • 1.8mm Nozzle R325 ASPRAH-001	
2 Low Volume Low Pressure Anodized Finish • 3 - 3.9cfm • 1.5mm Nozzle R895 ASPRAH-003	
3 High Volume Low Pressure • 4.2 - 7.1cfm • 1.4mm Nozzle R695 ASPRAH-005	

AIRLESS SPRAYERS

GRACO CLASSIC 495 PC
R66950
ASPRAY-495

GRACO TRUECOAT 360 CORDLESS CONNECT DRILL SPRAYER
R4995
ASPRAY-361



Drill for illustrative purposes only

GRACO GX21
R26750 ASPRAY-021

Fast, portable and affordable solution for small finishing jobs.

- Compatible Materials: Primer, Stains, Water-based Paint, Acrylics, Enamel and Latex Paints.
- Max. Flow Rate: 1.8ℓ/min
- Motor Type: Brushless DC
- Pump Type: ProX Piston Pump
- Nozzle Size: 0.53 mm (0.021")
- Voltage: 230V

ONLY AVAILABLE AT CERTAIN STORES ENQUIRE IN STORE

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



RONGPENG Model 550 **R16995** ASPRAY-550
Brushless Motor

ELECTRIC AIRLESS D.I.Y. SPRAY GUNS



	1 0.5kW, 230V	2 0.6kW, 230V (shown)
Max. Flow	900ml/min	1 000ml/min
Tank Capacity	800ml	900ml
Nozzle	1.8mm/2.6mm	2.5mm
	R795 ASPRAY-012	R795 ASPRAY-013



PAINT PRESSURE POTS



MAC AFRIC

ACCESSORIES INCLUDE

Gun, Gauge & Hose



- 10ℓ **R2495** ASPRAP-010 • Operating Pressure: 1.4 - 2.4 bar
- 2ℓ **R1395** ASPRAP-002 • Operating Pressure: 0.8 - 2.1 bar

INDUSTRIAL PRESSURE POTS

Required Air Consumption: 8 - 12 cfm

- | | |
|--------------------------------|-------------------------|
| 20ℓ with Auto Agitator (shown) | R5695 ASPRAP-022 |
| 20ℓ with Manual Agitator | R4695 ASPRAP-021 |
| 10ℓ with Auto Agitator | R4295 ASPRAP-012 |
| 10ℓ with Manual Agitator | R3295 ASPRAP-011 |
| 40ℓ with Manual Agitator | R8995 ASPRAP-040 |

(GUN & HOSE SOLD SEPARATELY)



MAC AFRIC COMPRESSORS

★ 1 year guarantee ★

SANS 347: 2012 compliant – RSA Conformity Assessment Reviewed – AIA Verification by Intertek

PROFESSIONAL QUALITY



R2195 COMPRE-515



DIRECT DRIVE

Tank Size	Motor Size	Output Delivery	Input Power	Max. Pressure	Price
24ℓ	2hp 1.5kW	110ℓ/min (3.88cfm)	230V	116psi 8 bar	R1695 COMPRE-024
50ℓ (shown)	2hp 1.5kW	120ℓ/min (4.23cfm)	230V	116psi 8 bar	R2195 COMPRE-515
100ℓ	2hp 1.5kW	120ℓ/min (4.23cfm)	230V	116psi 8 bar	R4695 COMPRE-115
100ℓ V-head	3hp 2.2kW	190ℓ/min (7cfm)	230V	116psi 8 bar	R5995 COMPRV-123



R3295 COMPRE-002



OIL-FREE SILENT TYPE

Tank Size	Motor Size	Output Delivery	Input Power	Max. Pressure	Price
24ℓ Silent Type	0.55kW	40ℓ/min (1.41cfm)	230V	101psi 7 bar	R2495 COMPRE-001
50ℓ Silent Type (shown)	0.75kW	60ℓ/min (2.1cfm)	230V	101psi 7 bar	R3295 COMPRE-002
50ℓ Silent Type (with 2 motors)	2 x 0.75kW = 1.5kW	120ℓ/min (4.23cfm)	230V	101psi 7 bar	R4695 COMPRE-003
100ℓ Silent Type (with 3 motors)	3 x 600W = 1 800W	231ℓ/min (8.16cfm)	230V	116psi 8 bar	R8950 COMPRE-011



R24950 COMPRE-705



ENGINEERED FOR MOBILE SERVICE AND ROADSIDE ASSISTANCE

BELT DRIVE – PETROL DRIVEN

Tank Size	Motor Size	Output Delivery	Max. Pressure	Price
70ℓ (Pull Start)	6.5hp	360ℓ/min (12.7cfm)	116psi 8 bar	R10950 COMPRE-070
150ℓ (Pull Start)	6.5hp	360ℓ/min (12.7cfm)	116psi 8 bar	R12950 COMPRE-071
150ℓ Electric Start 2 Stage Air Pump (shown)	15hp	614ℓ/min (21cfm)	90psi 6 bar	R24950 COMPRE-705
		555ℓ/min (19cfm)	145psi 10 bar	



BELT DRIVE – DIESEL DRIVEN

Tank Size	Motor Size	Output Delivery	Max. Pressure	Price
150ℓ Electric Start 2 Stage Air Pump	11hp	614ℓ/min (21cfm)	90psi 6 bar	R26950 COMPRE-706
		555ℓ/min (19cfm)	145psi 10 bar	

Backed by

Adendorff machinery mart



R30950 COMPRV-510



BELT DRIVE

Tank Size	Motor Size	Output Delivery	Input Power	Max. Pressure	Price
50ℓ	2.5hp 1.5kW	170ℓ/min (6cfm)	230V	116psi 8 bar	R5995 COMPRE-517
100ℓ	2.5hp 1.5kW	170ℓ/min (6cfm)	230V	116psi 8 bar	R7950 COMPRE-210
100ℓ Vertical Space Saver	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	R8795 COMPRE-310
150ℓ	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	R9295 COMPRE-315
200ℓ	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	R9950 COMPRE-615
100ℓ V-head	2hp 1.5kW	170ℓ/min (6cfm)	230V	116psi 8 bar	R7850 COMPRV-120
100ℓ V-head	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	R8795 COMPRV-130
200ℓ V-head	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	R10950 COMPRV-230
300ℓ V-head	5hp 4kW	600ℓ/min (21.2cfm)	380V	116psi 8 bar	R17450 COMPRV-355
300ℓ V-head	7.5hp 5.5kW	670ℓ/min (23.66cfm)	380V	116psi 8 bar	R18950 COMPRV-375
500ℓ V-head (shown)	10hp 7.5kW 2 Stage Air Pump	1 050ℓ/min (28.25cfm)	380V	175psi 12 bar	R30950 COMPRV-510
500ℓ V-head	10hp 7.5kW 2 Stage Air Pump	1 150ℓ/min (37cfm)	380V	175psi 12 bar	R33950 COMPRV-575

PNEUMATIC EQUIPMENT

MINI SILENT OIL-FREE COMPRESSORS

6ℓ D.I.Y. Portable Silent Type

- 550W, $\frac{3}{4}$ hp, 8 bar • 105ℓ/min, 3.7cfm • 230V



Ideal for Air Brushing, Nailers, Staple Guns & Air Blowers



Steel Tank • 14.5kg
R2095 COMPRE-006



Aluminium Tank • 13.8kg
R2295 COMPRE-007

AIR BRUSHES

- Air Consumption: 0.4 - 0.8cfm
- 0.2mm Fine Tip Fluid Nozzle
- Working Pressure: 1 - 3,5 bar • Gravity Side Feed

R595 ABRUSH-008



- Air Consumption: 0.4 - 0.8cfm
- 0.3mm Fine Tip Fluid Nozzle
- Working Pressure: 1 - 3 bar • Gravity Top Feed

R895 ABRUSH-002

PNEUMATIC DRILLS

- Reversible • 6cfm

With Key Chuck

10mm **R495** ADRILR-010

12.5mm (shown) **R575** ADRILR-005

With Keyless Chuck

10mm **R495** ADRILR-011

12.5mm **R545** ADRILR-012



RIV-NUT / NUT-SERT INSTALLATION TOOL

R1195 ARIVNR-001

- Riv-Nut Sizes: M4, M5, M6, M8, M10



PNEUMATIC RIVETER

R1695 ARIVET-001

- 4 Nozzles • 4.2cfm • For Rivets 2.4 - 4.8mm

ALSO AVAILABLE **R1995** ARIVET-002

COMPLETE SET WITH SERVICE KIT
• 4.2cfm

50MM COMBINATION NAILER AND STAPLER

R545 ANAILA-055

Required Pressure:
4 - 7 bar

- Uses 18-Ga F-Nails (15-50 mm) and 5.8 mm Crown Staples (16 mm staples stocked in-store)
- Integrated Safety Pin Mechanism
- Quick-Release Front Plate for Rapid Jam Removal



BRAD NAILERS

F-Nails - 18# Gauge

D.I.Y. F30 • 10 - 30mm **R425** ANAILF-030

D.I.Y. F50 • 15 - 50mm **R545** ANAILF-050


30mm (shown) • 10 - 30mm **R1095** ANAILA-030

50mm • 15 - 50mm **R1595** ANAILA-050

T-Nails - 16# Gauge

T50 • 20 - 50mm **R1295** ANAILR-650

T64 • 32 - 64mm **R1495** ANAILR-664



3-IN-1 FINISHING NAILER

R1595
ANAILA-001

- 4.8 - 7.5 bar
- Ideal for: 18#GA Staples 16 - 40mm
- 18#GA F-nails 20 - 50mm
- 16#GA T-nails 25 - 64mm



INDUSTRIAL 18 - 64MM CONCRETE NAILER

R1495
ANAILR-660

- Ideal for nailing skirting to the wall
- Required Pressure: 4 - 7 bar



INDUSTRIAL 34° CLIPPED HEAD NAILER

R2195
ANAILA-028

- Range: 50 - 90mm
- Shank Ø: 2.98 - 3.33mm

ALSO AVAILABLE

Nails: 50, 75 & 90mm



INDUSTRIAL COIL NAILERS

45 - 70mm
R2995
ANAILR-900

Required Air Consumption:
5 - 7 bar

45 - 90mm
R3995
ANAILR-909

ALSO AVAILABLE

50, 70 & 90mm Coil Nails (on a roll)



STAPLERS

Required Air Consumption:
2 - 4cfm

R995 ASTAPL-010

HEAVY DUTY MODEL

- Capacity: 10 - 22mm Staples
- Crown: 10mm



R475 ASTAPL-013

DIY MODEL

- Capacity: 6 - 13mm Staples
- Crown: 10mm



PNEUMATIC EQUIPMENT

NEEDLE DESCALERS / AIR HAMMERS



190MM HAMMER ACTION CHISEL SET
• 5cfm
R495 AHAMMC-190



190MM COMBINATION AIR HAMMER/DESCALER CHISEL SET • 5cfm
R795 ASCALD-190

ALSO AVAILABLE

BARREL TYPE DESCALER
• 5cfm

R2595
ASCALD-001



5 PIECE DIY AIR TOOL KIT
R395
ASPRAK-006



PNEUMATIC UNDERCOATING GUN

- Suction Feed Type
- Max. Pressure: 9 bar
- 4cfm

R275 AGUNUC-002



ENGINE CLEANING GUN

- 2 - 4 bar

R145 ACLEAN-001



AIR DUSTER GUN

R85 ADUSTR-001



PNEUMATIC WATERING GUN
• 6cfm

R195 AGUNWT-001



RUBBERIZING STONE-CHIP COATING GUN
• 4cfm

R395 AGUNUC-001

DUAL ACTION SANDER

R1095 ASANDA-020

- 8 - 10cfm
- Pad Size: 150mm
- Adjustable Air Flow for a virtually scratch free finish



ALSO AVAILABLE

125mm/150mm Velcro Sanding Pads & Sanding Discs

ENQUIRE IN STORE

PNEUMATIC METAL SHEAR

R845

ASHEAR-001



- Air Requirement: 4cfm
- Ideal for cutting, trimming and contouring plastic, tin, aluminium and sheet metals up to 18-gauge rolled steel
- Cutting Capacity: 1 mm mild steel (max)

3" (75MM) AIR CUT-OFF TOOL

R395

ACUTTO-075

- 6cfm



ALSO AVAILABLE

Cutting Discs

R22 ACUTTD-001 EACH

4-IN-1 VARIABLE MULTI FUNCTION AIR TOOL

R845

AMULTI-022



42 PIECE PNEUMATIC TOOL KIT

R2495

ATOOLK-042



- 12.5mm (1/2") Drive Impact Wrench with 10 Sockets
- Heavy Duty Dual Action Sander
- 6mm Air Die Grinder and Stones
- 10mm Reversible Air Drill
- 150mm Air Hammer with Chisels and Bits
- 8 - 10cfm

PROFESSIONAL

STRAIGHT LINE SANDER

R1495

ASANSL-010



- Smooth Action
- Double Piston • 4 - 6cfm
- Stroke: 2 100/min • Paper Size: 70 x 445mm

SPRING BALANCER

① **R425** ABALAN-100

- Reduces tool weight on operator's hand
- Weight Tension: 1 - 2kg

PNEUMATIC SCREWDRIVER

4.55MM, STRAIGHT TYPE

② **R895** ASCRWD-455



ADJUSTABLE CLUTCH • 4-6cfm

R1495 ASCRWD-002

175MM AIR ANGLE BUFFER POLISHER

R2395 APOLIS-175

- 12cfm
- Free Speed: 2 500r/min
- Spindle Thread Size: 5/8"
- Suggested Min. Compressor: 4kW
- Safety Lever Throttle



PROFESSIONAL
AIR GRINDERS

112mm

R995 AGRIND-112

125mm

R1745 AGRIND-125

180mm (shown)

R2195 AGRIND-180

PNEUMATIC ORBITAL FINISHING SANDER

R895 ASANOR-001



DUAL ACTION PALM SANDERS



125MM (5") PNEUMATIC
• 6 - 8cfm

R695 ASANOR-002

ALSO AVAILABLE

WITH SELF VACUUMING FUNCTION (VELCRO TYPE)

R945 ASANOR-005

AEROPRO PNEUMATIC EQUIPMENT

VISIT US ONLINE FOR DETAILED SPECIFICATIONS www.adendorff.co.za

AEROPRO PROFESSIONAL PNEUMATIC RANGE



IMPACT
HAMMER
R445

AHAMMC-002



1/2" DRIVE
MINI STUBBY
IMPACT
WRENCH
R895

AWRENC-020



1/2" DRIVE
IMPACT
WRENCH
R995

AWRENC-021



3/4" DRIVE
IMPACT
WRENCH
R1895

AWRENC-022



ORBITAL PALM SANDER
(5mm ECCENTRIC ACTION)

R1395 ASANOR-025



1/2" DRIVE AIR IMPACT
WRENCH KIT

R1295 AWRENC-000



1/2" DRIVE RATCHET WRENCH

R645 AWRENC-017



1/4" DRIVE RATCHET WRENCH

R495 AWRENC-014



ORBITAL PALM SANDER
(3mm ECCENTRIC ACTION)

R1395 ASANOR-023



BELT SANDER

R795 ASANDE-001



AIR ANGLE GRINDER

R695 AGRIND-115



1/4" DIE GRINDER

R345 AGRIND-010



ANGLE DIE GRINDER

R595 AGRIND-011



AIR SAW

R845 ASAWBD-003



AIR CUT OFF TOOL

R495 ACUTTO-003



DIGITAL TYRE
INFLATOR GAUGE

R695 AGAUGE-014

PROFESSIONAL

LOW VOLUME
LOW PRESSURE

GRAVITY
FEED SPRAY
GUN

- Nozzle: 1.3mm

R795

ASPRAG-610



HTE (HIGH TRANSFER
EFFICIENCY)

GRAVITY
FEED
SPRAY GUN

- Nozzle: 1.3mm


R1395

ASPRAG-613



PNEUMATIC/GARAGE EQUIPMENT

IMPACT WRENCHES



- ① 12.5mm (1/2") Twin Hammer • 720Nm • 4.6cfm • 2.2l/s
- 12.5mm (1/2") Twin Hammer • 850Nm • 4.87cfm • 2.3l/s
- 19mm (3/4") Twin Hammer • 1 300Nm • 7.42cfm • 3.5l/s
- ② 19mm (3/4") Twin Hammer • 1 600Nm • 8 - 12cfm (Rongpeng)

- R895** (shown) AWRENC-007
- R1095** AWRENC-008
- R2495** AWRENC-009
- R3495** (shown) AWRENC-005

25MM 1" DRIVE HEAVY DUTY IMPACT WRENCH




- 2 600Nm • 13.3cfm • 6.3l/s
- 3 200Nm • 13.98cfm • 6.6l/s (shown)
- 4 800Nm • 14.83cfm • 7l/s
- 2 600Nm • 13.35cfm • 6.3l/s (Short Anvil)

- R3595** AWRENC-026
- R4295** AWRENC-032
- R4995** AWRENC-048
- R3495** AWRENC-027

IMPACT SOCKET SETS

38 Piece Metric/Imperial 3/8" Drive

- 3/4", 11/16", 5/8", 9/16", 1/2", 7/16", 3/8", 5/16"
- 8, 10, 11, 12, 13, 14, 17, 19mm
- 1/2" Drive • 3/8", 7/16", 1/2", 9/16", 5/8", 1/16", 3/4", 19/16", 7/8", 15/16", 1"
- 10, 11, 12, 13, 14, 17, 19, 21, 22, 24mm



- R1095** TSOCKE-038

R1195 TSOCKE-015

- 15 Piece 12.5mm (1/2") Drive, (75mm) Deep Metric
- 10 - 24mm



10 PIECE DEEP IMPACT SOCKET SET

AVAILABLE IN 1" OR 3/4" DRIVE



- (88mm deep)
- 21, 22, 24, 27, 29, 30, 32, 35, 38, 41mm

- ① 3/4" TSOCKE-011
- ② 1" TSOCKE-010



1" DRIVE TRUCK WHEEL NUT REMOVERS (TORQUE MULTIPLIER)

ENGINEERED FOR HIGH-TORQUE TRUCK WHEEL NUT REMOVAL



- 3 800Nm Torque Ratio: 1:60

- R895** GWRENC-280

- 5 200Nm Torque Ratio: 1:90

- R995** GWRENC-520



AIR WRENCH KITS

12.5mm (1/2") Drive

- 4.2cfm
- Complete with 10 Sockets: 9, 10, 11, 13, 14, 17, 19, 22, 24, 27mm
- Forward and Reverse Push Button

- R1295** AWRENC-001



15 Piece 12.5mm (1/2") Drive Ratchet Wrench Kit

- 2.7cfm
- Complete with 7 Sockets: 9, 10, 11, 13, 14, 17, 19mm

- R795** AWRENC-015



119 PIECE PROFESSIONAL IMPACT SOCKET SET



1/2" & 3/4" Drive

- R3695** TSOCKE-120

- Contains both metric and SAE (Imperial Sizes)
- Chrome Molybdenum Steel Material: 35CR-MO Tool Standard: ANSI



VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

AIR INFLATORS/DEFLATORS WITH HOSE, NOZZLE AND GAUGE



- | | | |
|--|-----------------|-------------------------|
| ① Tyre Inflator/Deflator | 0 - 700kPa | R225 AGAUGE-004 |
| ② Tyre Inflator/Deflator • Robust Design | 0 - 1 200kPa | R445 AGAUGE-000 |
| ③ Garage Type | 0 - 1 100kPa | R795 AGAUGE-001 |
| ④ Garage Type (Pro) | 0 - 1 050kPa | R1395 AGAUGE-002 |
| ⑤ Digital Tyre Inflator | 0.68 - 1 700kPa | R445 AGAUGE-008 |
| ⑥ Inflator/Deflator | 48 - 1 240kPa | R945 AGAUGE-009 |



WELDING

MAC AFRIC DC INVERTER WELDERS

MMA



ACCESSORIES INCLUDE

Electrode Holder and Earth Clamp

PLEASE NOTE: Use minimum 2.5mm² Core Extension Cord

	Model	Voltage	Duty Cycle	Price	
IGBT	Model 140 Mini D.I.Y.	230V	35%	R1295 EWELDS-140	
	Model 161 D.I.Y.	230V	60%	R1695 EWELDS-161	
	Model 201 D.I.Y.	230V	60%	R1995 EWELDS-201	
MOSFET	Model 315	380V	40%	R7495 EWELDS-315	
	Model 160	230V	60%	R2595 EWELDS-160	
	Model 200	230V	60%	R2895 EWELDS-200	
	Model 200 (LCD display)	230V	60%	R2295 EWELDS-205	
	PREMIUM QUALITY				
	Model 200 with V.R.D.	230V	60%	R3995 EWELDS-202	
	Model 250	230V	60%	R4995 EWELDS-251	
	Model 250	380V	60%	R4995 EWELDS-250	



OXYGEN ACETYLENE KIT

GAS

R2895 EOXYAC-001

Complete set includes: Oxygen & Acetylene Regulators, Cutting/Welding Torch, Nozzles, Goggles, Spark Lighter, Hoses and Flashback Arrestor For use with large gas cylinders only (Cylinders not included)

WELDING MAGNETS



Large: 190mm across	R75 EAMAGW-001	(shown)
Medium: 155mm across	R55 EAMAGW-002	
Small: 120mm across	R35 EAMAGW-003	

SPOT WELDING

R13950

230V **EWELSP-026**

380V **EWELSP-025**

- Rated Power: 25kVA • Rated Current: 60A
- Arm Length: 250mm • Duty Cycle: 20%
- Max. Welding Thickness: 3 + 3mm
- Weight: 120kg

HAND HELD (HS3000) 230 VOLT

R13995 EWELSP-001

- Max. Spot Weld Thickness: 2 + 2mm
- Max. Clamping Force: 120kg
- Min. Rest Period between Welds: 20 sec. • Weight: 10.5kg



MAC AFRIC 200A TIG AC/DC INVERTER WELDER

TIG

R8995 EWELDT-204

- Input Voltage: Single phase 230 V @ 50 Hz
- Welding Modes: TIG / MMA
- Input Current: 24 A (TIG), 26 A (MMA)
- Input Power: 5.6 kVA (TIG), 6.0 kVA (MMA)
- Welding Current: 10-200 A (TIG), 30-160 A (MMA)
- Welding Voltage: 10.4-18 V (TIG), 21.2-26.4 V (MMA)
- Rated Duty Cycle: 40% (TIG)
- Pre-flow Time: 0-2 seconds • AC Balance: 10%-50%
- Pulsed Frequency: 1-100 Hz • AC Frequency: 40-100 Hz
- Pulsed Duty Cycle: 10%-90% • Post-flow Time: 1-10 seconds
- Electrode Diameter (MMA): 1.6-4.0 mm • Efficiency: 85% • Power Factor: 0.7



AC/DC TIG INVERTER WELDERS

PROFESSIONAL'S CHOICE



- 200A • 230V
- Output Current (A) 10 - 200A (TIG), 10 - 160A (MMA)
- HF Arc • 60% Duty Cycle

Suitable for Ferrous & Non Ferrous Metals, Mild Steel, Stainless Steel & Aluminium

HIGH FREQUENCY START

R19995

EWELDT-315

- 300A • 380V
- Output Current (A) 12 - 300 (TIG), 15 - 240 (MMA)
- HF Arc • 60% Duty Cycle



TIG/DC 230V INVERTER WELDERS WITH HIGH FREQUENCY START

TIG



Suitable for Mild Steel & Stainless Steel (Ferrous Metals Only)

- Model TIG 160
 - 3.3kW • 60% Duty Cycle

R3995

EWELDT-160

- Model TIG 200 with MMA Function (shown)
 - 4.8kW • 60% Duty Cycle

R4695

EWELDT-200

AC/DC 185A TIG INVERTER WELDER WITH MMA FUNCTION

TIG



Suitable for Ferrous & Non Ferrous Metals, Mild Steel, Stainless Steel & Aluminium

- 185A • 230V
- 35% Duty Cycle
- TIG: AC 20A-185A; MMA: 20A-150A (DC)

R11950 EWELDT-185

OPTIONAL EXTRA

FOOT PEDAL FOR 185A TIG WELDER

R895 EWELDT-181



PLASMA CUTTERS (DC INVERTER)

PLASMA CUT

Cut 40 (shown)

R4295

EWELDP-040

- 230V
- HF Arc Max. Cutting: 8mm Mild Steel, 3mm Stainless Steel

Cut 60

230V **R7495**

EWELDP-059

380V **R7695**

EWELDP-060

- HF Arc • Max. Cutting: 1 - 15mm Mild Steel; 1 - 8mm Stainless Steel

Cut 100 (shown) **R15950** EWELDP-100

- 380V • Max Cutting: 1 - 25mm
- 60% Duty Cycle • HF Arc • 20 - 100A



WELDING

AUTO DARKENING WELDING HELMETS

R395 EWELDH-006

WELDERS CHOICE

- Viewing Area: 96 x 39mm
- Shade Control: Adjustable
- Sensitivity Control: Adjustable
- Switching Time: 1/25 000s
- Colour: Black



NON-ADJUSTABLE R275 EWELDH-002

- View Area: 91 x 39mm
- Colour: Matt Black



PANORAMIC VIEW AUTO DARKENING WELDING HELMET

R1295 EWELDH-007

- A wide, 180° viewing Angle
- Advanced Auto-darkening Features
- Perfect for Welding, Cutting and Grinding Applications
- With TrueView+ Technology and Multiple Modes
- Optimal Visibility and Protection



PROFESSIONAL

FAST REACTION TIME & FINE ADJUSTMENT, FULLY AUTOMATIC

R795 EWELDH-005

- Welding & Grinding Function
- Viewing Area: 100 x 60mm
- Switching Time: 1/25 000s
- Colour: Carbon Fibre



- Large Viewing Area: 98 x 87mm
- Shade Range: Internal Selection (9-13/5-8)
- Grinding Function: DIN4 (Internal)
- Delay Time: 0.1 - 1.0s Stepless Variable (Internal)

R895 EWELDH-004



MAC AFRIC WELDING HELMET WITH AIR RESPIRATOR

R5495 EWELDH-010

This professional welding helmet with integrated powered air-purifying respirator (PAPR) provides continuous clean airflow to help protect the lungs, eyes and face from harmful fumes, dust, sparks and UV/IR radiation. It features an auto-darkening visor, adjustable shade range and fast switching for MIG, TIG, MMA and plasma welding. Includes PAPR unit, filter cartridge, hose, rechargeable battery, charger, harness and carry bag.



ONLY AVAILABLE AT CERTAIN STORES

LASER WELDERS

1 500W (shown)

R109950 EWELDL-150

2 000W

R144950 EWELDL-200

Visit us online for detailed specifications

YouTube



LASER

MAC AFRIC 4-IN-1 MIG/CUT/MMA/LIFT TIG INVERTER WELDER

R7995 EWELDM-240

- Max. Output Current: 200A
- Rated Max. Input Power: 7.9kVA
- Power Input: 230V
- Current Range: MIG: 20 - 200A / CUT: 20 - 40A / MMA: 20 - 180A / LIFT TIG: 20 - 180A
- Electrode Ø: MIG: 0.6 - 1.0mm / MMA: 1.6 - 5.1mm
- Max. Cutting Thickness - CUT: 12mm
- Duty Cycle: 25%



4-IN-1

MAC AFRIC MODEL 250 MIG WELDER

MIG

- Model 250
- 230V
- 60% @ 160A
- Output Current: 40A - 210A

ACCESSORIES INCLUDE

MIG Torch & Earth Clamp

R9950 EWELDM-203



MAC AFRIC MIG135E FLUX-CORED NO-GAS WELDER

MIG

The all-new MAC AFRIC 100 A IGBT MIG welder is our smallest MIG welder. No gas is required, making it ideal for portability, convenience and simplicity. It delivers improved welding performance at lower current settings to enhance welds on thinner materials.

R1995 EWELDM-135

- Input voltage: 220-240V, 50Hz
- Output current: 40-100A
- Duty cycle: 20% @ 90A; 60% @ 45A
- Wire diameter: 0.6-0.8mm/0.9mm flux-cored wire



MAC AFRIC 160A MIG/MMA INVERTER WELDER (LCD SCREEN)

MIG-MMA

R3295 EWELDM-160

A compact and versatile MIG/MMA inverter welder equipped with a user-friendly LCD screen. Designed for home users and light workshop applications, this unit operates efficiently on standard 230V power. Ideal for DIY projects, light fabrication, and general repair work.



MAC AFRIC MIG WELDER

MIG

PRO-MIG 180, 230V

- Gas/No Gas
- 30 - 180A
- MIG/MMA-function

R6595 EWELDM-180

ACCESSORIES INCLUDE

MIG Torch & Earth Clamp

EXCELLENT QUALITY

OPTIONAL EXTRA

Compatible with EWELDM-180. Includes 0.5 kg roll of 0.8 mm aluminium welding wire.

R2795 EWELDM-181



MAC AFRIC COMBINATION DC MIG INVERTER WELDERS

MIG

New, improved professional quality with IGBT technology and flux-core option. Compact, powerful and easy to use for MIG and ARC welding. Features a consistent, adjustable wire feed for smoother, more even welds. Ideal for general metal fabrication and workshop use. At the flip of a switch, it can change from MIG to ARC.



Model	Voltage	Amp	Duty Cycle	Duty Cycle	Price
Model 200 (shown)	230V	200A	60% @ 200A	100% @ 130A	R8995 EWELDM-202
Model 250	380V	250A	60% @ 250A	100% @ 180A	R14995 EWELDM-205
Model 350	380V	350A	60% @ 350A	100% @ 270A	R24950 EWELDM-351

MAC AFRIC MIG 500 INVERTER MIG/MAG WELDING MACHINE KIT

MIG-MAG

R34950 EWELDM-500

Experience unparalleled efficiency in industrial welding tasks with our high-performing MIG 500 inverter MIG/MAG welding machine. Designed to tackle heavy-duty assignments, this robust welding solution is the optimal choice for heavy-duty applications.

- Input Voltage/Phase/Frequency: 380V/3P/50Hz
- Output Current/Voltage/Duty Cycle @ 40°C: MIG: 500A/39V/60% • MIG: 387A/34V/100%
- Amps Input at Rated Output: MIG: 38.4A@500A
- Output Range: MIG: 50-500A/72V, MMA: 50-500A/72V
- Weight: 42kg



METALWORK

MULTI FUNCTION ROLLING TYPE PIPE BENDING MACHINE

R22995 **GPIPEB-005**

- Motor: 1.5kW, 230V
- Includes 9 Round Pipe Moulds: 16, 19, 22, 25, 51, 32, 38, 63, 76mm
- 8 Square Pipe Moulds: 16, 19, 22, 25, 30, 38, 40, 50mm
- Bending Wall Thickness: 0.5 - 2mm

Rated Mild Steel
Material Dependent



PIPE BENDERS

Our hydraulic pipe benders are designed for precise cold bending of Schedule 40/80 thick-walled pipes. They are suitable for a wide range of pipe installations and general engineering applications, but are not recommended for thin-walled piping. They are particularly useful for fabricating items such as gates and frames.

Pipe wall-thickness requirement: minimum 4mm



12 Ton (shown)

- Bending Capacity: 1/2" - 2"
- Pipe sizes: 12.5, 20, 32, 40 & 50mm

R2595

GPIPEB-012

16 Ton • Bending Capacity: 1/2" - 3"

- Pipe sizes: 12.5, 20, 32, 40, 50, 65 and 75mm

R3895

GPIPEB-016

BENDERS

COMPACT BENDER SET

- 1" - 3" • Mild Steel
- Right Angle Bending
- Capacity: 0 - 200mm
- Suitable for Flat, Square, and Solid Bar

R2695


EBENDR-002



UNIVERSAL TYPE FOR HOT OR COLD BENDING (various shapes)

R3995

EBENDR-001



- Cold Bending:**
- Square Steel: 16 x 16mm
 - Round Steel Ø: 18mm • Angle: 60 x 8mm
 - Flat Steel: 70 x 6mm; 60 x 8mm; 30 x 12mm
- Hot Bending:**
- Square Steel: 30 x 30mm
 - Round Steel Ø: 30mm • Angle: 70 x 15mm
 - Flat Steel: 70 x 15mm; 60 x 20mm

UNIVERSAL SCROLL BENDER

R5195

EBENDR-000

Capacity:

- Round Bar Ø: 10mm
- Flat Bar: 30 x 10mm
- Square Bar: 10 x 10mm



ARBOR PRESSES

1 Ton
Throat Depth:
110mm

R1195

EPRESA-001

2 Ton
Throat Depth:
190mm

R2895

EPRESA-002

3 Ton
Throat Depth:
300mm

R4495

EPRESA-003

5 Ton
Throat Depth:
450mm

R9950

EPRESA-005



SLIP ROLLERS

- High-strength Steel Rollers
- Quick Release Top Roller • Hardened Steel Gearing

Capacity	Roll Ø size	Price
Mini 305mm x 0.8mm	32mm	R3595 ESLIPR-002
900mm x 1.5mm	50mm	R14950 ESLIPR-001
1 300mm x 1.5mm	75mm	R26950 ESLIPR-003

Perfect for forming sheet metal, cylinders and curved panels in workshops and fabrication environments

RING ROLLERS

SUPPLIED WITH STANDARD SET OF FORMING DIES

MANUALLY OPERATED

FOR SOLIDS

R24950 **EBENDR-004**

- Solid Flat Bar Mild Steel: 20mm x 5mm min. Ø 160mm
- Solid Square Bar Mild Steel: 10mm x 10mm min. Ø 160mm
- Solid Square Bar Mild Steel: 20mm x 20mm min. Ø 500mm



BENCH TYPE

R1995

EBENRR-001

- Ring Size Range: 25 - 75mm
- Round Steel Capacity: 6mm
- Flat Steel Capacity: 5 - 25mm



TUBE NOTCHER ATTACHMENT

ATTACHMENT FOR PEDESTAL DRILL

R1395 **ETUBEN-001**

- Spindle: 1/2"
- Tube Capacity: 2" (50mm)
- Angle Capacity: Up to 60° for Steel & 45° for Aluminium



BOX AND PAN SHEET METAL FOLDERS

R35950

EBENDB-127

Rated Mild Steel
Material Dependent

- Capacity: 2.0mm x 1 270mm
- Folding Angle: 135° • Weight: 385kg
- Max. Clamping Bar Lift: 47mm
- With Foot Control for Easy Operation



(shown)

1.0MM X 610MM

R5995

EBENDB-160

1.2MM X 1 220MM

R14950

EBENDB-122

HAND PIPE BENDING SET

R3495 **GPIPHB-001**

- Max. Bending Angle: 180°
- Round Pipe: 10, 12.5, 16, 19, 22mm
- Pipe Wall Thickness: 0.8mm - 1.2mm (Material Dependent)
- 2 Set Square Pipe Dies and Rollers: 19, 25mm



ALSO AVAILABLE AS AN OPTIONAL EXTRA

25MM ROUND PIPE DIE

R495 **GPIPHB-000**

SQUARE TUBE ROLLER

R4595 **EBENDR-006**

COMPLETE WITH A SET OF ROLLERS

Max. Capacity Mild Steel	Min. Ø	Min Radius
20 x 20 x 1.2mm	450mm	180mm
25 x 25 x 1.2mm	500mm	170mm
30 x 30 x 1.5mm	550mm	200mm
40 x 40 x 1.5mm	600mm	220mm




STEEL CROPPER FOR ROUND, ANGLE AND PLATE STEEL

R5495

ESHEAR-002

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



GUILLOTINE/SHEARS

R6950

ESHEAR-101

- Capacity: 1 000 x 1.5mm
- Mild Steel: 1.5mm

Rated Mild Steel
Material Dependent



280MM METAL SHEAR, BENCH TYPE • Mild Steel: 1mm

R1095 **ESHEAR-003**

1 320MM FOOT SHEARER/GUILLOTINE

R39950

ESHEAR-132

HEAVY DUTY

EXCELLENT QUALITY

A heavy-duty, foot-operated shear designed for clean, accurate cutting of mild-steel sheets.

- Capacity: 1.5mm x 1 320mm
- Foot Control Operation for Hands Free Cutting

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



MAGNETIC BASE DRILLS WITH COOLANT FEATURE

The MAC AFRIC magnetic-base drill range delivers portable, high-performance drilling for steel plates, H-beams, structural frameworks, shipbuilding, bridge construction, steel reinforcement and other metalworking applications. Select models include coolant systems for improved cutter life and cleaner holes.



PROFESSIONAL'S CHOICE

ALSO AVAILABLE	Motor	Capacity	Price
Large Range Annular Core Bits ENQUIRE IN STORE	① 1 200W, 230V	35mm	R8450 EDRILM-001
	② 1 600W, 230V	35mm	R8995 EDRILM-004
	③ 2 280W, 230V	80mm	R14950 EDRILM-003
	④ 1 850W, 230V	75mm	R18995 EDRILM-002



200MM METAL CUTTING BANDSAW WITH SWIVEL BOW

R29950 ESAWHV-200

- Power Output: 1.1 KW
- Power Input: 230 V @ 50 HZ
- Cutting Capacity Round: 205mm
- Cutting Capacity Square: 215 x 205mm
- Blade Size: 2.36m

BENCH & PEDESTAL DRILLS

13MM BENCH DRILL

- Motor: 0.35kW, 230V
- 5 Speed

R1945 EDRILB-002

16MM PEDESTAL TYPE (shown) **R5795** EDRILP-002

Motor: 0.55kW, 230V, 12 Speed

16MM BENCH TYPE **R4995** EDRILB-001

ALSO AVAILABLE PEDESTAL DRILLS

- Motor: 1.1kW, 230V • 12 Speed

HEAVY DUTY	25mm	32mm
R11450 EDRILP-003		R12950 EDRILP-004

MAC AFRIC CORE DRILLS

ALSO AVAILABLE

Large Range Core Drill Bits
ENQUIRE IN STORE

DISC AMBER Core bits shown are for illustrative purposes only

Motor	Max. Drilling Capacity	Price
① 4 280W, 230V	450mm	R8495 EDRILC-001
② 4 880W, 230V	550mm	R10450 EDRILC-002
③ 5 780W, 230V	600mm	R21950 EDRILC-003

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

BENCH GRINDERS



MAC AFRIC

TOP QUALITY

① Multi-purpose Bench Grinder with Flexible Shaft	R945 EGRINB-075
② 150mm, 230V, 2 950rpm, 0.25kW	R795 EGRINB-151
③ 200mm, 230V, 2 950rpm, 0.35kW	R1195 EGRINB-200
④ Combination Grindstone / Wire Polisher, 150mm, 230V, 2 950rpm, 0.52kW	R2695 EGRINB-300
⑤ 150mm, 230V, 2 950rpm, 0.52kW	R2595 EGRINB-152
⑥ 250mm, 230V, 2 950rpm, 0.9kW	R3495 EGRINB-255
⑦ 200mm, 380V (Three Phase), 2 950rpm, 0.9kW	R3295 EGRINB-250
⑧ Combination Grindstone / Belt, 150mm, 230V, 2 950rpm, 0.52kW	R2895 EGRINB-305
⑨ Wet & Dry Bench Grinder, 150mm, 230V, 2 950rpm, 0.52kW	R2895 EGRINB-310
⑩ 200mm Bench Buffer & Polisher, 230V, 2 950rpm, 0.75kW	R2495 EGRINB-201

HORIZONTAL METAL OR WOOD CUTTING BAND SAW

R7995 ESAWHV-115

- With Vice on Stand • Motor: 0.55kW, 230V
- Blade Size: 1 640 x 13 x 14TPI
- Suitable for steel, other metals, wood and plastic.
- Capacity: Round: 110mm, Rectangular: 100 x 130mm

MAC AFRIC

CUT-OFF MACHINES

COLD CUT

180MM (shown)

- 1 280W, 230V

R2995 ECUTLD-180

355MM • 2 400W, 230V

R6995 ECUTLD-002

DIRECT DRIVE

ABRASIVE CUT

2 000W, 230V, 355MM

R2495 ECUTLD-001

COLD CUT **R7495** ECUTLD-050

2 600W, 230V, 50Hz

- Blade diameter: 355mm
- Blade shaft hole diameter: 25.4mm
- Thickness of blade teeth: 2.2mm

ALSO AVAILABLE

66T BLADE (SOLID MATERIAL) For solid bar & thick-wall steel. **R845** ECUTLD-051

72T THIN-WALL BLADE (LIGHT MATERIAL) For tubing & thin-wall profiles. **R845** ECUTLD-052

VIEW DETAILED SPECIFICATIONS ONLINE @ www.adendorff.co.za

BRAKE DISC AND DRUM LATHE

R49950

ELATHB-001



The MAC AFRIC disc and drum lathe is an excellent addition to our professional garage range. This machine revolutionizes the concept of brake lathing and offers a complete solution for brake disc and drum reconditioning. It features a solid construction and dual functionality with a 3-speed spindle, delivering a high-quality finish in less time. Ideal for disc sizes from 180 - 400mm (up to 40mm thick) and brake drum outer diameters from 180 - 450mm. The user-friendly design incorporates an infinitely adjustable spindle-feed gearbox, allowing the operator to set the machine precisely for accurate machining. The machine is a versatile all rounder, offering the reliability and durability required in a professional workshop.

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

520MM BELT DRIVEN SCREW-CUTTING BENCH LATHE

R19995 ELATHE-520

- Motor: 0.55kW, 230V
- Swing Over Bed: 210mm
- Spindle Bore: 20mm
- Spindle Taper: MT3
- Spindle Speed: 140 - 1 800rpm
- Distance Between Centres: 520mm
- Includes 3 Jaw Chuck (100mm)



OPTIONAL EXTRA

STAND

R3495

ELATHE-521

BENCH TYPE MILLING MACHINES



Reversible Motor enables Milling and Tapping

OPTIONAL EXTRA

Horizontal x-axis Auto Feed

	(shown) 40mm	32mm
Motor	1.5kW, 230V	0.75kW, 230V
Max. Drilling Ø	45mm	32mm
Face Mill Capacity	80mm	63mm
End Mill Capacity	28mm	28mm
Headstock Swivel	±90°	±90°
Max. Distance Nose to Table	450mm	450mm
Spindle Taper	MT4	MT3
Forward and Backward Travel	175mm	175mm
Working Area of Table	800 x 240mm	700 x 240mm

Stand

R2695 EMILST-001

R5995 EMILAF-000

R37950

EMILGH-045

R32950

EMILGH-032



MINI DRILLING/MILLING MACHINES

BENCH TYPE



With Auto Feed

R15950

EMILGH-130

R19950

EMILGH-131

CAPACITY & TABLE

- Drilling Capacity: 13mm
- Milling Capacity (End/Face): 16mm/30mm
- Table Size: 390 x 92mm (T-slots: 12mm)

TRAVEL & SPINDLE

- Axis Travel (X/Y/Z): 220mm/100mm/180mm
- Spindle Taper: MT3 • Throat: 167mm
- Column Swivel Angle: ±45°

MOTOR

- Main Motor Output: 0.35kW

Recommended for: Light milling and precision drilling in workshops, tool rooms and in educational environments

MILLING MACHINES

TURRET HEAD 380V

R149950

EMILGH-632



- Max. Drilling Ø: 50mm
- Max. Boring Ø: 152.4mm
- Distance Spindle to Table Surfaces: 0 - 405mm
- Spindle Speeds: 60 - 3 600rpm
- Table Size: 1 370 x 254mm
- Table Travel: 400 x 800mm
- Motor: 2.2kW
- Weight: 1 320kg

ACCESSORIES INCLUDE

Water Pump, Light, D.R.O. 3-axis & Auto Feed

GEAR DRIVEN 380V

R134950

EMILGH-635




- Max. Drilling Ø: 50mm
- Max. Boring Ø: 120mm
- Distance Spindle to Table Surfaces: 100 - 480mm
- Spindle Speeds: 115 - 1 750rpm
- Max. Tapping Ø: M16
- Table Size: 1 120 x 230mm
- Table Travel: 630 x 350mm
- Motor: 1.5kW horizontal, 2.2kW vertical
- Weight: 1 450kg

ACCESSORIES INCLUDE

Water Pump, Light, D.R.O. 3-axis & Auto Feed

ONLY AVAILABLE AT EX JHB SOUTH DEPOT

750MM GEARED HEAD BENCH LATHE



PROFESSIONAL

R59950

ELATHE-750



OPTIONAL EXTRA

STAND

R5995 **ELATHE-751**

The MAC AFRIC ELATHE-750 is engineered for precision turning in toolrooms, workshops, training facilities and professional hobby applications. Designed for accuracy and reliable performance, it features a quick-change toolpost, coolant system, LED worklight and D.R.O. system for repeatable, high-accuracy machining. Steady and follow rests come standard, providing added support for longer workpieces and greater versatility in turning applications.

- KEY SPECIFICATIONS:**
- Max. Swing Over Bed: 330mm
 - Max. Swing Carriage: 220mm
 - Max. Workpiece Length: 750mm
 - Bed Width: 160mm
 - Spindle Bore: 38mm (MT#5 taper)
 - Power Output: 1 100W
 - Spindle Speeds: 12 steps (60 - 1 650 rpm) (60, 90, 120, 160, 220, 300, 380, 500, 640, 850, 1 110, 1 650rpm)

550MM GEARED HEAD BENCH LATHE

PROFESSIONAL'S CHOICE

R41950 **ELATHE-613**



- Motor: 1.1kW, 230V
- Max. Swing Over Bed: 330mm
- Spindle Bore: 38mm
- Spindle Taper: MT5
- Tail Stock Sleeve Taper: MT3
- Swing Over Carriage: 210mm
- Distance Between Centres: 550mm



OPTIONAL EXTRA

STAND

R4895 **ELATHE-614**

500MM GEARED HEAD METAL SCREWCUTTING BENCH LATHE

R22950 **ELATHE-500**



OPTIONAL EXTRA


STAND

R3695 **ELATHE-501**

- Motor: 370W, 230V
- Swing Over Bed: 205mm
- Spindle Bore: 20mm
- Thread Pitches: 0.4 to 3mm
- Auto Feed
- Distance Between Centres: 550mm
- Includes 3 Jaw Chuck (125mm)
- Weight: 125kg

500MM GEARED HEAD BENCH LATHE

R28995 **ELATHE-250**



- Motor: 750W, 230V
- Including 3 Jaw Chuck
- Distance Between Centres: 500mm
- Max. Swing Over Bed: 250mm
- Range of Thread: 0.25 - 2.5mm
- Spindle Taper: MT3
- Spindle Speeds: 12 Steps 80 - 1 600rpm
- Weight: 180kg

550MM MULTI PURPOSE GEARED HEAD BENCH LATHE

R38950

ELATHE-251



- Lathe**
- Motor: 550W, 230V
 - Distance Between Centres: 550mm
 - Max. Swing Over Bed: 250mm
 - Range of Thread: 0.25 - 3.5mm
- Milling**
- Motor: 350W, 230V
 - Max. Drilling Capacity: 13mm
 - Max. Milling Capacity: 16mm
 - Max. Face Milling: 30mm

180MM VARIABLE SPEED MINI BENCH LATHE

R11950 **ELATHE-181**



- Motor: 0.4kW, 230V
- Swing Over Bed: 180mm
- Spindle Bore: 20mm
- Spindle Speed Range: (L) 200 - 1 150rpm (H) 460 - 2 500rpm
- Distance Between Centres: 310mm
- Tail Stock Taper: MT2

GEARED HEAD METAL LATHES

PROFESSIONAL'S CHOICE

ALSO AVAILABLE

LARGER MODELS

1.5m and 2m from Aeronon Johannesburg South Warehouse Only

ONLY AVAILABLE AT CERTAIN STORES



	(shown) 632C	636A	Turner 3610	Industrial Tool Room D420
Motor	1.5kW, 230V	1.5kW, 230V	1.5kW, 230V	3kW, 380V
Swing Over Bed	320mm	356mm	356mm	410mm
Swing Over Cross Slide	178mm	220mm	220mm	255mm
Distance Between Centres	1 000mm	1 000mm	1 000mm	1 000mm
Swing over Gap	450mm	506mm	506mm	540mm
Spindle Bore	38mm	38mm	52mm	52mm
Spindle Taper/Tail Stock	MT5/3	MT5/3	MT6/3	MT6/4
Gross Weight	550kg	650kg	650kg	1 500kg

R76950
ELATHE-100

R89950
ELATHE-107

R99950
ELATHE-106

R164950
ELATHE-104

ACCESSORIES INCLUDED

Pedestal & Splash Cover

Footbrake, Pedestal & Splash Cover

3-axis D.R.O. Footbrake, Pedestal & Splash Cover

Footbrake, Stand & Splash Cover

PLEASE ENQUIRE AT YOUR NEAREST STORE FOR STOCK AVAILABILITY

NEW OPTIMUM CNC LATHES & MILLING MACHINES



OPTIMUM
MASCHINEN - GERMANY

CNC LATHE MACHINE L28HS
R345000
ELATCN-028

ENQUIRE AT THE NATIONAL CALL CENTRE: (011) 434 7000. SUBJECT TO AVAILABILITY.

PLEASE NOTE: This product is available from our Johannesburg South warehouse. Delivery requires specialised rigging and transport, which will be quoted separately.

Larger models available. View our website: www.adendorff.co.za

CNC MILLING MACHINE F3
R345000
EMILCN-030



ENGINEERING ACCESSORIES



SEMI UNIVERSAL DIVIDING HEAD

INCLUDING
130MM 3 JAW
CHUCK

R9950

EADIVH-100



VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

ONLY AVAILABLE AT CERTAIN STORES

LATHE CHUCKS

3 Jaw (self-centering)

- 100 - 200mm

4 Jaw (independent)


- 100 - 250mm

PLEASE NOTE: To fit these Chucks, Backplate modifications are required



ENQUIRE IN STORE

58 PIECE CLAMPING KITS



Stud Size	Table Slot	Price
M10	T12mm	R995 EACLAM-010
M12	T14mm	R1095 EACLAM-012
M14	T16mm	R1295 EACLAM-014



COMPOUND
CROSS SLIDE
TABLES

Table Size	①	②
Height	330 x 220mm	425 x 240mm
x-travel	115mm	125mm
y-travel	190mm	225mm
	100mm	150mm
	R3695 EATABL-001	R6495 EATABL-002

PARTING TOOLS

- Square Shank Size: 12 & 16mm



12MM **R95**

EACUTP-012

16MM **R145**

EACUTP-016



ASSORTED D.I.Y. METAL
LATHE CUTTER SET



Shank Size

Price

5 Piece	8mm x 8mm	R295 EACUTB-004
5 Piece	10mm x 10mm	R340 EACUTB-005
8 Piece	6mm x 6mm	R395 EACUTB-008

F1 - 50 BORING HEAD

- MT3

R1695

EABORI-050



H.S.S. END MILL SETS

Round
Shank

Price



13 Piece	4 - 16mm	R975 EAMILS-016
23 Piece	3 - 25mm	R2595 EAMILS-023

ASSORTED LOOSE MODELS AVAILABLE: ENQUIRE IN STORE

"LIVE" CENTRES



MT1 **R395** EACENT-002

MT2 **R425** EACENT-000

MT3 **R495** EACENT-001

MT4 **R645** EACENT-004

MT5 **R995** EACENT-005

MAC AFRIC

QUICK CHANGE TOOL POSTS

4 (STANDARD) HOLDERS INCLUDED

- FEATURES: • High-efficiency design reduces set-up time by up to 90%
• Ideal lathe accessory for tool rooms and general engineering workshops
• No shims required to set tools to correct centre height • Repeatability accuracy: 0.0003 mm

10MM **R3495** EAPOST-010

12MM **R2495** EAPOST-012

16MM **R2895** EAPOST-016

25MM **R5295** EAPOST-025

NOTE: Lathe modification/machining required for installation



MAC AFRIC

ARBOR COLLET CHUCK SETS



8 PIECE MT2
(2 - 10MM)

R1395

EACOLT-002

8 PIECE MT3 (4 - 16MM)

R1495 EACOLT-016



8 PIECE R8 (2 - 10MM)

Collet Ø: 2-1.5, 3-2, 4-3,
6-5, 7-6, 8-7, 10-9mm

R1895

EACOLT-008

12 PIECE MT3 (M12) ER32 (shown)

R2495 EACOLT-032

12 PIECE R8
(M12) ER32

R2495 EACOLT-031



CUTTING TOOL SETS

PROFESSIONAL

INDEXABLE
7 PIECE



10MM **R1395** EACUTT-001

12MM **R1595** EACUTT-000 (shown)

16MM **R1895** EACUTT-016

INDEXABLE
9 PIECE



20MM
R1995

EACUTT-020

25MM
R2795

EACUTT-025

ALSO
AVAILABLE

Assorted replacement Cutting
Tips for these sets

ENQUIRE IN STORE

www.adendorff.co.za

BORING BAR SETS

9 Piece: 12mm Round Shank

R445 EABORI-009 (shown)

13 Piece: 18mm Round Shank

R745 EABORI-012



ENGINEERING ACCESSORIES

INSIDE



5 - 100MM (shown) **R2895** EAMICR-100
 5 - 30MM **R695** EAMICR-030

MICROMETRES

OUTSIDE



Set of 4 **R995** EAMICR-004
 • 0 - 100mm • Accuracy, Scale: 0.01mm

DIGITAL OUTSIDE



0 - 25MM **R995** EAMICR-025

ALSO AVAILABLE INDIVIDUALLY



0 - 25MM **R195** EAMICR-125
 100 - 200MM **R1495** EAMICR-200
 150 - 300MM **R1995** EAMICR-300

VERNIERS



Digital Vernier Callipers

• Power on/off Switch • Metric/Imperial Switch
150mm Calliper (shown) **R375** EAVERD-151
 • High Accuracy: Scale: 0.02mm (0.01mm)
200mm Calliper • High Accuracy: Scale: 0.02mm (0.01mm) **R595** EAVERD-200
300mm Calliper • High Accuracy: Scale: 0.02mm (0.01mm) **R895** EAVERD-300


Vernier Callipers • Stainless Steel

150mm Calliper **R275** EAVERN-150
 • Accuracy: 0.02mm
200mm Calliper **R295** EAVERN-201
 • Accuracy: 0.02mm
300mm Calliper **R595** EAVERN-301
 • Accuracy: 0.02mm



150MM DIAL GAUGE (shown) **R495** EAVERN-155
 • Stainless Steel • High Accuracy, Scale: 0.02mm

DIAL GAUGES & MAGNETIC BASES



① **Dial Test Indicator Gauge (Plunger Type)** **R345** EAGAUG-001
 • 0.01mm (shown)
 ② **Magnetic Base (shown)** **R295** EAMAGB-001
Magnetic Base with Micro Adjusting Arm **R595** EAMAGB-002

Dial Test Indicator Gauge with Toggle Switch **R645** EAGAUG-002
 • Toggle Type: 0 - 10mm
 • Reading: 0.01mm
Electronic Digital Dial Indicator Gauge Plunger Type **R985** EAGAUG-002
 • Range: 0 - 12.7mm

EDGE FINDER

R135 EAFIND-001



150MM MEASURING CALIPERS

OUTSIDE

R145 EAVERO-150

INSIDE

R135 EAVERI-150



MACHINIST 1-2-3 SET-UP BLOCKS

R495 EABLOC-123



300MM SURFACE GAUGE

R595 EGAUS-300



4 PIECE MEASURING SET

R695 EAMICM-004



5 PIECE WIGGLER & CENTRE FINDER SET

R245 EAFIND-002



MAC AFRIC PRECISION TILTING MACHINE TOOL VICES

(shown)

4" **R2695** EVICEM-100
 8" **R2995** EVICEM-126



DRILL PRESS VICES

75MM **R275** EVICDP-001
 100MM **R295** EVICDP-004
 150MM **R445** EVICDP-006




PROFESSIONAL

100MM **R795** EVICDP-002
 150MM **R995** EVICDP-003



CROSS SLIDE VICES

100MM **R1195** EVICEC-101
 150MM **R1695** EVICEC-151



MACHINE TOOL VICES

80MM **R1395** EVICEM-001
 125MM **R2195** EVICEM-125
 200MM **R4895** EVICEM-200




OFFSET VICE

HEAVY DUTY **R3195** EVICES-605



BENCH TOP VICES



R1950 EVICES-601 **R1695** EVICES-010

WHY DUCTILE IRON? Ductile iron is more flexible and elastic than standard cast iron due to its nodular graphite structure, offering superior impact and fatigue resistance

① **6" 150mm Industrial Bench Ductile Iron, Swivel Base, 16.5kg (shown)** **R1950** EVICES-601

CAST IRON

② **4" 100mm Swivel Base, 6kg** **R595** EVICES-404
6" 150mm Fixed Base, 15.5kg **R1695** EVICES-010 (shown)
6" 150mm Fixed Base, 28kg **HEAVY DUTY R1995** EVICES-603
8" 200mm Fixed Base with Anvil, 45kg **R3295** EVICES-803

ALSO AVAILABLE Wide range of Bench Vices (4" - 8") and Anvils (20, 30 & 50kg) - Available in store and online www.adendorff.co.za

CONTRACTORS EQUIPMENT



DUMPY LEVEL KIT

WITH AUTOMATIC LEVELLING FUNCTION
INCL. TRIPOD AND 5M STAFF

R5295 TLEVEL-320

ALSO AVAILABLE **SOLD SEPARATELY**

Staff **R845** TLEVEL-322

Tripod **R845** TLEVEL-321

PROFESSIONAL LASER LEVELS

① 3-LINE PROFESSIONAL LASER LEVEL (EXCL. TRIPOD) (shown)

R2595 TLASER-300

② 5-LINE PROFESSIONAL LASER LEVEL (EXCL. TRIPOD)

R3495 TLASER-500

OPTIONAL EXTRA

③ Tripod Stand (shown)

R345 TLASER-100



MAC AFRIC AIRLESS LINE STRIPER



Visit us online for detailed specifications



① 2.4 LPM • 1 Nozzle

R32950 MSPRAY-024

② 3.2 LPM • 2 Nozzles

R44950 MSPRAY-032

Enhance road-marking and line-stripping projects with the MAC AFRIC Airless Line Striper. Built for professional use, this petrol-driven unit delivers accurate, efficient marking for roads, parking areas, sports fields and warehouses.

- Power: 6.5 hp • Petrol driven

EARTH AUGER

① 68CC 2 STROKE EARTH AUGER DRIVE UNIT ONLY (shown)

R2950

MAUGER-002


150MM AUGER BIT

R395

MAUGER-150

② 200MM AUGER BIT (shown)

R485 MAUGER-200



② 200MM AUGER BIT (shown)

LED 3-WAY PORTABLE TRIPOD WORKING LIGHT

R1495 HLIGHTS-300

ADJUSTABLE:
Vertical: 180°
Horizontal: 270°



- 3 settings: 1 500, 4 000, 7 000 Lumens
- Provides adjustable brightness settings of up to 7000 lumens
- Features an adjustable light angle
- Powered by a rechargeable 7.3V (4000mAh) battery
- Offers between 1.5 to 7 hours of runtime, making it the perfect companion for projects on the go.

ROTSURE MEASURING WHEELS

① MODEL 32 DELUXE **R1195** HWHEEL-001

② MODEL 16 DELUXE **R895** HWHEEL-002

③ MODEL 24 (LARGE) **R565** HWHEEL-000



PROFESSIONAL

7HP TRENCH DIGGER

- 7hp • 4 Stroke • Trench Width: 100mm
- Trench Depth: 150/250/340/450mm
- Average digging speed: 60m/hr

R35950

MTREND-001

PETROL



BACKHOE DIGGER

- 15hp LIFAN Engine
- 250mm Bucket

R58950

MDIGBH-001

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

SCAFFOLDING

① Tubular Frame 1.5m x 1m Panel

R550 TSFAFO-001

② Castor Wheel

R425 TSFAFO-002

③ Cross Brace

R235 TSFAFO-003

④ Board

R545 TSFAFO-004

⑤ Tiebar

R220 TSFAFO-005

⑥ Leveling Jack

R295 TSFAFO-007



MAC AFRIC INDUSTRIAL DRUM FLOOR FANS

(shown) 600W (1 050MM)

R4895

HFAN00-105

750W (1 550MM)

R6895

HFAN00-155



MAC AFRIC PORTABLE VENTILATORS



① CTF-20 220V (8 INCH)

R2295 XPFANV-008

② CTF-30 220V (12 INCH)

R2595 XPFANV-012

③ CTF-60 220V (24 INCH)

R9950 XPFANV-024

④ 500W 220V (12 INCH)

- Explosion proof

R3995 XPFANV-011

CONTRACTORS EQUIPMENT

MAC AFRIC 6.5HP PETROL MINI DUMPER

NEW

R22950

MDUMPT-025

Tackle tough jobs with ease. Built for heavy-duty material handling, this powerful machine is ideal for transporting soil, gravel, bricks and more across rugged terrain. Its compact design ensures easy manoeuvrability in tight spaces, making it perfect for construction, landscaping or agricultural tasks. A reliable workhorse for demanding environments.



MAC AFRIC 1 350W BRUSHLESS DEMOLITION HAMMER

NEW

R3895

TBREAK-025

Take on demanding breaking tasks. Built for strength and reliability, it delivers powerful impact for concrete, brick and masonry work. Its robust design ensures durability while providing consistent performance on site. Ideal for construction and renovation projects.

- Rated Input Power: 1 350W
- Impact Energy: 25J




MAC AFRIC 2 200W BRUSHLESS DEMOLITION BREAKER

NEW

R12950 **TBREAK-050**

Power through tough demolition jobs. Designed for durability and high-impact performance, its brushless motor delivers a longer lifespan and reduced maintenance. Ideal for breaking concrete, brick and stone, this heavy-duty tool offers consistent power and reliability for demanding site work.

- Rated Input Power: 2 200W
- Impact Energy: 70J



DRIVE UNIT WITH FEMALE COUPLING FOR VIBRATING POKER



R5995

MVIBRA-001

• 5HP

PETROL

OPTIONAL EXTRA

50MM

R1895

MVIBRA-002

Vibrating Pokers
Length: 6m

38MM

R1795

MVIBRA-003



CONTRACTORS CHOICE

PLATE COMPACTORS

Model	HS070	HS090	(shown) HS120
Petrol Engine	5.5hp	5.5hp	5.5hp
Plate Size	350 x 535mm	540 x 440mm	680 x 480mm
Weight	62kg	90kg	120kg
	R11995 MCOMPT-070	R15450 MCOMPT-090	R16495 MCOMPT-120



CONTRACTORS CHOICE

MAC AFRIC FLOOR GRINDERS

Floor smoothing, surface preparation, coating removal and general concrete finishing.

Motor	Grinding Width	Price
2.2kW (3HP), 220V (shown)	250mm	R23950 MGRIND-250
2.2kW (3HP), 220V	300mm	R32950 MGRIND-300



MAC AFRIC 1.2KW INDUSTRIAL VACUUM

Ideal for Floor Grinders

R26950 **MVACUM-100**

- Voltage: 220 - 240V
- Power (max): 1.2kW / 1.7hp
- Airflow (max) 200m³/h (118cfm)
- Vacuum (max): 240 mbar (100 inch water lift)



CONTRACTORS CHOICE

POWER TROWEL FLOAT

R15995 **MPOWER-001**

- Ø = 915mm • 5.5hp Petrol Engine



MAC AFRIC

PETROL

WALK BEHIND DRUM ROLLERS



SINGLE DRUM
R42950

MROLER-060

DOUBLE DRUM

R54950 **MROLER-061**

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

DFS400 CONCRETE CUTTER

R18950 **MCUTTR-001**



PETROL

- Cutting Speed Range: 5-50m/s for versatile applications
- Max Cutting Depth: 120mm
- Blade Width Compatibility: 3-5mm
- Engine Power: 9 hp (3 600rpm)
- Integrated Water Tank: 28ℓ
- Cooling System: Spray • Weight: 110kg
- Overall Dimensions: 1 580 x 500 x 900 mm • **Blade not included**

CONCRETE MIXERS



COLOUR MAY VARY

VIEW ONLINE FOR MORE DETAILED SPECIFICATIONS

① 135ℓ (shown) • Motor: 0.55kW	R3995 MMIXER-130	ELECTRIC
180ℓ • Motor: 0.65kW	R4950 MMIXER-180	
210ℓ • Motor: 1kW	R8695 MMIXER-210	
160ℓ • 3hp	R6995 MMIXER-161	PETROL
② 350ℓ • 6.5hp • 4 Stroke	R21950 MMIXER-350	
• Working Capacity: 254ℓ Volume	R29950 MMIXER-500	
500ℓ • 8hp	R29950 MMIXER-500	DIESEL
500ℓ • 8hp	R31950 MMIXER-501	

HIGH-PRESSURE CLEANERS, SPRAYERS, VACUUM CLEANERS, PIPE WELDERS & PLUMBING EQUIPMENT

HIGH PRESSURE CLEANERS



R1595
HCLEAN-130

R3695
HCLEAN-150

R11950
HCLEAN-003

R12950
HCLEAN-299

ELECTRIC DRIVEN Includes 5m Hose, Gun & Lance

	Voltage kW	Rated Bar Pressure	Flow Rate /min	Price	
①	1.5kW, 230V (shown)	90	6	R1595	HCLEAN-130
②	1.9kW, 230V	110	6	R2195	HCLEAN-200
③	3kW, 230V (shown)	150	6.8	R3695	HCLEAN-150

ELECTRIC DRIVEN Includes 10m High Pressure Hose with Gun & Lance

④	2.2kW, 230V (shown)	100	15	R11950	HCLEAN-003
⑤	3kW, 380V	150	15	R11950	HCLEAN-004

PETROL DRIVEN Includes 10m High Pressure Hose with Gun & Lance & 5 x Quick Change Nozzles for various applications

	Motor	Rated Bar Pressure	Flow Rate /min	Price	
⑥	4kW, 5.5hp	124	7.5	R8495	HCLEAN-220
⑦	5kW, 6.7hp	186	11.4	R10750	HCLEAN-201
⑧	6.6kW, 9hp (shown)	206	11.35	R12950	HCLEAN-299

DIESEL DRIVEN Includes 10m High Pressure Hose with Gun & Lance & 5 x Quick Change Nozzles for various applications

	Motor	Rated Bar Pressure	Flow Rate /min	Price	
⑨	6.6kW, 9hp	248	15.1	R19995	HCLEAN-360

ELECTRIC MULTI FUNCTION PIPE THREADING MACHINE WITH DIES

1/2" - 2" (shown)

R11950

GPIPTH-003

1/2" - 4"

R17995

GPIPTH-007

70% PNEUMATIC FOAM CLEANING SPRAYER


R1995

HFOAMS-070

Ideal for Car Wash

Compressor Required

MAC AFRIC 6.5HP PRESSURE SPRAYERS



R5495
MSPRAY-006

R8450
MSPRAY-007

Spraying Pressure	15 - 50kg/cm ²	15 - 50kg/cm ²
Flow Rate	14 - 22l/min	19.5 - 34l/min
No Load Speed	800 - 1 200rpm	520 - 900rpm

MAC AFRIC
R5495
MSPRAY-006

R8450
MSPRAY-007

VACUUM CLEANERS



70% WET & DRY
• 2 000W
• Dual Motor
R4695
HVACUM-070

30% WET & DRY
• 1 200W
R2295
HVACUM-030

14 PIECE PLUMBERS DRAIN CLEANING ROD SETS



10 x 1m x 6mm
R1795
XRDRN-001

10 x 2m x 6mm
R2695
XRDRN-003

10 x 2m x 8mm
R3395
XRDRN-002

PROFESSIONAL PLUMBERS DRAIN CLEANERS

MODEL 200 **R14995** TDRAIN-201
(MANUAL FEED/PUSH) (shown)

ALSO AVAILABLE MODEL 75 Ideal for Kitchen/Sink Drains, Hotel Industry
R7995 TDRAIN-075

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

MAC AFRIC HDPE BUTT FUSION WELDERS

Achieve strong, permanent HDPE pipe joints with the MAC AFRIC Butt Fusion Welder range. Designed for joining HDPE pipes in plumbing, irrigation, infrastructure and industrial applications, these welders use heat and pressure to create durable, leak resistant joints. Built with heavy-duty frames, accurate heating plates and robust milling cutters, they deliver reliable alignment, smooth pipe preparation and consistent fusion performance. Available in manual and hydraulic models to suit different pipe diameters and job requirements.

BUILT FOR PROFESSIONALS WHO DEMAND STRONG, RELIABLE PIPE JOINTS.



R5995 EWELDP-003



R10950 EWELDP-004



R24950 EWELDP-005

Model	Heating Board Power	Milling Cutter Power	Working Temperature	Pipe Range (mm)	Price
① Manual	2kW	0.8kW	270° C	63 - 200mm	R5995 EWELDP-003
② Manual	3kW	0.9kW	270° C	90 - 250mm	R10950 EWELDP-004
③ Hydraulic (Pro)	2.8kW	1.3kW	270° C	90 - 250mm	R24950 EWELDP-005

MAIZE GRINDERS, TAIFU WATER PUMPS, CATERING EQUIPMENT & TARPULINS

MAIZE GRINDERS

ELECTRIC



2.6KW ELECTRIC MAIZE POWDER CRUSHING MACHINE
R6995 MCRUSH-003



ELECTRIC

2.6KW ELECTRIC HIGH CAPACITY SELF PRIMING MAIZE POWDER GRINDING MACHINE
R7895 MCRUSH-004

PETROL




PETROL POWERED MAIZE POWDER CRUSHING MACHINE
R6295 MCRUSH-002

DIESEL



DIESEL POWERED MAIZE POWDER CRUSHING MACHINE
R11950 MCRUSH-001

MEAT-PROCESSING BONE SAWS



R7995 WSAWMF-004

- 750W • 230V • Cutting Depth: 250mm
- Table Size: 375 x 380mm
- Blade Size: 1 650 x 16 x 0.5mm

STAINLESS STEEL • 750W • 230V

- Table Size: 495 x 440mm
- Cutting Depth: 240mm
- Blade Size: 1 650 x 16 x 0.5mm

R9950 WSAWMF-006

MULTI PURPOSE BAND SAW


R7495 WSAWMF-001

- 550W • 230V
- Table Size: 465 x 595mm
- Cutting Depth: 240mm
- Blade Size: 2 085 x M13 x 6TPI



NEW IMPROVED MODEL


MAC AFRIC ELECTRIC MEAT MINCER



R7995 HMIXER-012

When it comes to kitchen appliances, you can rely on our MAC AFRIC meat mincer. Perfect for processing and mincing fresh meat. Ideal for farmers, hunters, game lodges and home industries.

- Motor: 850 W • Voltage: 230 V



5/ SAUSAGE FILLER

With our MAC AFRIC sausage filler, you can make your own sausages and boerewors. The manual crank makes stuffing and rolling easy. The kit includes a variety of filling tube sizes to suit your needs. Ideal for farmers, hunters, game lodges and home industries. Kit includes: 16, 22, 32 and 38mm stainless-steel tubes.

R2695 HFILER-005



1.1KW ELECTRIC CORN THRESHER MACHINE

R3995 MCRUSH-005

ELECTRIC



MAC AFRIC

TAIFU WATER PUMPS

PRECISION POWER PERFORMANCE

Explore full specs and our complete pump range online - Scan Here





1



2



3



4




5



6



7



8



9

	Motor/voltage	Price	
1 Pro Submersible pump with float switch	0.37kW/230V	R1445	HPUMPS-005
2 Pro Submersible pump with float switch	0.55kW/230V	R1745	HPUMPS-006
3 DIY Submersible pump with float switch	0.75kW/230V	R1295	HPUMPS-004
4 Submersible Sewage Pump	0.55kW/230V	R2895	HPUMPD-102
5 Centrifugal pressure pump TCP170	1.2kW/230V	R2895	HPUMPP-170
6 Centrifugal pressure pump TCP200	1.5kW/230V	R2995	HPUMPP-200
7 Stainless Steel Pressure Pump SGJ600	0.6kW/230V	R2295	HPUMPP-600
8 3" Solar DC Borehole Pump (Max -150m Head) (pump & controller only)	0.75kW/72V DC	R4295	HPUMPB-011
9 4" Borehole Pump (Max - 73m Head) (pump & controller only)	0.75kW/230V	R2695	HPUMPB-007

TAIFU SMART VARIABLE-SPEED WATERPUMPS

NEW

The Taifu Smart Variable Speed Water Pump is a high-efficiency solution for residential and light commercial water systems. Designed for intelligent performance, it automatically adjusts motor speed based on demand, reducing energy use and ensuring consistent pressure. Ideal for boosting water supply, this compact, quiet unit offers smart control, dry-run protection and long-term reliability. Perfect for modern homes or irrigation setups seeking efficiency and convenience.

	1 400c	2 600c
Max. Flow Rate	4.0m ³ /h	4.0m ³ /h
Rated Flow Rate	2.0m ³ /h	2.0m ³ /h
Max. Head	37m	55m
Rated Head	23m	34m
Power Output	400W	600W

R2895 HPUMPV-400 **R3695** HPUMPV-600

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

TARPULINS



PVC 550GSM (HEAVY WEIGHT)

5 x 6m **R1795** TTARPL-156

3 x 5m **R895** TTARPL-135

180GSM (MEDIUM WEIGHT)

± 2 x 4m **R175** TTARPL-204

± 3 x 5m **R345** TTARPL-305

± 5 x 6m **R595** TTARPL-506

60GSM (LIGHT WEIGHT)

± 5 x 6m **R245** TTARPL-507

MAC AFRIC

WOODWORKING

1



MAC AFRIC SLIDING COMPOUND MITRE SAWS

The MAC AFRIC Sliding Compound Mitre Saw range is designed for accurate crosscuts, mitre cuts, bevel cuts and angled cuts in timber and similar materials. With powerful 2 000W motors, sliding cutting capacity and adjustable cutting angles, these saws are ideal for woodworking, carpentry, DIY projects and general workshop use. Built for clean cutting performance and improved control, the sliding compound design allows wider boards and larger workpieces to be cut with greater accuracy and consistency.

IDEAL FOR PRECISE WOODWORKING, TRIM WORK, FRAMING AND DIY CUTTING APPLICATIONS.

PROFESSIONAL

	1	2
Motor	2 000W	2 000W
Blade	250mm	300mm

MAC AFRIC

R4495
WSAWMT-200

R4695
WSAWMT-300

2



EXCELLENT QUALITY

BAND SAWS

	350mm (14")	400mm (16")
Motor	0.75kW, 230V	1.55kW, 230V
Capacity	335 x 160mm	370 x 200mm
Table Pivot Capacity	0 - 45°	0 - 45°
Blade Size	2 480mm	3 050mm

R12450
WSAWBS-014

R19895
WSAWBS-016



230MM (9"), BENCH TYPE MODEL **R3795**

WSAWBS-009

- Motor: 350W, 230V, 50Hz
- Max. Cutting Depth: 80mm
- Max. Cutting Width: 230mm
- Table Size: 305 x 305mm
- Blade Length: 1 575mm, Width: 6.35mm, Teeth: 6 TPI, Thickness: 0.3mm



SEMI-INDUSTRIAL AUTOMATIC PLANERS

	(shown) 381mm (15")	508mm (20")
Motor	2.2kW, 230V	2.2kW, 230V
Cutter Head	76mm	80mm
Thickness of Stock	152mm	204mm
Width of Stock	305mm	508mm
Depth of Cut	3mm	3mm
Table Size	381 x 508mm	630 x 510mm
Weight	210kg	375kg

MAC AFRIC

R24950
WPLANE-375

R34950
WPLANE-020

ALSO AVAILABLE

COMBINATION 12" PLANER & THICKNESSER

R39950

230V
380V

WPLANE-402
WPLANE-400

ENQUIRE IN STORE

DUST COLLECTORS

MAC AFRIC

	0.75kW 230V Motor	1.5kW 230V Motor	(shown) 2.2kW 380V Motor, Double Head
	Single Bag	Single Bag	Double Bag
Fan Ø	230mm	300mm	305mm
Inlet Ø	100mm	125mm	150mm
Bag Ø	370mm	500mm	500mm
Bag Height	640mm	850mm	850mm
Air Speed	600cfm (14.15m³/min)	1 490cfm (42.15m³/min)	2 300cfm (65.09m³/min)
	R4495 WDUSTC-001	R5695 WDUSTC-002	R7895 WDUSTC-003



250MM TILTING ARBOR TABLE SAW

R17995

WSAWHD-250

- Motor: 2.2kW (3HP), 230V, 50Hz
- Speed (no load): 3 400rpm
- Blade: Ø250mm x Ø16mm
- Tilt Range: 0°-45° (Blade and Mitre)
- Max. Cutting Depth: 85mm
- Table Size: 508 x 686mm
- With Extensions: 1 117 x 686mm



HEAVY DUTY

A powerful, stable table saw designed for accurate cutting and professional woodworking performance.

250MM D.I.Y. TABLE SAWS

R2995 WSAWLD-004

- Motor: 1 800W
- Voltage: 230V • Frequency: 50Hz
- Blade Size: Ø250mm x Ø16mm
- Blade Tilt Adjustment: 0° - 45°
- Table Size Without Extensions: 642 x 532mm
- Max. Cutting Height: 55mm @ 45°; 80mm @ 0°



Super Sturdy Stand

DIY

R4995 WSAWLD-003

- Motor: 1 800W
- Voltage: 230V • Frequency: 50Hz
- Blade Size: Ø250mm x Ø16mm
- Blade Tilt Adjustment: 0° - 45°
- Table Size: 642 x 532mm
- Max. Cutting Height: 55mm @ 45°; 80mm @ 0°



Aluminium Table + Foldable Stand with Extensions

MAC AFRIC 305MM THICKNESS PLANER

R7995 WPLANE-300

- Motor 1.8kW, 230V / 50Hz
- Max. Work-piece Width: 330mm
- Feed Rate (variable): 4m/min (slow) to 6m/min (fast)
- Max. Cut Depth Per Pass: 3mm
- Work-piece Height Range: 4.2mm - 150mm



3 200MM SLIDING TABLE PANEL SAW WITH SCORING UNIT

PROFESSIONAL

R49950

WSAWPN-302 230V

WSAWPN-303 380V

- Motor Power: 2.2kW
- Sliding Stroke: 2 800mm
- Blade Diameter: Ø300mm
- Main Table Size: 385 x 800mm
- Sliding Table Length: 3 200mm
- Suitable for Cutting Standard Full Sheet Panels



ALSO AVAILABLE

Adjustable Roller Stands

GROUND MAINTENANCE, LOG SAWS & WOOD CHIPPERS



CHAIN SAWS

- ① 45cc **R1795**
MSAWCH-044
- ② 55.6cc **R2195**
MSAWCH-055
- ③ 45cc **R2950**
PRO MSAWCH-045
- ④ 62cc **R4995**
PRO MSAWCH-062

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



2 000W ELECTRIC CHANSAW

R1295
MSAWCH-020



ELECTRICAL CHAINSAW SHARPENER

R895 MSAWCS-001



KNAPSACK MIST BLOWER-DUSTER – 25ℓ

R2950 MMISTR-050

- Model GX50 • 50cc
- Range: Max. ±12m

PETROL



BRUSH CUTTERS

43cc **R1995** 68cc **R2795**
MBRUSH-043 MBRUSH-068



ALSO AVAILABLE

PROFESSIONAL

MAC AFRIC COMMERCIAL BRUSH CUTTER (shown)

- Displacement: 52.8 / 53cc
- R4995**
MBRUSH-052

PROFESSIONAL

MAC AFRIC 2-STROKE HEDGE TRIMMER

R3295 MHEDGE-022

- Engine Displacement: 22.5cc
- Trimming Length: 560mm



LOG SPLITTERS

R8950
WLOGSP-008

EFFICIENT & FASTER

8 TON ELECTRIC KINETIC

- Model no: HLS8T
- Motor: 230V, 50Hz, 1 800W, IP54
- Log Capacity: Ø: 50 - 300mm
Length: 520mm
- Weight: 84kg



6 TON ELECTRIC HYDRAULIC

- Model no: HLS6T-52
- Motor: 230V, 50Hz, 2 000W, IP54
- Log Capacity: Ø: 50 - 250mm;
Length: 520mm
- Splitting Force: 6 Ton

R5495
WLOGSP-007

LOG SAWS

PETROL

DIESEL

(shown) LS 710

LS 700

Motor	13hp	13hp
Blade	700 x 30 x 3.0mm	700 x 30 x 3.0mm
Max. Cutting Ø	240mm	240mm
Max. Cutting Length	2m	2m

R17495
WLOGSW-701

R22950
WLOGSW-703



VACUUM BLOWERS

HANDHELD TYPE, 25.4CC

R1995
MBLOWR-026

PETROL



- Powerful 25.4 cc, 2-stroke engine with efficient low-emissions performance
- Easy-start electronic ignition system
- Two-piece blower tube for convenient storage
- Lightweight design for comfortable handling and easy manoeuvring

PETROL

BACKPACK TYPE, 52.8CC

R3695 MBL0WR-053



- High-performance 52.8 cc, 2-stroke engine with low emissions
- Ideal for clearing debris, leaves and grass from large areas
- Backpack design provides comfort during extended use
- High blowing force for fast, effective clean-up work.

TILLERS



Engine	① 52cc (3hp)	② 212cc (8hp)
Working Width	300mm	700mm
Working Depth	100 - 150mm	150mm
G.W./N.W	15.5/14.5kg	62/59.7kg



R3595
MTILER-001

R9950
MTILER-002

WOOD CHIPPERS

150MM, 15HP
R25950
WCHIPR-003

PETROL



100MM, 6.5HP
R12950
WCHIPR-002

50MM, 6.5HP
R8450
WCHIPR-001

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

BACKED BY ADENDORFF MACHINERY MART

20V CORDLESS DRILL KIT
• Includes: 2 x 2 AH Batteries and Charger

R895

IDRILC-001



35Nm

20V BRUSHLESS CORDLESS DRILL, 50 NM (TOOL ONLY)

R895

IDRILC-050



50Nm

Battery shown for illustrative purposes only

20V BRUSHLESS CORDLESS DRILL, 100 NM (TOOL ONLY)

R1195

IDRILC-100



100Nm

Battery shown for illustrative purposes only

Scan here for detailed specifications



20V CORDLESS BLOWER/VACUUM (TOOL ONLY)

R995

IBLOWR-020



Battery shown for illustrative purposes only

20V BRUSHLESS CORDLESS IMPACT DRIVER (TOOL ONLY)

R795

IDRILC-002



Battery shown for illustrative purposes only

20V BRUSHLESS CORDLESS RECIPROCATING SAW (TOOL ONLY)

R995

ISAWRP-001



Battery shown for illustrative purposes only

20V BRUSHLESS CORDLESS POLISHER ORBITAL, 150MM (TOOL ONLY)

R1245

IPOLIS-150



Battery shown for illustrative purposes only

20V BRUSHLESS CORDLESS IMPACT WRENCH, 600 NM (TOOL ONLY)

R1195

IWRENC-600



600Nm

Battery shown for illustrative purposes only

20V CORDLESS JIG SAW (TOOL ONLY)

R495

ISAWJG-001



Battery shown for illustrative purposes only

20V BRUSHLESS CORDLESS POLISHER, 180MM (TOOL ONLY)

R1295

IPOLIS-180



Battery shown for illustrative purposes only

20V CORDLESS HIGH-PRESSURE WASHER (TOOL ONLY)

R895

ICLEAN-020



24 Bar

3.3/min

Battery shown for illustrative purposes only

20V BRUSHLESS CORDLESS IMPACT WRENCH, 1 000 NM (TOOL ONLY)

R1995

IWRENC-100



1000Nm

Battery shown for illustrative purposes only

20V BRUSHLESS CORDLESS 165MM CIRCULAR SAW (TOOL ONLY)

R1095

ISAWCL-001



Battery shown for illustrative purposes only

20V BRUSHLESS CORDLESS 115MM ANGLE GRINDER (TOOL ONLY)

R745

IGRINC-001



Battery shown for illustrative purposes only

20V CORDLESS BRUSHLESS HEDGE CUTTER (TOOL ONLY)

R945

IHEDGE-001



Battery shown for illustrative purposes only

20V CORDLESS MULTI FUNCTION TOOL - (TOOL ONLY)

R695

IMULTI-001



Battery shown for illustrative purposes only

20V BRUSHLESS CORDLESS PLANER (TOOL ONLY)

R1195

IPLANE-001



Battery shown for illustrative purposes only

20V CORDLESS AIR COMPRESSOR AIR PUMP (TOOL ONLY)

• Max. Pressure: 150psi/10 Bar

R495

ICOMPR-001



Battery shown for illustrative purposes only

20V BRUSHLESS CORDLESS 125MM ROTARY SANDER (TOOL ONLY)

R395

ISANDR-125



Battery shown for illustrative purposes only

Kinway

CHARGERS



20V DC 2,200 mA
R150

ICHARG-100



DUAL 20V DC 2,200mA

R395

ICHARG-200

BATTERIES



4.0AH LI-ION

R495

IBATTR-400



2.0AH LI-ION

R295

IBATTR-200

ANGLE GRINDERS

DISCS NOT INCLUDED



R495 SGRIND-112



840W, 115mm
R595
SGRIND-115



1 100W, 115mm
R795
SGRIND-117



2200W, 230mm
R1495
SGRIND-230

POLISERS

EXCELLENT QUALITY



VERTICAL POLISHER
• 570W • 180mm
R1195
TPOLIS-182



ANGLE POLISHER
• 1400W • 180mm
R1495
TPOLIS-180



RANDOM ORBITAL POLISHER
• 900W • 150mm
R1495 TPOLIS-151



550W DIE GRINDER
R795 SGRIND-006



2000W HEAT GUN
R445
THEATG-001



800W ELECTRIC MIXER
R895
SMIXER-001
• Includes 1 x Spiral Bit



MAC AFRIC POWER TOOLS



Scan here to view our extensive power tool range and detailed specifications

1650W ROUTER
R1695
SROUTR-001



550W ROUTER TRIMMER
R795
SROUTR-002



700W IMPACT DRILL
R695
SDRILI-001



DRILL BIT NOT INCLUDED
720W, 26MM ROTARY HAMMER DRILL
R1495
SDRILI-002



1500W ROTARY HAMMER DRILL
• SDS Plus
R1695
SDRILR-036



1400W CIRCULAR SAW
R1595
SSAWCL-001



BLADES NOT INCLUDED
590W RECIPROCATING SAW
R1395 SSAWRP-001



840W PLANER
R1395 SPLANE-001



MAC AFRIC CORDLESS DRILL COMBO KIT

PROFESSIONAL

R1950
SDRILC-000



Includes 18V Cordless Drill with 16mm keyless chuck, 2-speed gearbox (0- 600/0 - 2 300rpm) 60Nm max. torque, and 20 + 1 clutch setting. Supplied with two 4.0Ah batteries, charger and accessories.
• Max. drilling capacity:
13mm Steel / 38mm Wood

20V CORDLESS RANGE

DRIVER/HAMMER DRILL (TOOL ONLY)
R1295 60Nm
SDRILC-008



Battery shown for illustrative purposes only

BUSHLESS IMPACT DRIVER (TOOL ONLY)
R1195
SDRILC-010

Battery shown for illustrative purposes only



BUSHLESS ROTARY HAMMER DRILL (TOOL ONLY)
R1995
SDRILC-025



Battery shown for illustrative purposes only

BUSHLESS ANGLE GRINDER (TOOL ONLY)
R1495 SGRINC-002



185MM CIRCULAR SAW (TOOL ONLY)
R1595
SSAWCL-002



CORDLESS BLOWER (TOOL ONLY)
R895 SBLOWC-002



4.0AH BATTERY
R995
SBATTR-005



BUSHLESS IMPACT WRENCH (TOOL ONLY)
R995
SWRENC-002



Battery shown for illustrative purposes only



BATTERY CHARGER
R495 SCHARG-002

710W ELECTRIC DRYWALL SCREWDRIVER
R795 SSCREW-001



680W BLOWER/VACUUM
R595 SBLOWR-001



PROFESSIONAL'S CHOICE

SANDERS

300W RANDOM ORBITAL SANDER
R895
SSANDR-001



1 200W BELT SANDER
R1795
SSANDB-001



300W ORBITAL FINISHING SANDER
R795
SSANDF-001



500W, NARROW BELT SANDER
R875
SSANDB-002



HAND TOOLS

PROFESSIONAL TORQUE WRENCHES

6mm (1/4") Drive 2 - 24Nm (L = 150mm)	R795 TWRENT-005
10mm (3/8") Drive 6 - 30Nm (L = 285mm)	R1095 TWRENT-002
10mm (3/8") Drive 6 - 30Nm (L = 320mm)	R1595 TWRENT-008
12.5mm (1/2") Drive 40 - 210Nm (L = 530mm)	R1295 TWRENT-003
12.5mm (1/2") Drive 65 - 335Nm (L = 520mm)	R1995 TWRENT-006
19mm (3/4") Drive 100 - 500Nm (L = 860mm)	R2895 TWRENT-004
19mm (3/4") Drive 200 - 1 000Nm (L = 1 150mm)	R10950 TWRENT-007

DIY CLICK TORQUE WRENCH 12.5MM (1/2") DRIVE 28Nm - 210Nm (L = 470mm) **R645** TWRENT-001

In-house Calibration Offered (at Aeroton Head Office) on MAC AFRIC Torque Wrenches

ENQUIRE IN STORE

MAC AFRIC 3 PIECE TORQUE WRENCH SET

• 1/4", 3/8", 1/2" drive

DIY **R1395** TWRENT-013

ALSO AVAILABLE

GEDORE TORQUE WRENCHES

ENQUIRE IN STORE

POWER BARS

12.5mm (1/2") Drive
• Length: 450mm

R195

TPOWEB-450

19mm (3/4") Drive
• Length: 600mm

R585

TPOWEB-600

25mm (1") Drive
• Length: 600mm

R595

TPOWEB-025

HIGH-QUALITY CHROME VANADIUM SCREWDRIVER SETS



6 PIECE SCREWDRIVER SET WITH HARDENED TIPS

R100 TSCREW-006



10 PIECE SCREWDRIVER SET WITH BOLSTER

R285 TSCREW-011



50 PIECE SCREWDRIVER & BIT SET

R265

TSCREW-050



100 PIECE SCREW & NUT DRIVER SET

R395

TSCREW-100

GEAR WRENCHES

8 PIECE (shown) **R795** TSPANR-008
• 8, 10, 11, 12, 13, 14, 17, 19mm

12 PIECE **R1495** TSPANR-012
• 6, 8, 10, 11, 13, 14, 17, 19, 22, 24, 27, 30mm

8 PIECE WITH FORWARD & REVERSE RATCHET FUNCTION **R995** TSPANR-009
• 8, 10, 11, 12, 13, 14, 17, 19mm

12 PIECE WITH FLEXIBLE HEAD **R1895** TSPANR-014
• 6, 8, 10, 11, 13, 14, 17, 19, 22, 24, 27, 30mm

Features 72 teeth for smooth, fine ratcheting action



MAC AFRIC

TORX & HEX BIT SETS

R595

TTORXB-042



41 PIECE TORX BIT SET • 14-Star Power Bits
• 14 Hex Power Bits • 11 Spline Power Bits • 2 Drive Adaptors

R385

TTORXB-010



10 PIECE SPLINE BIT SOCKET SET
• 12 Point • Sizes: 1/4", 3/8", 1/2"

R395

TTORXB-009



9 PIECE • T20 - T60
• 1/2" Drive Torx Bit, 100mm "Long"

R495

TKEYSA-007



8 PIECE 1/2" DRIVE HEX BIT SET (S² Steel)
• Sizes: 6, 7, 8, 10, 12, 14, 17, 19mm

SCREWDRIVERS

S² Steel Screwdriver Sets

EXCELLENT QUALITY

Why S² Steel? It is the hardest, most ductile, and longest wearing steel that exists in the "Hex" Tool Industry.



8 PIECE **R295**

TSCREW-008



12 PIECE BOLSTER

R295

TSCREW-012

6 PIECE COMBINATION JUMBO SPANNER SET

R1295 TSPANN-600



• 35, 38, 41, 45, 48, 50mm
• Black Oxide Finish

MAC AFRIC

METRIC COMBINATION SPANNER SETS

HEAVY DUTY



EXCELLENT QUALITY



8 Piece • 8, 10, 11, 12, 13, 14, 17, 19mm
• Carbon Steel

R95 TSPANN-008

11 Piece • 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19mm • CR-V

R185 TSPANN-011

12 Piece • 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19mm • CR-V

R225 TSPANN-012

16 Piece • 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22mm • CR-V

R395 TSPANN-016

① 17 Piece • 6 - 20, 22, 24mm • CR-V (shown)

R445 TSPANN-017

19 Piece • 6 - 20, 22, 24, 27, 32mm • CR-V

R595 TSPANN-019

Imperial/SAE/AF Spanner Sets

9 Piece • 1/4" - 3/4" on Hanger

R195 TSPANN-909

② 14 Piece • 1/4" - 1 1/4" in Canvas Pouch (shown)

R695 TSPANN-914

22 Piece Combo Set IMPERIAL/METRIC
• 1/4" - 7/8" and 6 - 19mm in Canvas Pouch

R595 TSPANN-922

Combination Chrome Vanadium Spanner Sets in Canvas Pouch (Metric)

17 Piece Satin Finish • 6 - 24mm

R575 TSPANN-018

③ 26 Piece Satin Finish • 6 - 32mm (shown)

R1595 TSPANN-027

25 Piece Matt Finish • 6 - 30, 32mm

R1095 TSPANN-026

HAND TOOLS & TEST EQUIPMENT

CRIMPING TOOL SETS

HYDRAULIC



	8 Ton (shown)	11 Ton
Max. Stroke	12mm	18mm
Dies	6, 10, 16, 25, 35, 50, 70mm ²	16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300mm ²
Crimping Range	6 - 70mm ²	16 - 300mm ²
Diameter	9.5mm	19.5mm
	R895 ECRIMP-001	R995 ECRIMP-002

6 TON HYDRAULIC HOLE PUNCHER

R1795 EHOLED-001

- Hole Ø: 22, 27, 34, 43, 49 & 60mm
- Stroke: 16mm
- Capacity: 1.6mm Stainless Steel; 3.2mm Mild Steel



2-IN-1 SOLDERING STATION WITH DIGITAL DISPLAY

R1295
TSOLDE-750



MAC AFRIC RIVETERS

ROTATING 360° (ALUMINIUM ALLOY) HAND RIVETER

R265 TRIVET-002

SINGLE RIV-NUT GUN

- M3, M4, M5, M6, M8

R395 TRIVET-008



MAC AFRIC RATCHET TIE DOWNS

(50MM X 9M) 5 TON

R185 TTIEDN-001

R245

TTIEDN-006

5M "S" HOOKS WITH RUBBER GRIP



MAC AFRIC STRAPPING TOOLS

13 - 19MM PACKAGING STRAPPING TOOL KIT

R795 TSTRAP-001

PROFESSIONAL

PNEUMATIC STRAPPING TOOL FOR PET BAND

R6895 TSTRAP-006



HAND CRIMPERS

NON-INSULATED TERMINAL

R225 TCRIMP-002

WIRE FERRULE **R245** TCRIMP-003

- For electrical cabling and ferrule-terminal applications

MODEL LS-9 **R245** TCRIMP-004

- Ideal for non-insulated terminals 1.25 - 8mm²

MODEL LS-05H • Coaxial Crimper **R245** TCRIMP-005

MODEL LS-03C

R245 TCRIMP-006

- Insulated Terminal Crimper 0.5 - 6mm²



CRIMPING TOOL SET

MC4 FOR SOLAR INSTALLATIONS

R795

TCRIMP-009

RATCHET CABLE CUTTER

- Cutting Range: Ø75mm
- Suitable for Cu-Al Cable & Armored Cable

R2495

TCUTTR-001



TESTERS

3-IN-1 DIGITAL STUD, METAL & LIVE WIRE DETECTOR

R1095 TTESDM-015

- Wood: 20mm • Copper Conductors (live) 50mm • Ferrous Metals: 100mm • Non-ferrous Metals: 80mm

NON-CONTACT AC VOLTAGE DETECTOR PEN

R195 TTTEST-001

- Voltage Detecting Range: 5V AC - 1 000V AC
- Frequency Range: 50Hz - 400Hz
- Safety Category: CAT IV 1 000V

MULTIFUNCTION VOLTAGE TESTER

R895 TTTEST-002

- Voltage Range: 10 - 690V AC/DC
- Single Pole Voltage: 100 - 690V
- Frequency Range: 45 - 65Hz
- Rotary Field Indication Voltage: 100 - 690V

2-IN-1 DIGITAL MOISTURE METER

R495 TTESDM-002

- Detects moisture levels in wood, firewood, drywall, paper, floors and other building materials



VDE PLIERS

180MM SIDE CUTTER

R175 TPLIER-014

200MM COMBINATION

R195 TPLIER-013

160MM WIRE STRIPPER

R175 TSTRIP-002

200MM LONG NOSE

R185 TPLIER-015

10 PIECE ELECTRICAL TOOL KIT IN ZIPPER BAG

R695 TT00LB-210

- Side Cutting Plier: 150mm
- VDE Long Nose Plier: 150mm
- VDE Stripper Plier: 150mm
- 5 x VDE Screwdrivers (Slotted 4 x 100, 5.5 x 125mm) (Phillips PH0 X 60, PH1 X 80, PH2 X 100mm) • Tester: 140mm
- 200 - 250V • Insulation Tape: 10m

42 PIECE VDE ELECTRICAL TOOL SET IN BAG



R1495 TT00LB-042

DIGITAL MULTIMETERS



①	Model DT830D R85 TTESDM-830
②	Model MAS850 R150 TTESDM-850
③	Model 266 with Clamp Meter R195 TTESDM-266
④	Model DT920 R235 TTESDM-920
⑤	Model EM6187 R945 TTESDM-618

FLUKE® MULTIMETERS



ADDITIONAL MODELS AVAILABLE IN STORE AND ONLINE

For illustrative purposes only

FLUKE 107	R2475 TTESDM-107
FLUKE 302 CLAMP	R2995 TTESDM-302

TOOL CABINETS, WORK BENCHES & WORKSHOP SOLUTIONS

STEEL WORK BENCHES

FOLDING STEEL WORK BENCH WITH PEGBOARD INCLUDING 20 PIECE HOOK SET (shown)

R1995 **GBENCH-004**

L = 1 200mm, W = 660mm, H = 1 440mm



Tools for illustrative purposes only

COMPACT SPACE SAVING DESIGN

STEEL WORK BENCH WITH PEGBOARD INCL. DRAWER HOOKS AND PLASTIC HOLDERS

L = 1 220mm
W = 560mm
H = 1 510mm

R2595

GBENCH-005

INDUSTRIAL QUALITY MAC AFRIC STEEL WORK BENCH WITH 3 SMOOTH ROLLING LOCKABLE DRAWERS

R7950 **GBENCH-001** (shown)



L = 2 000mm W = 640mm H = 860mm
Weight: 110kg

Vices can be fixed to the BENCH



MAC AFRIC

ALSO AVAILABLE

INDUSTRIAL WORK BENCH WITH 2 SMOOTH ROLLING LOCKABLE DRAWERS

R6495

GBENCH-000

L = 1 500mm, W = 640mm, H = 860mm

MAC AFRIC WORK TABLE

R2795

GBENCH-006

- Adjustable foot pads for stability
- Solid rubberwood top supporting up to 490kg
- Perfect for everything from light DIY to Heavy Duty tasks
- Dimensions: 113cm x 60cm



MAC AFRIC SERVICE TROLLEY

R1695

GTROLS-001

- Height: 880 - 1 200mm



MAC AFRIC 207-PIECE TOOL CABINET



R12950

TCABIN-207

- Features:
- 207 high-quality tools included
 - 7-drawer heavy-duty cabinet
 - Smooth-glide drawers
 - Durable steel body
 - Heavy-duty castor wheels
 - Ready-to-use workshop solution
 - Ideal for automotive, garage and workshop use



VISIT OUR WEBSITE TO VIEW DETAILED CONTENTS www.adendorff.co.za



MAC AFRIC 204-PIECE PROFESSIONAL TOOL CABINET - 7 DRAWER



R16995

TCABIN-003

PROFESSIONAL

- Features:
- 204 high-quality tools included
 - 7-drawer heavy-duty cabinet
 - Smooth-glide ball-bearing drawers
 - Quick-release drawer system
 - Central locking system
 - Durable powder-coated steel frame
 - Heavy-duty castor wheels
 - High-quality EVA foam inserts
 - Chrome vanadium steel tools
 - Ideal for workshop, garage & professional use



VISIT OUR WEBSITE TO VIEW

DETAILED CONTENTS www.adendorff.co.za



10 DRAWER TOOL CABINET

PROFESSIONAL



EXCLUDING TOOLS

R11995 **TCABIN-008**

- Dimensions: L = 1 065mm
W = 485mm H = 1 007mm

TOOL CABINETS

6 DRAWERS (TOP)
• 600 x 310 x 330mm

R2295

TCABIN-005

7 DRAWERS WITH CASTORS
• 680 x 460 x 950mm

R5995

TCABIN-007



EXCLUDING TOOLS

THE NEXT GENERATION OF TOOL CABINETS IS HERE



PROFESSIONAL

1	Professional 10-Drawer Island-Workstation - Black & Red Finish	R15950 TCABIN-022
2	7 Drawer Khaki Green Tool Cabinet	R6495 TCABIN-026
3	7 Drawer Grey & Black Tool Cabinet	R6495 TCABIN-025
4	7 Drawer Green Tool Cabinet	R6495 TCABIN-023
5	7 Drawer Black & Red Tool Cabinet	R6495 TCABIN-024
6	28" 7 Drawer Black & Red Cabinet - Pro Series	R8495 TCABIN-028
OPTIONAL EXTRA		
7	28" 4-Drawer Top Chest - Fits TCABIN-028 Pro Series	R5995 TCABIN-027



Complete Garage Cabinet STORAGE SOLUTION

Tools for illustrative purposes only

R31950

TCABIN-010

OPTIONAL EXTRAS AVAILABLE VISIT OUR WEBSITE www.adendorff.co.za

TOOL KITS, TOOLBOXES & SOCKET SETS


124 PIECE PINK TOOL SET
IN CANTILEVER TOOLBOX

R1695
TT00LB-121



63 PIECE QUALITY
PINK TOOL KIT IN
ALUMINIUM CASE

R895 TT00LK-063



CHROME VANADIUM
TOOL SETS

139 PIECE IN PLASTIC CASE

R1195

TT00LB-139



PROFESSIONAL

132 PIECE IN ABS TROLLEY

R3995

TT00LK-132



SOCKET SETS

R775 TSOCKE-019

19 Piece Socket Set on Hanger

- 1/2" Drive • CRV
- Sizes: 8 - 20, 23, 24, 27, 30, 32mm



R395

DIY TSOCKE-000

25 Piece 1/4" Drive

- Sizes: 4, 4.5, 5, 5.5, 6, 6.5, 7 - 14mm
- Sizes (5 Tube Sockets): 8, 10 - 13mm



PROFESSIONAL

172 PIECE

- 1/4", 3/8" & 1/2" Drive

R1895

TSOCKE-172



CHROME VANADIUM

108 PIECE

- 1/4" & 1/2" Drive

R1695

TSOCKE-180



VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

85 PIECE TOOL SET IN CANTILEVER
TOOLBOX

PROFESSIONAL **R1795** TT00LB-085



TRADESMAN'S CHOICE

- 1/4" & 1/2" Drive
- Chrome Vanadium

Features a 12 Point Design
to grip on Worn Nuts

62 PIECE TOOL SET IN CANTILEVER
TOOLBOX, 12.5MM (1/2") DRIVE

Lifetime guarantee



R2995

TT00LB-062

- 18 Sockets: 10 - 32mm
- 18 Spanners: 6 - 24mm
- Allen Keys, Screwdrivers, 3 Piece Plier Set, Ratchet, Extension and Power Bars, etc.

165 PIECE TOOL SET IN CANTILEVER
TOOLBOX

PROFESSIONAL **R2995** TT00LB-165



MAC AFRIC

- 1/4" - 3/8" & 1/2" Drive • Chrome Vanadium

86 PIECE TOOL SET IN CANTILEVER
TOOLBOX

R1395

TT00LB-086

- 3/8" Drive
- Chrome Vanadium

MAC AFRIC



JOBBSITE TOOLBOXES

Manufactured from 1.5mm mild steel and finished with a blue hammertone epoxy powder coating. Fitted with carrying handles, a secure lockable compartment and heavy-duty hinges.



36"

R4495

TT00LB-036

HEAVY DUTY



48"

R6395

TT00LB-048

19MM (3/4") DRIVE CHROME ALLOY
MECHANICS SOCKET SETS

HEAVY DUTY

26 PIECE
(shown)

R4295 TSOCKE-126

- 20 Chrome Alloy Metric Sockets: 21, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 34, 36, 38, 41, 46, 50, 55, 60, 65mm



27 PIECE **R3695** TSOCKE-127

- 12 SAE Sockets: 7/8", 15/16", 1", 1 1/8", 1 3/16", 1 5/16", 1 3/8", 1 7/16", 1 5/8", 1 3/4", 1 7/8", 2"
- 10 Metric Sockets: 22, 24, 27, 30, 32, 36, 38, 41, 46, 50mm

5 TRAY CANTILEVER
TOOLBOXES

MAC AFRIC



425MM **R395** TT00LB-005

535MM **R545** TT00LB-007

650MM **R645** TT00LB-008

NYLON TOOL BACKPACK

HEAVY DUTY

R1395

TT00LB-017

- Durable
- Convenient
- Multiple Compartments
- 370mm x 450mm




3 PIECE DURABLE
STACKABLE TOOL BAG
SET WITH INTEGRATED
TROLLEY

R1695

TT00LB-016

- Multiple Compartments
- High Quality Polyester and Nylon Fabric





① 7.5kVA
R10950
MGENER-006

PETROL



② 8.75kVA
R12450
MGENER-008

PETROL STANDBY GENERATORS

kVA	Nominal Output	Rated Current Output (A)	Voltage (V)	Estimated average fuel consumption (Load dependant)	AVR	Electric Start	Recoil Start	Price
1.25kVA	1kW	4.5 Amp	220V	0.43ℓ/h	✓	✗	✓	R3595 MGENER-201
2.8kVA	2kW	9.1 Amp	220V	0.8ℓ/h	✓	✗	✓	R4495 MGENER-220
2.8kVA	2kW	9.1 Amp	220V	0.82ℓ/h	✓	✓	✓	R4995 MGENER-221
5.6kVA	4kW	18.2 Amp	220V	2.2 - 3.15ℓ/h	✓	✗	✓	R8495 MGENER-450
6.5kVA	5kW	22.7 Amp	220V	2.2 - 3.15ℓ/h	✓	✓	✓	R8595 MGENER-553
① 7.5kVA (shown)	6.2kW	25 Amp	220V	2.5 - 3.15ℓ/h	✓	✓	✓	R10950 MGENER-006
② 8.75kVA (shown)	7kW	31.8 Amp	220V	2.84 - 3.15ℓ/h	✓	✓	✓	R12450 MGENER-008
12.5kVA	10kW	45.5 Amp	220V	4.06ℓ/h	✓	✓	✗	R35995 MGENER-010
12.5kVA	10kW	18.6 Amp (380V)/ 15 Amp (220V)	380V/ 220V	4.06ℓ/h	✓	✓	✗	R36995 MGENER-011

Generator warranties are void if installation is not carried out by a qualified electrician registered with the Department of Labour and authorised to issue a certificate of compliance (COC). Batteries are excluded from all warranties. Refer to our website for full Terms and Conditions.
www.adendorff.co.za

INVERTER GENERATORS

- Pure Sine Wave Output
- Lower Noise Level

① 1.8kW
Noise (dB@7m): 68.5
R6495
MGENER-001

② 3.2kW
Noise (dB@7m): 66
R11450
MGENER-003

③ 3.2kW
Open Type
Noise (dB@7m): 74
R6750
MGENER-004

④ 8kW
Noise (dB@7m): 71
R28950
MGENER-005

	Output	Tank Capacity	Run Time (Full Load)	Run Time (50% Load)	Consumption @ Full Load	Consumption @ 50% Load	Price
①	1.8kW	4.2ℓ	4h	6h	1.05ℓ/h	0.70ℓ/h	R6495 MGENER-001
②	3.2kW	8.3ℓ	5h	8.5h	1.66ℓ/h	0.98ℓ/h	R11450 MGENER-003
③	3.2kW Open Type	7ℓ	4.3h	7h	1.63ℓ/h	1.00ℓ/h	R6750 MGENER-004
④	8.0kW	30ℓ	5h	10h	6.00ℓ/h	3.00ℓ/h	R28950 MGENER-005

Note: Actual fuel consumption will vary depending on load, altitude, ambient temperature, and whether Eco Mode is enabled. These figures should be treated as estimated averages.



③ **R159950** MGENER-050

DIESEL STANDBY GENERATORS



kVA	Nominal Output	Rated Current Output (A)	Voltage (V)	Model Description	Estimated average fuel consumption (Load dependant)	AVR	Price
6.5kVA	5kW	22.7 Amp	220V	Open Frame Type	1.67ℓ/h	✓	R17995 MGENER-656
6.5kVA	5kW	22.7 Amp	220V	Enclosed Type 73 db(A) @ 7m	1.67ℓ/h	✓	R20950 MGENER-604

Powered by **FAWDE**

20kVA P/F = 0.8	16kW	69.6 Amp (220V)	220V	Silent Type with ATS 70 db(A) @ 7m	6ℓ/h	✓	R94950 MGENER-017
20kVA P/F = 0.8	16kW	24.3 Amp	380V	Silent Type with ATS 72 db(A) @ 6.7m	6ℓ/h	✓	R94950 MGENER-022
30kVA	24kW	43.2 Amp	380V	Silent Type with ATS 72 ~ 75 db(A) @ 7m	7.85ℓ/h	✓	R132950 MGENER-030
40kVA	32kW	57.6 Amp	380V	Silent Type with ATS 72 ~ 75 db(A) @ 7m	9.04ℓ/h	✓	R144950 MGENER-040
③ 50kVA (shown)	40kW	72 Amp	380V	Silent Type with ATS 72 ~ 75 db(A) @ 7m	14.6ℓ/h	✓	R159950 MGENER-050



CONTRACTORS CHOICE



PETROL	2" (50mm)	3" (75mm)	4" (100mm)
Motor	5.5hp	6.7hp	9hp
Head	26m	22m	20m
Suction Height	7m	7m	7m
Capacity	22 000ℓ/h	50 000ℓ/h	75 000ℓ/h
Recoil Start	R2995 MPUMPS-552	R3695 MPUMPS-553	R7295 MPUMPS-804
PETROL	For Dirty Water 3" (75mm)	High Pressure	Chemical Pump 2" (50mm)
Motor	5.5hp	5.5hp	5.5hp
Head	25m	55m	25m
Suction Height	6m	6m	8m
Max. Capacity	45 000ℓ/h	10 000ℓ/h	49 000ℓ/h
Recoil Start	R5995 MPUMPS-006	R4495 MPUMPS-005	R4995 MPUMPS-550
DIESEL	2" (50mm)	3" (75mm)	4" (100mm)
Motor	2.8kW	4kW	6.3kW
Head	25m	25m	31m
Suction Height	8m	8m	7m
Rated Speed	3 600rpm	3 600rpm	3 600rpm
Capacity	25 000ℓ/h	50 000ℓ/h	75 000ℓ/h
Electric & Recoil Start	R9950 MPUMPS-007	R10950 MPUMPS-008	R13995 MPUMPS-009