

Adendorff
machinery mart

PRICES VALID
APRIL 2026

SPECIALISTS GUIDE FOR
QUALITY TOOLS

National Call Centre 
0114347000

FOLLOW US ON:



Scan to explore our
**30 stores across
South Africa**



Buy Online  

www.adendorff.co.za

Prices listed are valid as of 1 April 2026. All prices include 15% VAT. Prices will be updated and subject to change without prior notification. For the most up-to-date pricing and stock availability, please visit our website at www.adendorff.co.za. Errors and Omissions Excepted.

TOOLS

SPECIALISTS GUIDE FOR **QUALITY TOOLS**

PAGE	SECTION	FEATURING
2	BRANCH DIRECTORY	<i>Store locations & contact details</i>
3	AEROPRO	<i>Impact hammers, impact wrenches, ratchets, die grinders, sanders & spray guns</i>
4	PNEUMATIC & GARAGE EQUIPMENT	<i>Impact wrenches, impact socket sets & tyre inflators</i>
5	MAC AFRIC COMPRESSORS	<i>Silent oil-free, direct drive, belt drive, petrol / diesel driven compressors</i>
6	PNEUMATIC EQUIPMENT	<i>Mini silent oil-free compressors, air brushes, air dusters, air tool kits, nail & staple guns</i>
7	SPRAY GUNS & AIRLESS SPRAYERS	<i>Spray guns, spray pots & airless sprayers</i>
8	PNEUMATIC EQUIPMENT	<i>Riveters, grinders, sanders, air drills, needle descenders & air hammers</i>
9	SANDBLASTING & GARAGE EQUIPMENT	<i>Hose reels, die grinders, air hose & sandblasting equipment</i>
10	GARAGE EQUIPMENT	<i>Hydraulic presses, gear pullers, bearing tools & parts washers</i>
11	BATTERY CHARGERS & AUTOMOTIVE EQUIPMENT	<i>Garage creepers, battery chargers & jump starters</i>
12	GARAGE EQUIPMENT	<i>Engine cranes, coil spring compressors, bottle jacks & hydraulic transmission jacks</i>
13	GARAGE EQUIPMENT	<i>Jack stands, trolley jacks, tyre changers & wheel balancers</i>
14	GARAGE EQUIPMENT – AUTOMOTIVE	<i>Car diagnostic testers, engine maintenance & timing tool kits</i>
15	GARAGE EQUIPMENT – AUTOMOTIVE	<i>Smoke leak detector, automotive engine & brake winding caliper kits</i>
16	GARAGE EQUIPMENT	<i>Manual & pneumatic grease pumps, 12 V diesel pumps & rotary hand pumps</i>
17	PANELBEATING EQUIPMENT	<i>Body repair tools</i>
18	LIFTING & MATERIAL HANDLING EQUIPMENT	<i>Pallet trucks, gantry cranes, chain blocks, lever & electric hoists</i>
19	WINCHES, OUTDOOR & 4x4 EQUIPMENT	<i>12-volt winches, recovery tracks, hydraulic winches & farm jacks</i>
20	KINWAY POWER TOOLS	<i>Cordless brushless range – grinders, drills, impact drivers, polishers, sanders & multi-function tools</i>
21	MAC AFRIC POWER TOOLS	<i>Polishers, sanders, hammer drills, angle grinders & routers</i>

Adendorff machinery mart

PAGE	SECTION	FEATURING
22	HAND TOOLS & TEST EQUIPMENT	<i>Digital multimeters, crimpers, VDE hand tools, hydraulic hole diggers & crimpers</i>
23	HAND TOOLS	<i>Combination spanner sets, torque wrenches & screwdriver sets</i>
24	TOOL KITS, WORKSHOP SOLUTIONS & SOCKET SETS	<i>Socket sets, tool box kits, tool bags & job-site tool trunks</i>
25	TOOL CABINETS, WORK BENCHES & WORKSHOP SOLUTIONS	<i>Tool storage solutions, garage workbenches & cabinets</i>
26	WOODWORKING	<i>Panel saws, band saws, table saws, mitre saws & planers</i>
27	GROUND MAINTENANCE & MAIZE GRINDERS	<i>Chainsaws, brush cutters, tillers, blowers, maize grinders & tarpaulins</i>
28	ENGINEERING	<i>Metal-working lathes, brake disc & drum lathes</i>
29	ENGINEERING	<i>Metal-working lathes & milling machines</i>
30	ENGINEERING ACCESSORIES	<i>Quick-change tool posts, lathe chucks & bench vices</i>
31	ENGINEERING ACCESSORIES	<i>Collet chuck sets, verniers, micrometers & lathe cutting tool sets</i>
32	METALWORK	<i>Pipe benders, box & pan folders, shears, slip rollers & arbor presses</i>
33	ENGINEERING	<i>Bench grinders, cut-off machines, magnetic base drills, band saws & drill presses</i>
34	WELDING	<i>TIG welders, spot welders & auto-darkening welding helmets</i>
35	WELDING	<i>Laser welders, MIG welders & MMA arc welders</i>
36	HDPE PIPE WELDERS, PRESSURE SPRAYERS, LOG SAWS & WOOD CHIPPERS	<i>Drain cleaners, pipe threaders, pressure sprayers, wood chippers & HDPE butt-fusion welders</i>
37	CONTRACTORS EQUIPMENT	<i>Scaffolding, concrete cutters, dumpy levels, rammers & plate compactors</i>
38	WATER PUMPS, HIGH-PRESSURE CLEANERS, VACUUMS & CATERING EQUIPMENT	<i>Taifu water pumps, high-pressure cleaners, vacuums & meat-processing bone saws</i>
39	CONSTRUCTION / CONTRACTORS	<i>Concrete mixers, ventilation fans, air coolers, floor grinders & earth augers</i>
40	GENERATORS & WATER PUMPS	<i>Petrol & diesel driven generators, inverter generators & petrol / diesel water pumps</i>

Scan to explore our 30 stores across South Africa



GAUTENG

AEROTON SALES (HEAD OFFICE) ☎ (011) 434-7100

98 Sailor Malan Avenue, off Rand Show Road, Aeroton,
✉ aeroton@adendorff.co.za

AEROTON SERVICE CENTRE ☎ (011) 434-7111

98 Sailor Malan Avenue, off Rand Show Road, Aeroton,
✉ aeroton@adendorff.co.za

TURFFONTEIN ☎ (011) 434-7152

152 Rosettenville Road, Springfield, Johannesburg, ✉ jhbsouth@adendorff.co.za

ALBERTON ☎ (011) 869-1110

Unit No. 60, Lemon Tree Shopping Centre, Cnr. Swartkoppies & Heidelberg Road,
New Market, ✉ alberton@adendorff.co.za

EDENVALE (MEADOWDALE) ☎ (011) 454-1407

Unit No. 8, Route 24 Complex, Herman Road, Between Edenvale & Barbara Road
Offramps, ✉ edenvale@adendorff.co.za

BOKSBURG ☎ (011) 914-1550

518 Commissioner Street, Boksburg East Industrial, ✉ boksburg@adendorff.co.za

RANDBURG (STRYDOM PARK) ☎ (011) 793-3380

2013 Mailibongwe Drive, Randburg, ✉ randburg@adendorff.co.za

ROODEPOORT/KRUGERSDORP ☎ (011) 664-8336

17 Carol Road, (Service Road to Ontdekkers) Opp. Witpoortjie Station, Breananda,
✉ roodepoort@adendorff.co.za

SPRINGS ☎ (010) 442-6969

13 Bell Street, New Era, ✉ springs@adendorff.co.za

PRETORIA ☎ (012) 329-9576

300 Steve Biko Road (Voortrekkers Road), Cnr. Adcock Street, Gezina,
✉ pretoria@adendorff.co.za

CENTURION ☎ (012) 653-0586

33 Miracle Park, Cnr. Old Johannesburg Road R101 & Lenchen Extension,
Rooihuiskraal, ✉ centurion@adendorff.co.za

SILVER LAKES (PRETORIA EAST) ☎ (012) 054-5969

Silver Oaks Crossing (Shop 41), Cnr. Solomon Mahlangu & Von Backstrom
Boulevard, Pretoria East, ✉ silverlakes@adendorff.co.za

VEREENIGING ☎ (016) 422-6057

26 De Villiers Avenue, ✉ vereeniging@adendorff.co.za

FREE STATE

BLOEMFONTEIN ☎ (051) 448-1689

Oliver Tambo Road (Church Street), Cnr. Harvey Road,
Blackwood Crossing, Oranjesig, ✉ bloemfontein@adendorff.co.za

WELKOM ☎ (057) 355-6600

137 Constantia Street, Dagbreek, ✉ welkom@adendorff.co.za

NORTH WEST

RUSTENBURG ☎ (014) 594-1545

Oliver Tambo Drive R104, Cnr. Beyers Naude Drive, ✉ rustenburg@adendorff.co.za

KLERKSDORP ☎ (018) 462-1116

99 O.R. Tambo Street (Church Street), Cnr. President Kruger Street
Joe Slovo Road, N12, between Matlosana Mall and Total Energies,
✉ klerksdorp@adendorff.co.za

**We are moving
soon next to
Matlosana Mall**

WESTERN CAPE

CAPE TOWN ☎ (021) 552-7389

Unit 1, 21 Montague Drive, Montague Gardens, ✉ capetown@adendorff.co.za

STRAND ☎ (021) 205-7878

30 Mynhardt Street, ✉ loc30@adendorff.co.za

BRACKENFELL ☎ (021) 205-7888

2 Orion Street, Everite Industrial, Brackenfell, ✉ loc27@adendorff.co.za

GEORGE ☎ (044) 050-3610

3 Saffier Crescent (14783 PW Botha Blvd), Tamsui Industrial, ✉ loc29@adendorff.co.za

**We have
moved**

EASTERN CAPE

EAST LONDON ☎ (043) 422-0596

11 Dunn Street, Arcadia, ✉ el@adendorff.co.za

PORT ELIZABETH (QEBERHA) ☎ (041) 484-3995

27 Grahamstown Road, North End, ✉ pe@adendorff.co.za

NORTHERN CAPE

KIMBERLEY ☎ (053) 831-1882

12 Fabricia Road, Fabricia, ✉ kimberley@adendorff.co.za

LIMPOPO

POLOKWANE ☎ (015) 292-0243

31 Nikkel Street, Superbia, ✉ polokwane@adendorff.co.za

MAKHADO (LOUIS TRICHARDT) ☎ (015) 023-0650

90 Kruger Street, Louis Trichardt, ✉ loc31@adendorff.co.za

**NEW
STORE**

MPUMALANGA

WITBANK ☎ (013) 690-2305

40 Watermeyer Street, Klipfontein, Ext. 8, ✉ witbank@adendorff.co.za

NELSPRUIT ☎ (013) 753-3580

15 Old Pretoria Road, Entrance at 4 Stinkhout Crescent, ✉ nelspruit@adendorff.co.za

KWAZULU-NATAL

DURBAN NORTH ☎ (031) 263-0007

99 Intersite Avenue (near Bluff Meat Supply and National Security and Fire),
Springfield Park, ✉ durban@adendorff.co.za

DURBAN ☎ (031) 202-4355

192 Umbilo Road, Dalbridge, ✉ umbilo@adendorff.co.za

PIETERMARITZBURG ☎ (033) 345-1996

300 Boom Street, ✉ pmb@adendorff.co.za

Adendorff Machinery Mart Reg. No 2020/454513/07 **Warranty and Guarantee.** A 1 (one) year "Carry in" conditional warranty applies on all goods purchased. The warranty does not apply to defects due to negligence, wear and tear parts, misuse, abuse, accidental damage, modifications, lack of maintenance, improper wiring, unauthorized repairs, damage caused by lightning or power surges, goods used contrary to their instruction manuals and on batteries. If not fully satisfied with the product, the unused product can be returned for a full no hassle refund. The following conditions however, strictly apply: (a) the product must be in its original packaging (b) the product must be returned within 10 days from date of purchase (c) original invoice to accompany the product. Adendorff Machinery Mart reserves the right to charge a "packaging fee" for items not returned in their original packaging. Refunds, returns, exchange and cancellation policy is in accordance with CPA regulations. If the product is not suitable for the purposes anticipated and indicated to the salesperson, a handling fee will be applicable based on the condition of the product subject to our policy. Warranties on generators will be null and void if not installed by a qualified electrician who must be registered with the Department of Labour and have the required certification in accordance with the law to issue a COC (Certificate of Compliance) after completion of the installation. A factory warranty of 1 Year or 300 hours, whichever may occur first, is applicable to our large generators. 3-month warranty applicable on all repairs. Please note, parts will not be covered under warranty if not fitted by an Adendorff in-house technician on all Adendorff Machinery Mart products. Parts deemed to be wear and tear will not be covered under the warranty. **Terms and Conditions.** All prices quoted are payable in ZAR's and are inclusive of 15% VAT. Errors and Omissions Excepted.



To use our Click-&-collect service please visit our website www.adendorff.co.za and select your products for purchase. Check your shopping cart and complete the checkout process to pay. Certain items may not be available in all stores. Please enquire directly with your nearest branch. You will receive confirmation of your order via email and will be notified when goods are ready for collection in store. For full instructions, terms & conditions, please visit www.adendorff.co.za. or mail our website support on tooltime@adendorff.co.za.

Unless a specific limitation is stated, Adendorff Machinery Mart will endeavour to have sufficient advertised stock available to meet anticipated demands. Prices are reviewed on a regular basis and is subject to change without prior notification. Please contact your nearest branch or consult our website. We take great care to ensure that all advertisements are correct. If a mistake occurs or incomplete information is printed, a notice will be displayed in-store with the correct details. Actual products may vary from pictures. Please note that certain products may not be available in all stores. Enquire directly with your nearest branch. Large generators and certain items are only available at our Aeroton Johannesburg South Warehouse. Accessories are used for illustrative purposes only. Please refer to the safety tips on our website and take protective and preventative measures when using these items. For more information, visit our website at www.adendorff.co.za. Cross border customers, please note that our warranty applies only to items purchased and used within the Republic of South Africa. Any items exported which are found to be faulty must be returned to Adendorff Machinery Mart at your own cost.

PLEASE CALL YOUR NEAREST BRANCH FOR ASSISTANCE. Trading hours: Mon. to Fri. 08:00 - 17:00 | Sat. 08:00 - 13:00 | See website for Public Holidays

Adendorff Machinery Mart has taken all relevant steps to ensure customer data is protected in line with the protection of Personal Information Act 4 of 2013 (POPIA).

Should you wish to update your communication preferences please send an email to customercare@adendorff.co.za For a copy of our privacy policy please refer to our website www.adendorff.co.za



NEW – READY TO WORK

AEROPRO PNEUMATIC RANGE

PROFESSIONAL

AEROPRO PNEUMATIC EQUIPMENT



IMPACT HAMMER

R445 AHAMMC-002



1/2" DRIVE MINI STUBBY
IMPACT WRENCH

R895 AWRENC-020



1/2" DRIVE IMPACT
WRENCH

R995 AWRENC-021



3/4" DRIVE IMPACT
WRENCH

R1895 AWRENC-022



AEROPRO PROFESSIONAL

1/2" DRIVE AIR IMPACT
WRENCH KIT

R1295 AWRENC-000



1/2" DRIVE
RATCHET
WRENCH

R645 AWRENC-017



1/4" DRIVE
RATCHET
WRENCH

R495 AWRENC-014



ORBITAL PALM SANDER
(3mm ECCENTRIC ACTION)

R1395 ASANOR-023



ORBITAL PALM SANDER
(5mm ECCENTRIC
ACTION)

R1395 ASANOR-025



BELT
SANDER

R795 ASANDE-001



AIR ANGLE SANDER

R695 AGRIND-115



1/4" DIE GRINDER

R345 AGRIND-010



AIR SAW

R845 ASAWBD-003



ANGLE DIE GRINDER

R595 AGRIND-011



AIR CUT OFF TOOL

R495 ACUTTO-003



DIGITAL TYRE
INFLATOR
GAUGE

R695 AGAUGE-014

HIGH VOLUME
LOW PRESSURE

PROFESSIONAL

GRAVITY
FEED
SPRAY GUN

• Nozzle: 1.5mm

R795 ASPRAG-610

GRAVITY
FEED
SPRAY GUN

• Nozzle: 1.3mm

R1395 ASPRAG-613

VISIT US ONLINE FOR DETAILED SPECIFICATIONS www.adendorff.co.za

AIR INFLATORS/DEFLATORS WITH HOSE, NOZZLE AND GAUGE



1/2" BSP Inlet

① Tyre Inflator/Deflator	0 - 700kPa	R225 AGAUGE-004
② Tyre Inflator/Deflator • Robust Design	0 - 1 200kPa	R445 AGAUGE-000
③ Garage Type	0 - 1 100kPa	R795 AGAUGE-001
④ Garage Type (Pro)	0 - 1 050kPa	R1395 AGAUGE-002
⑤ Digital Tyre Inflator	0.68 - 1 700kPa	R445 AGAUGE-008
⑥ Inflator/Deflator	48 - 1 240kPa	R945 AGAUGE-009

MAC AFRIC 10 PIECE DEEP IMPACT SOCKET SET

AVAILABLE IN 1" OR 3/4" DRIVE

(88mm deep)

- 21, 22, 24, 27, 29, 30, 32, 35, 38, 41mm

R995
 ① 3/4" TSOCKE-011
 ② 1" TSOCKE-010



LIFETIME GUARANTEE

119 PIECE PROFESSIONAL IMPACT SOCKET SET

1/2" & 3/4" Drive

R3695 TSOCKE-120

Contains both metric and SAE (Imperial Sizes) Chrome Molybdenum Steel Material: 35CR-MO Tool Standard: ANSI

LIFETIME GUARANTEE

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



IMPACT WRENCHES



① 12.5mm (1/2") Twin Hammer (shown) • 720Nm • 4.6cfm • 2.2ℓ/s	R895 AWRENC-007
12.5mm (1/2") Twin Hammer • 850Nm • 4.87cfm • 2.3ℓ/s	R1095 AWRENC-008
19mm (3/4") Twin Hammer • 1 300Nm • 7.42cfm • 3.5ℓ/s	R2495 AWRENC-009
② 19mm (3/4") Twin Hammer (shown) • 1 600Nm • 8 - 12cfm (Ronpeng)	R3495 AWRENC-005

IMPACT SOCKET SETS

LIFETIME GUARANTEE

38 Piece Metric/Imperial 3/8" Drive

- 3/4", 11/16", 5/8", 9/16", 1/2", 7/16", 3/8", 5/16"
- 8, 10, 11, 12, 13, 14, 17, 19mm

- 1/2" Drive • 3/8", 7/16", 1/2", 9/16", 5/8", 1 1/16", 3/4", 13/16", 7/8", 15/16", 1"
- 10, 11, 12, 13, 14, 17, 19, 21, 22, 24mm



R1095 TSOCKE-038

15 Piece 12.5mm (1/2") Drive, (75mm) Deep Metric

- 10 - 24mm

R1195 TSOCKE-015



1" DRIVE TRUCK WHEEL NUT REMOVERS TORQUE MULTIPLIER



ENGINEERED FOR HIGH-TORQUE TRUCK WHEEL NUT REMOVAL

3 800Nm
Torque Output:
1:60

R895

GWRENC-280

5 200Nm
Torque Output:
1:90

R995

GWRENC-520

Sockets not included

AIR WRENCH KITS



12.5mm (1/2") Drive

- 6 - 8cfm
- Complete with 10 Sockets: 9, 10, 11, 13, 14, 17, 19, 22, 24, 27mm
- Forward and Reverse Push Button

R1295 AWRENC-001



15 Piece 12.5mm (1/2") Drive Ratchet Wrench Kit

- 8cfm
- Complete with 7 Sockets: 9, 10, 11, 13, 14, 17, 19mm

R795 AWRENC-015



25MM 1" DRIVE HEAVY DUTY IMPACT WRENCH



2 600Nm • 13.3cfm • 6.3ℓ/s

R3595 AWRENC-026

3 200Nm • 13.98cfm • 6.6ℓ/s (shown)

R4295 AWRENC-032

4 800Nm • 14.83cfm • 7ℓ/s

R4995 AWRENC-048

2 600Nm • 13.35cfm • 6.3ℓ/s (Short Anvil)

R3495 AWRENC-027

PROFESSIONAL QUALITY



MAC AFRIC COMPRESSORS

SANS 347: 2012 compliant – RSA Conformity Assessment Reviewed – AIA Verification by Intertek

1 YEAR GUARANTEE

ENGINEERED FOR MOBILE SERVICE AND ROADSIDE ASSISTANCE



R2395 COMPRE-515



R3295 COMPRE-002



R24950 COMPRE-705



R30950 COMPRV-510

DIRECT DRIVE					
Tank Size	Motor Size	Output Delivery	Input Power	Max. Pressure	Price
24ℓ	2hp 1.5kW	110ℓ/min (3.88cfm)	230V	116psi 8 bar	R1745 COMPRE-024
50ℓ (shown)	2hp 1.5kW	120ℓ/min (4.23cfm)	230V	116psi 8 bar	R2395 COMPRE-515
100ℓ	2hp 1.5kW	120ℓ/min (4.23cfm)	230V	116psi 8 bar	R4695 COMPRE-115
100ℓ V-head	3hp 2.2kW	190ℓ/min (7cfm)	230V	116psi 8 bar	R5995 COMPRV-123

Backed by **Adendorff machinery mart**

BELT DRIVE – DIESEL DRIVEN				
Tank Size	Motor Size	Output Delivery	Max. Pressure	Price
150ℓ Electric Start 2 Stage Air Pump	11hp	614ℓ/min (21cfm) 555ℓ/min (19cfm)	90psi 6 bar 145psi 10 bar	R26950 COMPRE-706

OIL-FREE SILENT TYPE					
Tank Size	Motor Size	Output Delivery	Input Power	Max. Pressure	Price
24ℓ Silent Type	0.55kW	40ℓ/min (1.41cfm)	230V	101psi 7 bar	R2495 COMPRE-001
50ℓ Silent Type (shown)	0.75kW	60ℓ/min (2.1cfm)	230V	101psi 7 bar	R3295 COMPRE-002
50ℓ Silent Type (with 2 motors)	2 x 0.75kW = 1.5kW	120ℓ/min (4.23cfm)	230V	101psi 7 bar	R4695 COMPRE-003
100ℓ Silent Type (with 3 motors)	3 x 600W = 1 800W	231ℓ/min (8.16cfm)	230V	116psi 8 bar	R8950 COMPRE-011

BELT DRIVE					
Tank Size	Motor Size	Output Delivery	Input Power	Max. Pressure	Price
50ℓ	2.5hp 1.5kW	170ℓ/min (6cfm)	230V	116psi 8 bar	R5995 COMPRE-517
100ℓ	2.5hp 1.5kW	170ℓ/min (6cfm)	230V	116psi 8 bar	R7950 COMPRE-210
100ℓ Vertical Space Saver	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	R8795 COMPRE-310
150ℓ	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	R9295 COMPRE-315
200ℓ	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	R9950 COMPRE-615
100ℓ V-head	2hp 1.5kW	170ℓ/min (6cfm)	230V	116psi 8 bar	R7850 COMPRV-120
100ℓ V-head	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	R8795 COMPRV-130
200ℓ V-head	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	R10950 COMPRV-230
300ℓ V-head	5hp 4kW	600ℓ/min (21.2cfm)	380V	116psi 8 bar	R17450 COMPRV-355
300ℓ V-head	7.5hp 5.5kW	670ℓ/min (23.66cfm)	380V	116psi 8 bar	R18950 COMPRV-375
500ℓ V-head (shown)	10hp 7.5kW 2 Stage Air Pump	1 050ℓ/min (28.25cfm)	380V	175psi 12 bar	R30950 COMPRV-510
500ℓ V-head	10hp 7.5kW 2 Stage Air Pump	1 150ℓ/min (37cfm)	380V	175psi 12 bar	R33950 COMPRV-575

BELT DRIVE – PETROL DRIVEN				
Tank Size	Motor Size	Output Delivery	Max. Pressure	Price
70ℓ (Pull Start)	6.5hp	360ℓ/min (12.7cfm)	116psi 8 bar	R10950 COMPRE-070
150ℓ (Pull Start)	6.5hp	360ℓ/min (12.7cfm)	116psi 8 bar	R12950 COMPRE-071
150ℓ Electric Start 2 Stage Air Pump (shown)	15hp	614ℓ/min (21cfm) 555ℓ/min (19cfm)	90psi 6 bar 145psi 10 bar	R24950 COMPRE-705

MAC AFRIC COMPRESSORS

50MM COMBINATION NAILER AND STAPLER

Required Pressure: 4 - 7 bar

R545 ANAILA-055

- Uses 18-Ga F-Nails (15-50 mm) and 5.8 mm Crown Staples (16 mm staples stocked in-store)
- Integrated Safety Pin Mechanism
- Quick-Release Front Plate for Rapid Jam Removal



BRAD NAILERS

F-Nails - 18# Gauge

HEAVY DUTY

30mm (shown) **R1095 ANAILA-030**

- 10 - 30mm

50mm **R1595 ANAILA-050**

- 15 - 50mm

D.I.Y.

D.I.Y. F30 **R425 ANAILF-030**

- 10 - 30mm

D.I.Y. F50 **R545 ANAILF-050**

- 15 - 50mm

T-Nails - 16# Gauge

HEAVY DUTY

T50 **R1295 ANAILR-650**

- 20 - 50mm

T64 **R1495 ANAILR-664**

- 32 - 64mm



INDUSTRIAL 18 - 64MM CONCRETE NAILER

R1495 ANAILR-660

- Ideal for nailing skirtings to the wall
- Required Pressure: 4 - 7 bar



INDUSTRIAL 34° CLIPPED HEAD NAILER

R2195 ANAILA-028

- Range: 50 - 90mm
- Shank Ø: 2.98 - 3.33mm

ALSO AVAILABLE

Nails: 50, 75 & 90mm



INDUSTRIAL COIL NAILERS

Required Air Pressure: 5 - 7 bar

45 - 70mm

R2995

ANAILR-900

45 - 90mm

R3995

ANAILR-909

ALSO AVAILABLE

50, 70 & 90mm Coil Nails (on a roll)



3-IN-1 FINISHING NAILER

R1595 ANAILA-001

- 4.8 - 7.5 bar
- Ideal for: 18#GA Staples 16 - 40mm
- 18#GA F-nails 20 - 50mm
- 16#GA T-nails 25 - 64mm



STAPLERS

Required Air Consumption: 2 - 4cfm

R995 ASTAPL-010

HEAVY DUTY MODEL

- Capacity: 10 - 22mm Staples
- Crown: 10mm



R475 ASTAPL-013

DIY MODEL

- Capacity: 6 - 13mm Staples
- Crown: 10mm



5 PIECE DIY AIR TOOL KIT

R395 ASPRAK-006



PNEUMATIC UNDERCOATING GUN

- Suction Feed Type
- Max. Pressure: 9 bar
- 4cfm

R275 AGUNUC-002



AIR DUSTER GUN

R85 ADUSTR-001



ENGINE CLEANING GUN

- 2 - 4 bar

R145 ACLEAN-001



PNEUMATIC WATERING GUN

- 6cfm

R195 AGUNWT-001



RUBBERIZING STONE-CHIP COATING GUN

- 4cfm

R395 AGUNUC-001

AIR BRUSHES

R595 ABRUSH-008

- Air Consumption: 0.4 - 0.8cfm
- 0.2mm Fine Tip Fluid Nozzle
- Working Pressure: 1 - 3 bar • Gravity Side Feed

R895 ABRUSH-002

- Air Consumption: 0.4 - 0.8cfm
- 0.3mm Fine Tip Fluid Nozzle
- Working Pressure: 1 - 3 bar • Gravity Top Feed



42 PIECE PNEUMATIC TOOL KIT

R2495 ATOOLK-042

- 12.5mm (1/2") Drive Impact Wrench with 10 Sockets
- Heavy Duty Dual Action Sander
- 6mm Air Die Grinder and Stones
- 10mm Reversible Air Drill
- 150mm Air Hammer with Chisels and Bits • 8 - 10cfm



MINI SILENT OIL-FREE COMPRESSORS

6/ D.I.Y. Portable Silent Type

- 550W, 3/4hp, 8 bar
- 105l/min, 3.7cfm • 230V

Ideal for Air Brushing, Nailers, Staple Guns & Air Blowers



Steel Tank • 14.5kg

R2095 COMPRE-006




Aluminium Tank • 13.8kg

R2295 COMPRE-007

GRAVITY FEED SPRAY GUNS

PROFESSIONAL



- | | |
|------------------------------------|-------------------------|
| 1 (HVLV) • 1.0mm Nozzle | R1095 ASPRAG-300 |
| 2 With Stand (HVLV) • 1.3mm Nozzle | R1195 ASPRAG-100 |
| 3 (HVLV) • 1.3mm Nozzle | R1995 ASPRAG-101 |

SUCTION FEED SPRAY GUNS



- | | |
|---|------------------------|
| 1 High Pressure • 4 - 7cfm
• 1.8mm Nozzle | R325 ASPRAH-001 |
| 2 Low Volume Low Pressure Anodized Finish • 3 - 3.9cfm • 1.5mm Nozzle | R895 ASPRAH-003 |
| 3 High Volume Low Pressure • 4.2 - 7.1cfm • 1.4mm Nozzle | R695 ASPRAH-005 |

ELECTRIC AIRLESS D.I.Y. SPRAY GUNS




- | | |
|------------------------|------------------------|
| 1 0.5KW, 230V | 2 0.6KW, 230V (shown) |
| Max. Flow 900ml/min | 1 000ml/min |
| Tank Capacity 800ml | 900ml |
| Nozzle 1.8mm/2.6mm | 2.5mm |
| R795 ASPRAY-012 | R795 ASPRAY-013 |

PAINT PRESSURE POTS



ACCESSORIES INCLUDED
Gun, Gauge & Hose



- | | |
|-------------------------------------|-------------------------------------|
| 10ℓ R2495 ASPRAP-010 | 2ℓ R1395 ASPRAP-002 |
| • Operating Pressure: 1.4 - 2.4 bar | • Operating Pressure: 0.8 - 2.1 bar |


INDUSTRIAL PRESSURE POTS (GUN & HOSE SOLD SEPARATELY)

Required Air Consumption: 8 - 12 cfm

- | | |
|--------------------------------|-------------------------|
| 20ℓ with Auto Agitator (shown) | R5695 ASPRAP-022 |
| 20ℓ with Manual Agitator | R4695 ASPRAP-021 |
| 10ℓ with Auto Agitator | R4295 ASPRAP-012 |
| 10ℓ with Manual Agitator | R3295 ASPRAP-011 |
| 40ℓ with Manual Agitator | R8995 ASPRAP-040 |



TOP QUALITY SPRAY GUNS



Low-Volume Low-Pressure • Bar: 2 - 3.5 • CFM Requirements: 3 - 3.9

- | | |
|---|------------------------|
| 1 Gravity Feed • 1.3mm Nozzle | R695 ASPRAG-700 |
| 2 Gravity Feed • 1.3mm Nozzle | R695 ASPRAG-500 |
| 3 Gravity Feed (Anodized Finish) • 1.5mm Nozzle | R695 ASPRAG-109 |
| 4 Mini Side Feed Touch-up • 0.6mm Nozzle | R475 ASPRAG-019 |
| 5 Spray Gun Holder/Stand | R110 ASPRAA-001 |
| High Volume Low-Pressure • Bar: 2 - 3.5 • CFM Requirements: 4.2 - 7.1 | |
| 6 Gravity Feed Mini Touch-up • 0.8mm Nozzle | R295 ASPRAG-110 |
| 7 Gravity Feed • 2.5mm Nozzle | R365 ASPRAG-025 |
| 8 Gravity Feed • 1.4mm Nozzle | R385 ASPRAG-106 |
| 9 Gravity Feed • 1.4mm Nozzle | R275 ASPRAG-107 |
| 10 Gravity Feed with Regulator • 1.4mm Nozzle | R445 ASPRAG-827 |

AIRLESS SPRAYERS

GRACO TRUECOAT 360 CORDLESS CONNECT DRILL SPRAYER **R4995** ASPRAY-361



Drill for illustrative purposes only

GRACO CLASSIC 495 PC **R66950** ASPRAY-495



GRACO GX21 **R26750** ASPRAY-021

Fast, portable and affordable solution. (For small finishing surfaces)

- Compatible Materials: Primer, Stains, Water-based Paint, Acrylics, Enamel and Latex Paints.
- Max. Flow Rate: 1.8ℓ/min
- Motor Type: Brushless DC
- Pump Type: ProX Piston Pump
- Nozzle Size: 0.53 mm (0.021")
- Voltage: 230V



ONLY AVAILABLE AT CERTAIN STORES ENQUIRE IN STORE

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



Model 550

Brushless Motor

R16995 ASPRAY-550

PNEUMATIC RIVETER

R1695 ARIVET-001

- 4 Nozzles • 4.2cfm
- For Rivets 2.4 - 4.8mm



ALSO AVAILABLE

COMPLETE SET WITH SERVICE KIT
• 4.2cfm

R1995 ARIVET-002

**RIV-NUT / NUT-SERT
INSTALLATION TOOL**

R1195 ARIVNR-001

- Riv-Nut Sizes: M4, M5, M6 M8



PNEUMATIC METAL SHEAR

R845

ASHEAR-001

- Air Requirement: 4 CFM
- Ideal for cutting, trimming and contouring plastic, tin, aluminium and sheet metals up to 18-gauge rolled steel
- Cutting Capacity: 1 mm mild steel (max)



NEEDLE DESCALERS / AIR HAMMERS



190MM HAMMER ACTION CHISEL SET

- 5cfm

R495 AHAMMC-190



190MM COMBINATION AIR HAMMER/
DESCALER CHISEL SET • 5cfm

R795 ASCALD-190

ALSO AVAILABLE

BARREL TYPE DESCALER • 5cfm

R2595

ASCALD-001



PROFESSIONAL

AIR GRINDERS



112mm

R995 AGRIND-112

125mm

R1745 AGRIND-125

180mm (shown)

R2195 AGRIND-180

175MM AIR ANGLE BUFFER POLISHER

R2395 APOLIS-175

- 12cfm
- Free Speed: 2 500r/min
- Spindle Thread Size: 5/8"
- Suggested Min. Compressor: 4kW
- Safety Lever Throttle



3" (75MM) AIR CUT-OFF TOOL

R395

ACUTTO-075

- 6cfm

ALSO AVAILABLE

Cutting Discs **R22** ACUTTD-001 EACH



**4-IN-1 VARIABLE MULTI FUNCTION
AIR TOOL**

R845

AMULTI-022



SPRING BALANCER

① **R425** ABALAN-100

- Reduces tool weight on operator's hand
- Weight Tension: 1 - 2kg



PNEUMATIC SCREWDRIVER

4.55MM, STRAIGHT TYPE

② **R895** ASCRWD-455



ADJUSTABLE CLUTCH • 7cfm

R1495 ASCRWD-002

DUAL ACTION PALM SANDERS

(6 - 8cfm)



125MM (5")
PNEUMATIC
R695 ASANOR-002

ALSO AVAILABLE

WITH SELF VACUUMING
FUNCTION (VELCRO TYPE)

R945

ASANOR-005

DUAL ACTION SANDER

R1095

ASANDA-020

- 8 - 10cfm
- Pad Size: 150mm
- Adjustable Air Flow for a virtually scratch free finish

ALSO AVAILABLE

125mm/150mm Velcro Sanding
Pads & Sanding Discs

ENQUIRE
IN STORE



PNEUMATIC ORBITAL FINISHING SANDER

R895 ASANOR-001



PROFESSIONAL

STRAIGHT LINE SANDER



R1495 ASANSL-010

- Smooth Action • Double Piston • 4 - 6cfm
- Stroke: 2 100/min • Paper Size: 70 x 445mm

PNEUMATIC DRILLS

- Reversible
- 6cfm



With Key Chuck

10mm

R495 ADRILR-010

12.5mm (shown)

R575 ADRILR-005

With Keyless Chuck

10mm

R495 ADRILR-011

12.5mm

R545 ADRILR-012

SANDBLAST PRESSURE POTS



90% DUST-FREE SANDBLASTING SYSTEM WITH BUILT-IN 1200W VACUUM – COMPLETE UNIT WITH HOSE AND GUN

R6495 GPOTSB-001

Compressor Required



- Range of Blasting Pressure: 420kPa - 900kPa (4.2 - 9 bar)
- Nozzle Sizes: Ø 2.4, 2.7, 3.2, 3.6mm

45% **R2195** GPOTSB-045

90% **R2995** GPOTSB-090



SANDBLASTING GUNS



SAND BLAST POT GUN WITH 4 NOZZLES

R245 AGUNSB-000



GUN WITH 4 CERAMIC NOZZLES

R245 AGUNSB-003

GRAVITY FEED (TOP LOAD TYPE)



R495 AGUNSB-118

SANDBLASTING HOOD



R395

GCABSB-008

SANDBLASTING SAND (Fine Grit)

- 25kg Bag • 47 - 58 Microns

R75 GCABSG-030

SANDBLASTING CABINETS



BENCH TYPE

R2495 GCABSB-001

- Complete with High Efficiency Gun, Light, Pick-up Hose, Gloves, Spare Glass Shields and Nozzles
- 580 x 490 x 490mm

VERTICAL TYPE

R6950 GCABSB-002

- Heavy Duty Steel Construction
- Complete with High Efficiency Gun, Hose, Light, Gloves, etc.
- 890 x 570 x 1 390mm

INDUSTRIAL SAND BLAST CABINET WITH FOOT PEDAL & EXTRACTOR

R19450 GCABSB-003

- 1 220 x 600 x 1 710mm

RECOIL AIR HOSE WITH 1/4" MALE BSP-ADAPTOR

Hose Length: 15m

R215 AHOSES-015



8mm

Hose Length: 7m

R145 AHOSES-007



14 PIECE AIR DIE GRINDER KIT

R395 AGRIND-001

For grinding those difficult to reach areas



- 8cfm • 25 000rpm
- Collet Chuck Capacity: 3mm & 6mm

5 PIECE BRASS QUICK COUPLER SET

R100

ACOUP-005

- For use on all Air Operated Equipment
- Extensive Pneumatic Coupling Range available



ENQUIRE IN STORE OR ONLINE

8MM I.D. Ø AIR LINE HOSES

BLUE PVC FLEX HOSE 20M WITH COUPLINGS (shown)

R325

AHOSES-020



BLUE PVC FLEX HOSE 10m with Couplings

R215 AHOSES-028

BLUE PVC FLEX HOSE 100m Roll

R1500 AHOSES-006

RUBBER REINFORCED

8mm I.D. Ø

R22 AHOSES-009

per meter cut (min 10m)

10mm I.D. Ø

R25 AHOSES-011

per meter cut (min 10m)



17 PIECE AIR MICRO DIE GRINDER KIT

R485 AGRINK-017



- 3 mm Collet and Inline Lubricator
- 10-Piece Grinding Stone Set Included
- Compact Body: 140mm x Ø15.5mm
- High-Speed Output: 54 000rpm

AIR DIE GRINDER

R1895 AGRIND-002



- Ideal for Tyre Repair
- Includes Bits



AUTO-RETRACTABLE HOSE REELS

DISCLAIMER: Image provided for illustrative purposes only: actual product appearance may differ



① 20m (10mm fittings)
• Steel design with enhanced durability

R2495 GHOSER-020

② 15m (10mm fittings)
• Steel design with enhanced durability

R2295 GHOSER-016

③ 15m (8mm fittings)

R1395 GHOSER-015

④ 8m (10mm fittings)
• Steel design with enhanced durability

R1195 GHOSER-008

⑤ 10m (10mm fittings)

R1195 GHOSER-010

⑥ 20m (10mm fittings)

R1950 GHOSER-021


HEAVY DUTY (shown) **40-Ton Hydraulic-Pneumatic** **100-Ton Hydraulic**

Stroke	300mm	500mm
Distance between H-frame	680mm	710mm
Height of Press	1.6m	1.95m
Width of Work Table	325mm	370mm

R16995 GPRESS-041 **R42950** GPRESR-001

6-Ton Bench Type Hydraulic Press (Bottle-Jack Type – no Gauge) **DIY**


R1995 GPRESS-006



COMBINATION 2/3 JAW PULLERS

75mm	R125 TPULLG-075
100mm	R185 TPULLG-100
150mm	R295 TPULLG-150
250mm	R945 TPULLG-250
300mm	R1395 TPULLG-300

MAC AFRIC




GEAR PULLERS

	(Crank Type) 10 Ton	(shown) 10 Ton	20 Ton
Rated Output	10T	10T	20T
Reach	160mm	135mm	350mm
Max. Stroke	60mm	170mm	100mm
Spread	250mm	250mm	560mm

R1995 GPULLE-011 **R3295** GPULLE-010 **R5950** GPULLE-020

HYDRAULIC **HEAVY DUTY**



MAC AFRIC. WORKSHOP PRESSES

① **BOTTLE JACK TYPE** **DIY**

② **HEAVY DUTY HYDRAULIC**

① D.I.Y. 12-Ton Bottle-Jack Type (shown)	R2695 GPRESS-009
D.I.Y. 20-Ton Bottle-Jack Type	R3695 GPRESS-010
② 12-Ton Press with Gauge (shown)	R5495 GPRESS-012
20-Ton Press with Gauge	R6795 GPRESS-020
20-Ton Pneumatic Press with Gauge (Dual Function)	R7295 GPRESS-021



BEARING SEPARATOR KIT

R995 TBEARS-001

- Range: 30 - 50mm; 50 - 75mm
- Length of Jaws: 110mm (2 Jaw Puller)
- Max. Shaft Length: 210mm

MAC AFRIC



MAC AFRIC. PARTS WASHERS

90% COMPACT ON TROLLEY **R3995** GWASHP-091

- Includes Pump
- 750 x 530 x 900mm

90% COMPACT **R2495** GWASHP-090

- Stationary
- Includes Pump
- 760 x 520 x 890mm

SUITABLE FOR WATER-BASED SOLVENTS ONLY



NEW **180% HEAVY DUTY**

R3995 GWASHP-180

- Stationary
- Includes Pump
- 1 100 x 550 x 900mm
- Suitable for cleaning larger parts

13% Bench Type **R945** GWASHP-012



10 PIECE BEARING RACE & SEAL DRIVER KIT

R645 TBEARS-006

- Easily replace bearing races without damaging race or axle housing
- Collars fit most wheel bearing sizes
- Machined aluminium construction



ULTRASONIC CLEANERS

MAC AFRIC.

BEFORE **AFTER**

30L

3L 6L 10L 30L

3L Parts Cleaner	R1895 GCLEAN-003
6L Parts Cleaner	R3895 GCLEAN-006
10L Parts Cleaner	R4295 GCLEAN-010
30L Parts Cleaner	R6495 GCLEAN-030

Visit us online for detailed specifications




PROFESSIONAL

BATTERY TESTER & ANALYSER



R2395
TTESTB-003

- Testing Range: 100 - 2 000 CCA (12V)
- 12V & 24V Starting & Charging System

3-IN-1 BATTERY TESTER, CHARGER & REPAIRER



R1295
TTESTB-008

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

GARAGE MECHANIC CREEPERS AND SEATS

ROLLER SEAT WITH BOTTOM TOOL TRAY



R395 GCREEP-002



SWIVEL BAR / GARAGE STOOL

R895 GSTOOL-001

The all-new garage stool is perfect for the everyday use by mechanics or DIY enthusiasts

PADDED MECHANICS CREEPER



R595 GCREEP-001



44" HEAVY DUTY CREEPER

R1495 GCREEP-044

- Heavy Duty Frame Designs
- 150kg rating

36" PLASTIC CREEPER

R695 GCREEP-003

48" PLASTIC CREEPER

R1095 GCREEP-005



INTELLIGENT/DIGITAL BATTERY CHARGERS



	Charging Current	Charging Stages	Input Voltage	Price
①	1.5 Amp (12V)	3-step	12V	R295 GCHARG-001
②	4 Amp (12V) / 2 Amp (6V)	9-step	6V & 12V	R495 GCHARG-103
③	8 Amp (12V) / 2 Amp (6V)	9-step	6V & 12V	R695 GCHARG-107

	Charging Current	Charging Stages	Input Voltage	Price
④	10 Amp (12V) / 2 Amp (6V)	9-step	6V & 12V	R895 GCHARG-110
⑤	4 Amp	9-step	6V & 12V	R525 GCHARG-104
⑥	8 Amp	9-step	12V	R895 GCHARG-108

MAC AFRIC BATTERY JUMP STARTERS

12V COMBINATION (WITH INFLATOR) R1695 GSTART-008



- Peak Start Current: 400A
- USB Output: 5V / 3A
- Output Voltage: 9V / 2A, 12V / 1.5A
- Battery Capacity: 10 000 mAh (37 WH)



R995 GSTART-009

- Peak Start Current: 800A
- Start Current: 400A

Compact 400A lithium-ion jump starter with USB output, ideal for emergency car starts and charging devices on the go.

BATTERY CHARGERS

15A INTELLIGENT R1495

- Voltage input: 230V @ 50Hz
- Output voltage: 12V/15A
- Max. output current: 15A
- Applicable batteries: STD. AGM.CAL.LiFePO4



25A INTELLIGENT R2395 GCHARG-124

- Input voltage: 220 - 240V @ 50Hz
- Charging current: 12V/25A
- Battery type: STD.AGM.CAL. LiFePO4
- Max. voltage: STD-14.4V, CAL-15.5V, LiFePO4-14.4V
- BMS-Wake up: yes

PROFESSIONAL

630L 12/24V CHARGER/BOOSTER

R3995 GCHARG-630

- Charging & Current: 12V - 60A / 24 - 30A
- Ideal for Standard & LiFePO4 Batteries



BATTERY CHARGERS/BOOSTERS

Battery for illustrative purposes only



Model	Charging Current	Price
320	35A (12V & 24V)	R2195 GCHARG-321
400	40A (12V & 24V)	R2495 GCHARG-400
600	52A on 12V & 55A on 24V	R2995 GCHARG-600

PROFESSIONAL

12V/24V LITHIUM ION JUMP STARTERS



Start Current	400A (12V); 500A (24V)	600A (12V); 600A (24V)
Peak Current	800A (12V); 1 000A (24V)	1 500A (12V); 1 500A (24V)
Battery Type	Lithium Ion Polymer	Lithium Ion Polymer
Battery Capacity	27 000mAh	45 000mAh

R3495 GSTART-007

P.O.A. GSTART-005

MODEL 2000 ENGINE CRANES



FIXED FRAME • Nett Weight: 85kg
• Gross Weight: 88kg (shown)

R4495 GCRANE-002

OPTIONAL EXTRA

750KG LOAD LEVELLER
(shown)

R595 GLEVEL-002



ALSO AVAILABLE

EXTRA HEAVY DUTY TYPE MODEL 2 000 FOR TRUCKS

R9450 GCRANE-005

• Nett Weight: 168kg • Gross Weight: 191kg

FOLDABLE WITH 6 WHEELS (shown)

• Nett Weight: 85kg • Gross Weight: 89kg

R4695 GCRANE-004

WITH PNEUMATIC FUNCTION

• Nett Weight: 83kg

• Gross Weight: 86kg

R4995 GCRANE-003



MAC AFRIC ENGINE STANDS

Adjustable Arms to fit all Standard Passenger & Light Commercial Vehicles



① **Model 450 Universal**
(4 & 6 Cylinder Engines)

R1195 GSTAND-450

② **Model 550 Universal with Oil Pan & Parts Tray** (4 & 6 Cylinder Engines)

R2495 GSTAND-550

③ **Model 900** (4, 6 & 8 Cylinder Engines)

R2495 GSTAND-500

④ **Model 900 with Geared Rotator** (shown)
(4, 6 & 8 Cylinder Engines)

R4695 GSTAND-100

HYDRAULIC TRANSMISSION JACKS



500KG TRANSMISSION JACK

R3995 GJACKT-104

Built for workshop use in service pits or under raised vehicles, this heavy duty transmission jack allows for the safe and efficient removal and installation of gearboxes and transmissions. It features a smooth-operating hydraulic lift that reaches full height with approximately 26-30 pump strokes when loaded.



€ **MODEL-500 TELESCOPIC**


R6995 GJACKT-102

• Height Range: 870 - 1 847mm
• Safe Working Capacity: 0.4 Ton

€ **R4950** GJACKT-100

€ **MODEL-1000 LOW LEVEL**

• Length: 760mm
• Width: 430mm • Height: 220mm
• Extended: 625mm • Lifting Height: 760mm
• Safe Working Capacity: 0.8 Ton




COLOUR MAY VARY

MANUAL COIL SPRING STRUT COMPRESSOR

R6295 GCOILS-006

• Max. Diameter: 300mm • Max. Height: 630mm
• Travel/Stroke: 330mm
• Max Shock Absorber Length: 580mm



INTERCHANGEABLE FORK STRUT COIL SPRING COMPRESSOR KIT


R2395 GCOILS-005



1 TON HYDRAULIC COIL SPRING COMPRESSOR

R2995 GCOILS-010

• Capacity: Max. Compression Tension, 1 Ton (hand-pump included)
• Max. Extension: 260mm
• Retracted Dimension: 100mm
• Rod Travel: 100mm



R2495

4-IN-1 12V CAR JACK KIT WITH IMPACT WRENCH & TYRE INFLATOR

GJACKC-001

• Complete 4-in-1 roadside solution: Electric Impact Wrench, Built-in Light, Safety Hammer, Gloves and Integrated Tyre Inflator
• Plugs directly into any 12V DC Vehicle Power Supply
• Packs neatly into a portable carry case for easy storage
• Power lifting performance with an 11" (450mm) lift height, suitable for vehicles up to 1.5 ton



12V HYDRAULIC JACK

HEAVY DUTY

R3495 GJACKC-002

• Safe Working Capacity: 2.25 Ton
• Lifting Height: 20 - 56cm • Stroke: 350mm



12V CAR SCISSOR JACKS

R1595 GJACKC-004

COLOUR MAY VARY

• Model 2000
• Lifting Height Capacity: 14 - 43cm



BOTTLE JACKS



EXCELLENT QUALITY

€ Model	Safe Working Capacity	Min. Height	Max. Height	Price
2	2 Ton	158mm	308mm	R245 GJACKB-002
5	5 Ton	200mm	405mm	R375 GJACKB-005
10	10 Ton	240mm	480mm	R495 GJACKB-010
20	15 Ton	250mm	490mm	R895 GJACKB-020
30	20 Ton	285mm	475mm	R1245 GJACKB-030
50	30 Ton	285mm	480mm	R1945 GJACKB-050

4 TON 2 POST ELECTRIC/HYDRAULIC LIFT



Vehicle for illustrative purposes only

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

AVAILABLE FROM AEROTON JOHANNESBURG SOUTH WAREHOUSE ONLY

COLOUR MAY VARY

AUTO RELEASE R35950	GLIFTS-003	MANUAL RELEASE R34950	GLIFTS-002
--------------------------------------	-------------------	--	-------------------

5 TON 4 POST COMING SOON


WHEEL CHOCKS



Mighty 5T R85 EACH GSTAND-203	Mighty 20T R145 EACH GSTAND-202
--	--

MAC AFRIC.

RATCHET TYPE JACK STANDS



3 Ton Capacity for Cars (shown)	R395 PER PAIR GSTAND-003
6 Ton Capacity for LDVs & Trucks	R695 PER PAIR GSTAND-006
12 Ton Capacity for LDVs & Trucks	R1695 PER PAIR GSTAND-012

DIGITAL TYRE PRESSURE TESTER GAUGE

- Provides accurate tyre pressure readings in both **metric and imperial** units
- **Digital display with LED backlight** for clear visibility in low-light conditions
- Includes a **bleed valve** for precise pressure adjustment
- **Heavy-duty rubber housing** for added protection and durability
- **360° rotatable chuck** for easy use from any angle

R225 **GTYREG-006**




MAC AFRIC.


COMBINATION HYDRAULIC BEAD BREAKER ONLY R3695 GBEADB-001	PNEUMATIC HYDRAULIC PUMP FOR GBEADB-001 R3495 GPUMPS-001
--	--

MOTORCYCLE LIFT JACK

R2495 **GJACKM-001**

- Base: 290 x 290
- Min. Height: 130mm
- Max. Height: 420mm

PNEUMATIC TYRE CHANGERS AND BALANCERS



MAC AFRIC.

Wheel for illustrative purposes only

Wheel for illustrative purposes only

	CB530	CB800
Motor Power	230V	230V
Rim Width	40 - 310mm	40 - 510mm
Rim Ø	254 - 508mm	265 - 615mm
Balancing Speed	210rpm	200rpm
Rim Accuracy	1G	1G
	R17995 GTYREB-001	R21995 GTYREB-002


MAC AFRIC.

	Model F 112	Model LT 910	Model LT 950A With Helping Arm
Motor	1.1kW, 230V	1.1kW, 230V	1.1kW, 230V
Internal Clamp	12" - 22"	14" - 26"	14" - 26"
Max. Wheel Ø	1 000mm	1 100mm	1 100mm
Max. Wheel Width	270mm	381mm	381mm
	R17995 GTYREC-002	R24995 GTYREC-005	R34950 GTYREC-006

Compressor Required

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

COMPACT MINI TROLLEY JACKS



	2250-LD	2250-HD
Weight	8.3kg	12.5kg
Lifting Height	135 - 330mm	135 - 385mm
Safe Working Capacity	1.1 Ton	1.5 Ton
	R695 GJACKT-000	R895 GJACKT-001

GARAGE TROLLEY JACKS




HEAVY DUTY

MODEL-2500 SHORT WHEEL BASE R2495 GJACKT-002	MODEL-3000 SHORT WHEEL BASE R3695 GJACKT-300
---	---

- Lifting Height: 100 - 530mm
- Safe Working Capacity: 2.25 Ton
- 42kg
- Lifting Height: 120 - 500mm
- Safe Working Capacity: 2.0 Ton
- 32kg

LONG REACH TROLLEY JACKS



HEAVY DUTY

€ Model	Safe Working Capacity	Lifting Capacity	Length of Jack	Weight of Jack	Price
3000	2.25 Ton	600mm	1290mm	54kg	R6495 GJACKT-003
5000	4.0 Ton	685mm	1410mm	89kg	R9995 GJACKT-005
10000	8 Ton	700mm	1560mm	133kg	R15950 GJACKT-010
20000	11 Ton	640mm	1420mm	230kg	R21950 GJACKT-020



PETROL

R1795 GTIMEK-009

- Suitable for BMW 2.5, 3.0 (N51-52-53-54)

MAC AFRIC
TIMING TOOL KITS



PETROL

R1695

GTIMEK-015

- Suitable for BMW 2.0 (N20/N26)

LARGE RANGE AVAILABLE
SCAN TO VIEW THE FULL RANGE



R1295 GTIMEK-002

VW/AUDI ENGINE TIMING TOOL SET

- For VW and Audi engines including Golf V TFSI, VW 3-cylinder and common rail systems, and Audi A4, A6 & A8 (1997 - 2004) as well as VW Passat (1998 - 2004).
- Suitable for: 1.9 and 2.0 TDI pump-nozzle engines, 1.9 TDI, 2.5 6V TDI, 3.3 V8 TDI, 1.2-3-cylinder engines and 1.4/1.6 petrol engines.



R395 GTIMEK-003

- Complete timing tool set for VAG chain-drive engines including 1.2 and 1.4 TFSi and 1.4 and 1.6 FSi variants. Includes tools for accurate crank shaft top-dead-centre (TDC) alignment, camshaft adjustment, and secure chain tensioner locking during service or repair work.

RADIATOR/WATER TANK LEAK/ PRESSURE DETECTOR SETS

- Test Cooling Systems for Leaks
- Includes Hand Pump and Test Head



33 PIECE
R1895 GTESTR-002



15 PIECE
R1595 GTESTR-001

PORTABLE INSPECTION CAMERA/BORE SCOPES



VISUAL INSPECTING CLEANING BORESCOPE
R2495
GSCOPE-006



2-WAY ARTICULATING BORESCOPE
R3950
GSCOPE-005



INSPECTION CAMERA-BORESCOPE
R1895
GSCOPE-000

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

FUEL INJECTOR CLEANING SYSTEM

R1995 GFUELT-003



FUEL PRESSURE TESTER

R325 GFUELT-001



DIESEL INJECTOR TESTER



R1695
GTESTD-001

VEHICLE CURRENT TESTER

R295 TTESMF-001



- Measurement range: 0.1A ~ 19.9A
- Max. Load: 20A/32V DC for max. 10 secs.
- Accuracy: ± (2% of reading + 2 digits)

COMPRESSION TESTER KITS

PETROL

R345
GCOMPT-003



DIESEL

R1595 GCOMPT-002



HIGH PRESSURE DIESEL PUMP TEST KIT

R3995 GTESDP-001



22 PIECE FUEL AND AIRCON DISCONNECT SET

R545
GFUELT-022

This Kit is used for fast and easy separation of quick disconnect style fittings.



SINGLE STAGE VACUUM PUMP

R2495 GVACUM-004



HAND HELD VACUUM PUMP

R345 GVACUM-001



- Suitable for wide range of vehicles

AC MANIFOLD SET FOR 134A REF. GAS

R1095
GAIRCN-001



- Test, evaluate, fill Air Conditioning Systems
- Highly accurate Gauge Set
- Lets you quickly compare high side and low side pressure readings to manufacturer specifications
- 1/2" ACME Fittings

iCarsoft DIAGNOSTIC TESTERS

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



800 Plus
R895
GTSTC-001



CR Elite
R4295
GTSTC-002



CR Pro
R5995
GTSTC-003

PNEUMATIC BRAKE BLEEDER

R295 GBRAKB-001



ONE-MAN BRAKE BLEEDING KIT

R75 GBRAKB-002



BRAKE CALIPER WIND BACK TOOL SETS



R375 GBRAKE-018



R395 GBRAKE-022

- Winds Back Brake Piston for replacing Brake Pads
- Prevents damage to the Piston & Boot

UNIVERSAL FUEL SUCTION RETRIEVER PUMP (1.5-LITRE) WITH CONNECTORS

R595 GFUELTR-004



SMOKE LEAK DETECTOR DC12V 65W

R2995

GSMOKD-001



- Operates on 12V DC with a 65W heating element
- Produces dense visible smoke to quickly locate EVAP, intake and vacuum leaks
- Includes multiple adaptors for various diagnostic applications

23 PIECE OIL FILTER WRENCH KIT

R895

GOILFR-002



2M SELF PRIMING SIPHON HOSE WITH BRASS HEAD

R95 GPIPE-001



UNIVERSAL BUSH REMOVAL/INSTALL SLEEVE SET

R2295 GBUSHK-001



ADJUSTABLE FUEL TANK REMOVER

R325 GFUELR-001



UNIVERSAL BALL JOINT SEPARATOR

R465 GJOINT-001



- Jaw Capacity: 50 - 120mm

BALL JOINT INSTALLER/REMOVER KIT

R995 GJOINT-003



DIESEL INJECTOR SEAT CUTTER SET

5495 GINJEC-007



- Suitable for cleaning and decarbonising injector seats
- Includes 5 precision cutters for a wide range of diesel engines

114 PIECE OIL SUMP THREAD REPAIR SET

R795 GOILTR-114



CAMBELT TENSION GAUGE

R295

GCAMBT-001



6 PIECE TELESCOPIC GAUGE SET

R385 GGAUGE-001



VALVE SPRING COMPRESSOR SET WITH PIPE FRAME

R325 GVALVC-001



UNIVERSAL VALVE SPRING REMOVER AND INSTALLER COMPRESSOR KIT

R1195 GVALVC-002



BRAKE FLUID TESTER

R895

GBRAKT-001



DIESEL INJECTOR PULLER KIT

R895 GPULLE-004



- Open range: 50-120mm
- Includes slide hammer
- Ideal for removing stuck or seized common rail injectors without removing the cylinder head

WHEEL BEARING REMOVAL TOOL KIT

R1495 TBEARS-005



GARAGE EQUIPMENT: AUTOMOTIVE

G.GUN 10ℓ HIGH PRESSURE FOOT OPERATED GREASE DRUM

R2595 **GGREAS-009**

- Two Stage Pump
- Canisters can use 5 - 8kg Grease



12ℓ OIL LUBE DISPENSER & DRUM

R1195 **GOILCN-004**

Designed for easy and efficient dispensing of all types of lubricants. Featuring a handle with three pivot points to handle different viscosities. Ensures smooth and effortless pumping action. Large capacity and robust design.



MAC AFRIC.

8KG FOOT OPERATED GREASE DRUM

R2395 **GGREAS-010**

Featuring a foot-operated treadle. Allows for hands-free operation. Includes a lock-on grease coupler for precise delivery. Ideal for heavy-duty use. Minimizes wastage and mess while ensuring optimal performance.



MAC AFRIC.

PNEUMATIC GREASE DRUMS

INCLUDES HOSE, GUN & TROLLEY



Grease Pump	Inlet Pressure	Price
12ℓ (shown)	6 - 8 bar	R2950 GGREAS-012
30ℓ	6 - 8 bar	R4495 GGREAS-005
40ℓ	4 - 8 bar	R4995 GGREAS-017



ROTARY HAND DRUM PUMPS

R395
TPUMPD-001
FITS INTO A 210ℓ DRUM
 Ideal for Oil, Paraffin & Diesel (shown)



R695
TPUMPH-001
ALUMINIUM HAND PUMP
 Ideal for Oil, Paraffin & Diesel

P.P. (Polyphenylene)
 Manufactured from P.P. (polypropylene) Suitable for AdBlue/DEF, water, alcohols, kerosene, lubricants, compatible water-based acidic and alkaline solutions
R795
TPUMPD-003

GREASE GUNS

MAC AFRIC.



400cc **R240** **GGREAS-400**
 500cc **R250** **GGREAS-501**
 600cc **R275** **GGREAS-600**

12V MINI OIL EXTRACTOR PUMP



R375 **HPUMPO-002**
 PVC Clear Pipe included

AUTO RETRACTABLE HOSE REELS

SUITABLE FOR OIL

SUITABLE FOR GREASE



15m **R4495**
GHOSE0-001



10m **R1995**
GHOSEG-010



(10mm) 3/8" Air Couplers Male or Female **R60** each

9ℓ FLUID/OIL EXTRACTORS

① Manual **R1195**
HPUMPO-013

② Pneumatic **R1195**
HPUMPO-012



Capacity: 9 litres. Designed to extract a wide range of fluids and widely used in automotive maintenance for removing oil from engines and other confined areas. Available in manual ① and pneumatic ② versions

12V DIESEL PUMP


COMPLETE KIT (shown)
 • 40ℓ/min • Includes Pump, Gun, Hose, Meter and Bracket

R2895 **HPUMPO-008**

ALSO AVAILABLE

230V MODELS (SINGLE PHASE)

ENQUIRE IN STORE



ALSO AVAILABLE

① Pump Only **R895** **HPUMPO-011**

③ Gun Only **R345** **HPUMPO-009**

② Hose Only **R845** **HPUMPH-005**

④ Meter Only **R845** **HPUMPO-010**

① + ② + ③ Pump + Gun + Hose (Kit) (Excluding Bracket) **R1895** **HPUMPO-007**

PNEUMATIC OIL PUMP

MOBILE PNEUMATIC OIL DISPENSING STATION (without drum) (complete unit shown)

R13950 **HPUMPO-004**

- Ratio 5:1
- Trolley, Pump, Hose Reel & Digital Oil Gun



Drum for illustrative purposes only

MAC AFRIC.

PNEUMATIC OIL DISPENSING PUMP (only)
 • Ratio 5:1

R6295 **HPUMPO-003**

DIGITAL OIL GUN (only)

- Flow Rate: 0 - 60ℓ/min


R2195 **HPUMPO-005**

LED REFLECTION BOARD
R395 **GBODYL-002**



Essential tool for professional dent repair and paintless dent removal (PDR).

MAC AFRIC.
YELLOW REFLECTION BOARD
R100
GBODYL-001



PAINTLESS HAIL ROD DENT REMOVAL KIT
R3895
GBODYR-002

Designed for efficient dent removal without the need for repainting. Includes a variety of rod tips in different sizes and shapes, along with essential accessories like pump wedges, plastic chisels, chains, and a small hammer.



PROFESSIONAL

NEW

DENT REPAIR SLIDE BAR SET (17-PIECE & STORAGE MAT)
R945 **GPANEL-000**

Expertly repair panel dents with this precision leverage tool. Features bar lengths of 71.5cm and 72.5cm, a 6mm head, and a durable 4mm thick profile – ideal for accessing tight spaces in automotive body work



MAC AFRIC.
SUPER-STURDY PORTABLE FOLDABLE WORK PAINT STAND

• Equipped with protective rubber

R795 **GSTAND-020**

MINI COATING THICKNESS GAUGE

R395
GGAUGP-001



7 PIECE WINDSCREEN REMOVAL KIT
R395 **GWINDS-001**

Includes gripping handles, feeder tools, moulding release tools and more.



PROFESSIONAL

WHEEL ARCH FENDER ROLLER

- Flares Arches • Repair Arch Damage
- Bolts directly to Hub Flange
- Adjustable

R1795
GPANFR-001

10 TON FRAME STRAIGHTENER

R17995 **GSTRGT-001**

With Anchor Post for added Flexibility, includes Accessories as shown



DENT LIFTER KIT WITH ATTACHMENTS & GLUE GUN

R895 **GBODYR-001**



ALSO AVAILABLE

SLIDING HAMMER FOR DENT LIFTER KIT

R395 **GHAMSL-002**



PROFESSIONAL

PANELBEATING KITS



COLOUR MAY VARY

7 PIECE
R695 **GPANEL-001**

9 PIECE
R1895 **GPANEL-009**

TRIM REMOVAL TOOL SETS



11 PIECE (shown)
R225
GPANEL-011

27 PIECE
R395
GPANEL-027

PROFESSIONAL

SLIDE HAMMER & DENT PULLER KITS



12 PIECE (shown)
R995
GHAMSL-013

14 PIECE
R1595
GHAMSL-014

HEAVY DUTY

HYDRAULIC VEHICLE POSITIONING GO-JACKS



R3695 PER PAIR **GJACKT-150**

Wheel for illustrative purposes only

HYDRAULIC BODY REPAIR KITS WITH ATTACHMENTS

HEAVY DUTY



EXCELLENT QUALITY

WITH NEW IMPROVED SEALS

Model Contents Vary
(shown) 10 Ton
R3195
GBODYR-010

15 Ton
R4995
GBODYR-015

20 Ton
R8950
GBODYR-020

PANELBEATING EQUIPMENT

CHAIN BLOCKS

1 Triangle VC Type with 3m Lift

CE Model	Safe Working Capacity	Price
1000	0.75 Ton	R1495 GCHAIN-101
2000	1.5 Ton	R1995 GCHAIN-102
5000	4 Ton	R3795 GCHAIN-105

2 With 3m Lift

CE Model	Safe Working Capacity	Price
1000	0.75 Ton	R995 GCHAIN-001
2000	1.5 Ton	R1395 GCHAIN-002
5000	4 Ton	R2895 GCHAIN-005

3 Lever Blocks with 1.5m Lift

CE Model	Safe Working Capacity	Price
1000	0.75 Ton	R1595 GCHALB-001
2000	1.5 Ton	R1995 GCHALB-002
3000	2.25 Ton	R2795 GCHALB-003
5000	3.75 Ton	R3895 GCHALB-005

2 TON I-BEAM TROLLEYS

I-beam for illustrative purposes only

COLOUR MAY VARY



(shown)

GEARED WITH CHAIN R1895

I-Beam Size: 100 - 150mm **GCRAWL-001**

MANUAL TYPE R1395

I-Beam Size: 80 - 150mm **GCRAWL-002**

1.5 TON GANTRY CRANE

- Adjustable
- Mobile
- Height Adjustment: 2.4 - 3.6m

R12950

GCRANE-000

MAC AFRIC

HEAVY DUTY



ELECTRIC CHAIN HOISTS (DOUBLE CHAIN)

CE Model	1 1000	2 1000	3 2000
Safe Working Capacity	0.75 Ton x 6m	0.75 Ton x 6m	1.5 Ton x 6m
Voltage/Motor	230V - 0.8kW	380V - 1.1kW	380V - 1.5kW
Lifting Speed	1.8m/min	3.6m/min	3.4m/min
	R14750 GHOIST-100	R13950 GHOIST-101	R14950 GHOIST-102

MAC AFRIC

230V ELECTRIC HOISTS

1 1 Ton Manual Crawl for Electric Hoist
For Models: PA250, PA400 & PA1000

R1795 GCRAWL-000

Universal Crawl Mounting Bracket

R225 GHOIST-001

MAC AFRIC

	PA250, 250kg	PA400, 400kg	PA600, 600kg	PA1000, 500kg
Capacity Double Line	250kg/5.5m	400kg/5.5m	600kg/5.5m	1 000kg/5.5m
Capacity Single Line	125kg/11m	200kg/11m	300kg/11m	500kg/11m
	R2195 GHOIST-250	R2995 GHOIST-400	R3295 GHOIST-601	R7995 GHOIST-500

I-beam for illustrative purposes only



HEAVY DUTY

MANUAL HYDRAULIC PALLET TRUCKS

	HYDRAULIC	(shown) 2.5 Ton	2 Ton	2 Ton (Narrow Fork)	1.5 Ton (Low Level)
Outer Width of Fork		685mm	685mm	520mm	665mm
Inner Width of Fork		360mm	375mm	200.5mm	340mm
Fork Length		1 220mm	1 200mm	1 100mm	1 220mm
Height		85 - 200mm	80 - 200mm	85 - 200mm	52 - 140mm
		R4995 GPALLT-002	R4695 GPALLT-000	R4495 GPALLT-005	R5995 GPALLT-001

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

MAC AFRIC

BEAM CLAMP

(shown) Model 2000 • 74 - 230mm

R895 GCLAMB-002

Model 5000 • 89 - 320mm

R1595 GCLAMB-005



DUPLEX FLAT WEBBING SLINGS

	1	2	3	
Rated	2 Ton	3 Ton	5 Ton	Price
Length	1.5m	2.5m	4m	
Width	30mm	90mm	150mm	
	R100 GSLING-002	R195 GSLING-003	R495 GSLING-005	

HAND PALLET STACKER

R12950

GPALLT-003

HYDRAULIC



- Capacity: 1 000kg
- Lift (Stroke/Travel): 1.6m
- Heavy Duty Construction

MAC AFRIC

12 VOLT AIR COMPRESSORS

MAC AFRIC.



DIGITAL DISPLAY

R1995 GCOMPR-004

R2495 GCOMPR-005

Achieve maximum airflow when you need it with this high-volume portable automotive air compressor. Its lightweight and portable design ensures easy storage and transport.

- Amperage: 90A • Working Pressure: 8.7 Bar (125psi)
- Output Airflow: 300ℓ/m

TYRE INFLATION-DEFLATION SYSTEMS

NEW



2-WAY


4-WAY

R1195 AGAUGE-012

R1495 AGAUGE-013

RECOVERY TRACKS

NEW



(1065 X 297 X 70MM)

R895 GTRACK-002

R895

GTRACK-001

FLEXIBLE
(100CM X 28.5CM)

(583 X 300 X 68MM)

R495 GTRACK-003

2 PIECE TYRE GRABBER SET

R295 GTYREG-003

- Ideal for emergency recovery
- Mud – Sand – Snow • The "Get Unstuck" traction solution for bakkies/SUV's (2 Pack)
- The unique design is featured to enhance the ability of a slipping tyre to extract itself from a poor traction situation
- Recommended for 4x4 bakkies and All-Wheel Drive SUV's with Standard or All-Terrain Tyres.



Wheels for illustrative purposes only

20ℓ JERRY CAN

HEAVY DUTY

AVAILABLE IN



R395

GCANJR-020



HIGH LIFT JACKS

	1.21m (48")	1.52m (60")
Capacity	3 000kg	3 000kg
Max. Height	48"	60"
Min. Height	6"	6"
Can Lift	2 Ton at 50% Height	2 Ton at 50% Height
	1.75 Ton at Max. Height	1.75 Ton at Max. Height
	R1195 GJACKF-048	R1295 GJACKF-060

R465 GJACKF-001

NYLON BASE FOR HIGH LIFT JACK

12 VOLT WINCHES

HEAVY DUTY



Including Fairlead	Motor	Weight	Rolling Load Capacity	Price
EWK 8 000U 12 Volt (shown)	1.6kW p/m	31kg	3 620kg @ 6m / 2 170kg @ 29m	R4995 GWINCH-800
EWG 8 000U 12 Volt	2.7kW s/w	36kg	3 620kg @ 6m / 2 170kg @ 29m	R6495 GWINCH-802
EWX 10 000U 12 Volt	4.3kW s/w	38kg	4 536kg @ 5.3m / 2 571kg @ 26m	R7495 GWINCH-901
EWX 12 000U 12 Volt	4.5kW s/w	42kg	5 440kg @ 4.8m / 3 125kg @ 25m	R8495 GWINCH-912
EWP 12 000U 12 Volt 2 Speed with High & Low Gear	5.4kW s/w	44kg	5 443kg @ 4.9m / 3 084kg @ 25.5m	R9950 GWINCH-914

p/m = permanent magnet

s/w = series wound



EXCELLENT QUALITY

Including Fairlead	Motor	Capacity	Price
EWK 2 000D 12 Volt (shown) • 2 Way Control	1.7kW p/m	907kg @ 2.1m	R1495 GWINCH-200
EWP 2 500D 12 Volt • 2 Way Control	1.9kW p/m	1 134kg @ 2.1m	R1995 GWINCH-250
EWP 2 500A 12 Volt • With ATV Control	1.9kW p/m	1 134kg @ 2.1m	R1995 GWINCH-201
EWP 3 500D 12 Volt • 2 Way Control	2.4kW p/m	1 588kg @ 2.1m	R2095 GWINCH-350

p/m = permanent magnet

HAND GEAR WINCHES

1 360kg (shown)

- ① • With Nylon Strap Belt • Length of Strap: 7m

R795 GWINCH-502

1 360kg

- With Steel Cable • Length of Cable: 10m

R785 GWINCH-501

450kg (shown)

- ② • With Steel Cable • Length of Cable: 10m

R465 GWINCH-050



MAC AFRIC.

HYDRAULIC WINCHES

HEAVY DUTY



	Oil Flow	Pressure	Capacity	Price
HWN 15 000YD Ideal for Roll Back	20~60 ℓ/min	13MPA	6 804kg @ 1 885.5psi	R13895 GWINCH-916
HWD 12 000A 2 Speed ideal for 4x4's	5~45 ℓ/min	11MPA	5 443kg @ 1 595.4psi	R13950 GWINCH-915
HWP20 000Y1P 2-speed	15~75 ℓ/min	17.5MPA	9 072kg @ 2 538.1psi	R40950 GWINCH-920

WINCHES, OUTDOOR & 4X4 EQUIPMENT

20V CORDLESS DRILL KIT
 • Includes: 2 x 2 AH Batteries and Charger

R895

IDRILC-001

35Nm



20V BRUSHLESS CORDLESS DRILL, 50 NM (TOOL ONLY)

R895

IDRILC-050

50Nm

Battery shown for illustrative purposes only



20V BRUSHLESS CORDLESS DRILL, 100 NM (TOOL ONLY)

R1195

IDRILC-100

100Nm

Battery shown for illustrative purposes only



Kinway



Scan here for detailed specifications

20V BRUSHLESS CORDLESS IMPACT DRIVER (TOOL ONLY)

R795

IDRILC-002

Battery shown for illustrative purposes only



20V BRUSHLESS CORDLESS IMPACT WRENCH, 600 NM (TOOL ONLY)

R1195

IWRENC-600

600Nm

Battery shown for illustrative purposes only



20V BRUSHLESS CORDLESS IMPACT WRENCH, 1 000 NM (TOOL ONLY)

R1995

IWRENC-100

1000Nm

Battery shown for illustrative purposes only



20V BRUSHLESS CORDLESS RECIPROCATING SAW (TOOL ONLY)

R995

ISAWRP-001

Battery shown for illustrative purposes only



20V CORDLESS JIG SAW (TOOL ONLY)

R495

ISAWJG-001

Battery shown for illustrative purposes only



20V BRUSHLESS CORDLESS POLISHER ORBITAL, 150MM (TOOL ONLY)

R1245

IPOLIS-150

Battery shown for illustrative purposes only



20V BRUSHLESS CORDLESS POLISHER, 180MM (TOOL ONLY)

R1295

IPOLIS-180

Battery shown for illustrative purposes only



20V BRUSHLESS CORDLESS PLANER (TOOL ONLY)

R1195

IPLANE-001

Battery shown for illustrative purposes only



20V BRUSHLESS CORDLESS 165MM CIRCULAR SAW (TOOL ONLY)

R1095

ISAWCL-001

Battery shown for illustrative purposes only



20V CORDLESS BLOWER (TOOL ONLY)

R995

IBLOWR-020

Battery shown for illustrative purposes only



20V BRUSHLESS CORDLESS 125 MM ROTARY SANDER (TOOL ONLY)

R395

ISANDR-125

Battery shown for illustrative purposes only



20V BRUSHLESS CORDLESS 115 MM ANGLE GRINDER (TOOL ONLY)

R745

IGRINC-001

Battery shown for illustrative purposes only



20V CORDLESS AIR COMPRESSOR AIR PUMP (TOOL ONLY)

• Max. Pressure: 150 PSI/10 Bar

R495

ICOMPR-001

Battery shown for illustrative purposes only



20V CORDLESS HIGH-PRESSURE WASHER (TOOL ONLY)

R895

ICLEAN-020

24 Bar

Battery shown for illustrative purposes only



20V CORDLESS BRUSHLESS HEDGE CUTTER (TOOL ONLY)

R945

IHEDGE-001

Battery shown for illustrative purposes only



20V CORDLESS MULTI FUNCTION TOOL - (TOOL ONLY)

R695

IMULTI-001

Battery shown for illustrative purposes only



BACKED BY ADENDORFF MACHINERY MART

Kinway

EXCLUSIVELY SUPPLIED BY

Adendorff machinery mart

BATTERIES



4.0AH LI-ION

R495

IBATTR-400



2.0AH LI-ION

R295

IBATTR-200

CHARGERS



20V DC 2,200 mA

R150

ICHARG-100



DUAL 20V DC 2,200 mA

R395

ICHARG-200



SCAN HERE TO VIEW OUR EXTENSIVE POWER TOOL RANGE AND DETAILED SPECIFICATIONS



20V CORDLESS RANGE

DRIVER/HAMMER DRILL (TOOL ONLY)
60Nm
R1295 SDRILC-008

BRUSHLESS IMPACT DRIVER (TOOL ONLY)
R1195 SDRILC-010

BRUSHLESS ANGLE GRINDER (TOOL ONLY)
R1495 SGRINC-002

BRUSHLESS ROTARY HAMMER DRILL (TOOL ONLY)
R1995 SDRILC-025

CORDLESS BLOWER (TOOL ONLY)
R895 SBL0WC-002

185MM CIRCULAR SAW (TOOL ONLY)
R1595 SSAWCL-002

Battery shown for illustrative purposes only
BRUSHLESS IMPACT WRENCH (TOOL ONLY)
R995 SWRENC-002

4.0AH BATTERY
R995 SBATTR-005

BATTERY CHARGER
R495 SCHARG-002

1650W ROUTER
R1695 SROUTR-001

1400W CIRCULAR SAW
R1595 SSAWCL-001

BLADE NOT INCLUDED

700W IMPACT DRILL
R695 SDRILI-001

800W ELECTRIC MIXER
R895 SMIXER-001

- Includes 1 x Spiral Bit

550W DIE GRINDER
R795 SGRIND-006

2000W HEAT GUN
R445 THEATG-001

550W ROUTER TRIMMER
R795 SROUTR-002

720W, 26MM ROTARY HAMMER DRILL
R1495 SDRILI-002

DRILL BIT NOT INCLUDED

590W RECIPROCATING SAW
R1395 SSAWRP-001

BLADE NOT INCLUDED

840W PLANER
R1395 SPLANE-001

710W ELECTRIC DRYWALL SCREWDRIVER
R795 SSCREW-001

680W BLOWER/VACUUM
R595 SBLOWR-001

1500W ROTARY HAMMER DRILL
 • SDS Plus
R1695 SDRILR-036

MAC AFRIC CORDLESS DRILL COMBO KIT

60Nm
R1950 SDRILC-000 **PROFESSIONAL**

Includes 18V Cordless Drill with 16mm keyless chuck, 2-speed gearbox (0- 600/0 - 2 300rpm) 60Nm max. torque, and 20 + 1 clutch setting. Supplied with two 4.0Ah batteries, charger and accessories.
 • Max. drilling capacity: 13mm Steel / 38mm Wood

ANGLE GRINDERS *DISCS NOT INCLUDED*

710W DIY, 115mm
R495 SGRIND-112

2200W, 230mm
R1495 SGRIND-230

840W, 115mm
R595 SGRIND-115

POLISHERS

1 **VERTICAL POLISHER**
 • 570W • 180mm
R1195 TPOLIS-182

2 **ANGLE POLISHER**
 • 1400W
 • 180mm
R1495 TPOLIS-180

3 **RANDOM ORBITAL POLISHER**
 • 1400W • 150mm
R1495 TPOLIS-151

EXCELLENT QUALITY

MAC AFRIC POWER TOOLS

42 PIECE VDE ELECTRICAL TOOL SET IN BAG

R1495 T00LB-042



10 PIECE ELECTRICAL TOOL KIT IN ZIPPER BAG

R695 T00LB-210

- Side Cutting Plier: 150mm
- VDE Long Nose Plier: 150mm
- VDE Stripper Plier: 150mm
- 5 x VDE Screwdrivers (Slotted 4 x 100, 5.5 x 125mm) (Phillips PH0 X 60, PH1 X 80, PH2 X 100mm)
- Tester: 140mm
- 200 - 250V
- Insulation Tape: 10m



HAND CRIMPERS

NON-INSULATED TERMINAL


R225 TCRIMP-002



WIRE FERRULE

- Used for electrics & cabling, ideal for insulated terminals

R245 TCRIMP-003



MODEL LS-9

- Ideal for non-insulated terminals 1.25 - 8mm²

R245 TCRIMP-004



MODEL LS-05H

- Coaxial Crimper

R245 TCRIMP-005



MODEL LS-03C

- Insulated Terminal Crimper 0.5 - 6mm²

R245 TCRIMP-006



250 PIECE WATERPROOF SOLDER WIRE CONNECTORS

R445

TSOLDE-251



2-IN-1 DIGITAL MOISTURE METER

R495 TTESDM-002

- Detects moisture levels in wood, firewood, drywall, paper, floors and other building materials



WOOD MOISTURE TESTER

R395 TTESDM-001



VDE PLIERS

180MM SIDE CUTTER

R175 TPLIER-014



200MM COMBINATION

R195 TPLIER-013




160MM WIRE STRIPPER

R175 TSTRIP-002



200MM LONG NOSE

R185 TPLIER-015



CRIMPING TOOL SETS



MC4 FOR SOLAR INSTALLATIONS

R795

TCRIMP-009



Hydraulic Type 8 Ton (shown) 11 Ton

	8 Ton (shown)	11 Ton
Max. Stroke	12mm	18mm
Dies	6, 10, 16, 25, 35, 50, 70mm ²	16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300mm ²
Crimping Range	6 - 70mm ²	16 - 300mm ²
Diameter	9.5mm	19.5mm
	R895 ECRIMP-001	R995 ECRIMP-002

6 TON HYDRAULIC HOLE DIGGER

R1795

EHOLED-001

- Hole Ø: 22, 27, 34, 43, 49 & 60mm
- Stroke: 16mm
- Capacity: 1.6mm Stainless Steel; 3.2mm Mild Steel



RATCHET CABLE CUTTER

R2495 TCUATR-001

- Cutting Range: Ø75mm
- Suitable for Cu-Al Cable & Armored Cable



ADJUSTABLE CIRCLE CUTTER SETS

40 - 200MM

R995

TSAWHL-200

DRILL REQUIRED



40 - 300MM

R1095

TSAWHL-300



FLUKE

ADDITIONAL MODELS AVAILABLE IN STORE AND ONLINE

MULTIMETERS

For illustrative purposes only




FLUKE 107 **R2795** TTESDM-107

FLUKE 302 CLAMP **R3245** TTESDM-302

DIGITAL MULTIMETERS



1	Model DT830D 	R85 TTESDM-830
2	Model MAS850	R150 TTESDM-850
3	Model 266 with Clamp Meter	R195 TTESDM-266
4	Model DT920	R235 TTESDM-920
5	Model EM6187	R945 TTESDM-618

TESTERS

3-IN-1 DIGITAL STUD, METAL & LIVE WIRE DETECTOR

R1095 TTESDM-015

- Wood: 20mm
- Copper Conductors (live) 50mm
- Ferrous Metals: 100mm
- Non-ferrous Metals: 80mm



NON-CONTACT AC VOLTAGE DETECTOR PEN

R195 TTESTT-001

- Voltage Detecting Range: 5V AC - 1 000V AC
- Frequency Range: 50Hz - 400Hz
- Safety Category: CAT IV 1 000V



MULTIFUNCTION VOLTAGE TESTER

R895 TTESTT-002

- Voltage Range: 10 - 690V AC/DC
- Single Pole Voltage: 100 - 690V
- Frequency Range: 45 - 65Hz
- Rotary Field Indication Voltage: 100 - 690V



2-IN-1 SOLDERING STATION WITH DIGITAL DISPLAY

R1295 TSOLDE-750



GEAR WRENCHES

8 PIECE (shown)

R795 TSPANR-008

• 8, 10, 11, 12, 13, 14, 17, 19mm



12 PIECE

R1495 TSPANR-012

• 6, 8, 10, 11, 13, 14, 17, 19, 22, 24, 27, 30mm

8 PIECE WITH FORWARD & REVERSE RATCHET FUNCTION

R995 TSPANR-009

• 8, 10, 11, 12, 13, 14, 17, 19mm

Features 72 teeth for smooth, fine ratcheting action

12 PIECE WITH FLEXIBLE HEAD

R1895 TSPANR-014

• 6, 8, 10, 11, 13, 14, 17, 19, 22, 24, 27, 30mm



6 PIECE COMBINATION JUMBO SPANNER SET

R1295 TSPANN-600

• 35, 38, 41, 45, 48, 50mm
• Black Oxide Finish



POWER BARS



12.5mm (1/2") Drive • Length: 450mm **R195** TPOWEB-450

19mm (3/4") Drive • Length: 600mm **R585** TPOWEB-600

25mm (1") Drive • Length: 600mm **R595** TPOWEB-025

SCREWDRIVERS


S² Steel Screwdriver Sets

Why S² Steel? It is the hardest, most ductile, and longest wearing steel that exists in the "Hex" Tool Industry.

EXCELLENT QUALITY



8 PIECE **R295** TSCREW-008



12 PIECE BOLSTER **R295** TSCREW-012



12 PIECE GO-THRU **R425** TSCREW-014

HIGH-QUALITY CHROME VANADIUM SETS



6 PIECE SET WITH HARDENED TIPS **R100** TSCREW-006



11 PIECE WITH BOLSTER **R285** TSCREW-011



53 PIECE RATCHET SCREWDRIVER SET **R275** TSCREW-053



26 PIECE WALL MOUNTED OR STANDING SCREWDRIVER SET **R545** TSCREW-026

METRIC COMBINATION SPANNER SETS

HEAVY DUTY

EXCELLENT QUALITY



8 Piece • 8, 10, 11, 12, 13, 14, 17, 19mm
• Carbon Steel

R95 TSPANN-008

11 Piece • 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19mm • CRV

R185 TSPANN-011

12 Piece • 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19mm • CRV

R225 TSPANN-012

16 Piece • 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22mm • CRV

R395 TSPANN-016

① 17 Piece • 6-20, 22, 24mm • CRV (shown)

R445 TSPANN-017

19 Piece • 6-20, 22, 24, 27, 32mm • CRV

R595 TSPANN-019

Imperial/SAE/AF Spanner Sets

9 Piece • 1/4" - 3/4" on Hanger

R195 TSPANN-909

② 14 Piece • 1/4" - 1 1/4" in Canvas Pouch (shown)

R695 TSPANN-914

22 Piece Combo Set IMPERIAL/METRIC
• 1/4" - 7/8" and 6 - 19mm in Canvas Pouch

R595 TSPANN-922

Combination Chrome Vanadium Spanner Sets in Canvas Pouch (Metric)

17 Piece Satin Finish • 6 - 24mm

R575 TSPANN-018

③ 26 Piece Satin Finish • 6 - 32mm (shown)

R1595 TSPANN-027

25 Piece Matt Finish • 6 - 30, 32mm

R1095 TSPANN-026

1/2" DRIVE RATCHET HANDLES



Extendable **R295** TRATCH-012

R245 TRATCH-002
Rotatable



TORX & HEX BIT SETS



41 Piece Torx Bit Set **R595** TTORXB-042
• 14-Star Power Bits • 14 Hex Power Bits • 11 Spline Power Bits • 2 Drive Adaptors



9 Piece • T20 - T60 **R395** TTORXB-009
• 1/2" Drive Torx Bit, 100mm "Long"



8 PIECE 1/2" DRIVE HEX BIT SET **R495** TKEYSA-007
(S² Steel) • Sizes: 6, 7, 8, 10, 12, 14, 17, 19mm

PROFESSIONAL TORQUE WRENCHES



6mm (1/4") Drive 2 - 24Nm (L = 150mm) **R795** TWRENT-005

10mm (3/8") Drive 6 - 30Nm (L = 285mm) **R1095** TWRENT-002

10mm (3/8") Drive 6 - 30Nm (L = 320mm) **R1545** TWRENT-008

12.5mm (1/2") Drive 40 - 210Nm (L = 530mm) **R1295** TWRENT-003

12.5mm (1/2") Drive 65 - 335Nm (L = 520mm) **R1995** TWRENT-006

19mm (3/4") Drive 100 - 500Nm (L = 860mm) **R2685** TWRENT-004

19mm (3/4") Drive 200 - 1 000Nm (L = 1 150mm) **R10950** TWRENT-007



CLICK TORQUE WRENCH 12.5MM (1/2") DRIVE **R645**
28Nm - 210Nm (L = 470mm) **TWRENT-001**

In-house Calibration Offered (at AeroTon Head Office) on MAC AFRIC Torque Wrenches

ENQUIRE IN STORE

85 PIECE TOOL SET IN CANTILEVER TOOL BOX

PROFESSIONAL

R1795

TT00LB-085

TRADESMAN'S CHOICE



- 1/4" - & 1/2" Drive
 - Chrome Vanadium
- Features a 12 Point Design to grip on Worn Nuts

165 PIECE TOOL SET IN CANTILEVER TOOL BOX

PROFESSIONAL

R2995

TT00LB-165

- 1/4" - 3/8" - 1/2" Drive
- Chrome Vanadium



MAC AFRIC

86 PIECE TOOL SET IN CANTILEVER TOOL BOX

R1395

TT00LB-086

- 3/8" Drive
- Chrome Vanadium



124 PIECE PINK TOOL SET IN CANTILEVER TOOLBOX

R1695 TT00LB-121



62 PIECE TOOL SET IN CANTILEVER TOOL BOX, 12.5MM (1/2") DRIVE

LIFETIME GUARANTEE



R2995

TT00LB-062

- 18 Sockets: 10 - 32mm
- 18 Spanners: 6 - 24mm
- Allen Keys, Screwdrivers, 3 Piece Plier Set, Ratchet, Extension and Power Bars, etc.

CHROME VANADIUM TOOL SETS



PROFESSIONAL

R3995

TT00LK-132

132 PIECE IN ABS TROLLEY



R1195

TT00LB-139

139 PIECE IN PLASTIC CASE

63 PIECE QUALITY PINK TOOL KIT IN ALUMINIUM CASE



R895

TT00LK-063

5 TRAY CANTILEVER TOOL BOXES



425MM **R395** TT00LB-005

535MM **R545** TT00LB-007

650MM **R595** TT00LB-008

3 PIECE DURABLE STACKABLE TOOL BAG SET WITH INTEGRATED TROLLEY

R1695 TT00LB-016

- Multiple Compartments
- High Quality Polyester and Nylon Fabric



NYLON TOOL BACKPACK

R1395 TT00LB-017

- Durable • Convenient
- Multiple Compartments • 370 x 450mm



HEAVY DUTY

JOBSITE TOOLBOXES



36"

R4495 TT00LB-036



48"

R6395 TT00LB-048

- Manufactured from 1.5mm mild steel and finished with a blue hammer tone epoxy powder coating finish.
- With carrying handles, secured lock compartment, and heavy-duty hinges

SOCKET SETS

R895 TSOCKE-020

20 Piece 3/8" Drive • 1/4", 5/16", 3/8", 7/16", 1/2", 3/16", 11/16", 3/4", 13/16", 7/8", 15/16"



R775 TSOCKE-019

19 Piece Socket Set on Hanger

- 1/2" Drive • CRV
- Sizes: 8 - 20, 23, 24, 27, 30, 32mm



R395

TSOCKE-000

25 Piece 1/4" Drive

- Sizes: 4, 4.5, 5, 5.5, 6, 6.5, 7 - 14mm
- Sizes (5 Tube Sockets): 8, 10 - 13mm



108 PIECE • 1/4" & 1/2" Drive

R1695 TSOCKE-180

PROFESSIONAL

CHROME VANADIUM

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

19MM (3/4") DRIVE CHROME ALLOY MECHANICS SOCKET SETS

26 PIECE (shown)

R4295 TSOCKE-126

HEAVY DUTY

- 20 Chrome Alloy Metric Sockets: 21, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 34, 36, 38, 41, 46, 50, 55, 60, 65mm




27 PIECE **R3695** TSOCKE-127

- 12 SAE Sockets: 7/8", 15/16", 1", 1 1/8", 1 3/16", 1 5/16", 1 3/8", 1 7/16", 1 5/8", 1 3/4", 1 7/8", 2"
- 10 Metric Sockets: 22, 24, 27, 30, 32, 36, 38, 41, 46, 50mm

MAC AFRIC

THE NEXT GENERATION OF TOOL CABINETS IS HERE



PROFESSIONAL

1	Professional 10-Drawer Island-Workstation – Black & Red Finish	R15950 TCABIN-022
2	7 Drawer Khaki Green Tool Cabinet	R6495 TCABIN-026
3	7 Drawer Grey & Black Tool Cabinet	R6495 TCABIN-025
4	7 Drawer Green Tool Cabinet	R6495 TCABIN-023
5	7 Drawer Black & Red Tool Cabinet	R6495 TCABIN-024
6	28" 7 Drawer Black & Red Cabinet - Pro Series	R8495 TCABIN-028
OPTIONAL EXTRA		
7	28" Top 4 Drawer for TCABIN-028 – Pro Series	R5995 TCABIN-027

10 DRAWER TOOL CABINET

R11995

TCABIN-008

PROFESSIONAL

- Dimensions: L = 1 065mm
W = 485mm H = 1 007mm

EXCLUDING TOOLS



TOOL CABINETS

6 DRAWERS (TOP)

- 600 x 310 x 330mm

R2295 TCABIN-005

7 DRAWERS WITH CASTORS

- 680 x 460 x 950mm

R5995 TCABIN-007

EXCLUDING TOOLS



INDUSTRIAL QUALITY MAC AFRIC STEEL WORK BENCH WITH 3 SMOOTH ROLLING LOCKABLE DRAWERS



L = 2 000mm
W = 640mm
H = 860mm
Weight: 110kg

R7950 GBENCH-001 (shown)

Vices can be fixed to Bench

COLOUR MAY VARY

ALSO AVAILABLE **R6495** GBENCH-000

INDUSTRIAL WORK BENCH WITH 2 SMOOTH ROLLING LOCKABLE DRAWERS L = 1 500mm, W = 640mm, H = 860mm

MAC AFRIC WORK TABLE WITH ADJUSTABLE FOOTPADS AND LARGE SOLID WOOD TABLETOP

R2795 GBENCH-006

- Adjustable foot pads for stability
- Solid rubberwood top supporting up to 490kg
- Perfect for everything from light DIY to heavy duty tasks • Dimensions: 113cm x 60cm
- Ample workspace and legroom
- A must-have for craftsmen and hobbyists alike.



Complete Garage Cabinet STORAGE SOLUTION



R31950

TCABIN-010

3m

2.01m

Tools for illustrative purposes only

OPTIONAL EXTRAS AVAILABLE VISIT OUR WEBSITE www.adendorff.co.za

MAC AFRIC 204-PIECE PROFESSIONAL TOOL CABINET – 7 DRAWER

R16995 TCABIN-003

PROFESSIONAL

This premium 7-drawer tool cabinet comes fully equipped with a comprehensive 204-piece tool assortment, making it ideal for professional workshops, garages, and dedicated DIY users. It features smooth-glide ball-bearing drawers with quick-release functionality, a central locking system for added security, and a durable powder-coated steel frame engineered for long-term reliability. A robust castor system (two fixed and two braked swivel wheels) ensures easy mobility and stable positioning. High-quality EVA foam inserts keep tools neatly organised with clear identification markings, while each tool is manufactured from top-grade chrome vanadium steel for superior strength and durability. A fully equipped, heavy-duty tool cabinet designed to enhance productivity, organisation, and professional workflow.



VISIT OUR WEBSITE TO VIEW DETAILED CONTENTS www.adendorff.co.za

HEAVY DUTY

MAC AFRIC 207-PIECE TOOL CABINET

R12950

TCABIN-207

HEAVY DUTY

This professional 7-drawer cabinet comes fully equipped with 207 high-quality tools, offering an efficient all-in-one solution for automotive, garage, and workshop use. Built for daily demands, it features a durable steel body, smooth-glide drawers, and well-organised tool layouts to enhance productivity. Heavy-duty castor wheels provide effortless mobility, while the reinforced frame ensures long-term reliability.



A complete, ready-to-use toolkit designed for professionals who prioritise strength, organisation, and dependable performance.

VISIT OUR WEBSITE TO VIEW DETAILED CONTENTS www.adendorff.co.za



STEEL WORK BENCHES

FOLDING STEEL WORK BENCH WITH PEGBOARD INCLUDING 20 PIECE HOOK SET (shown)

R1995 GBENCH-004

L = 1 200mm, W = 660mm,
H = 1 440mm

ALSO AVAILABLE

STEEL WORK BENCH WITH PEGBOARD INCL. DRAWER HOOKS AND PLASTIC HOLDERS

R2595 GBENCH-005

L = 1 220mm, W = 560mm,
H = 1 510mm



Tools for illustrative purposes only

COMPACT SPACE SAVING DESIGN

TOOL CABINETS, WORK BENCHES & WORKSHOP SOLUTIONS

250MM D.I.Y. TABLE SAWS

R2995

WSAWLD-004

Super Sturdy Stand

- Motor: 1 800W
- Voltage: 230V
- Frequency: 50Hz
- Blade Size: Ø250mm x Ø16mm
- Blade Tilt Adjustment: 0° - 45°
- Table Size Without Extensions: 642 x 532mm
- Max. Cutting Height: 55mm @ 45°
80mm @ 0°



MAC AFRIC.

R4995

WSAWLD-003

Aluminium Table + Foldable Stand with Extensions

- Motor: 1 800W
- Voltage: 230V
- Frequency: 50Hz
- Blade Size: Ø250mm x Ø16mm
- Blade Tilt Adjustment: 0° - 45°
- Table Size: 642 x 532mm
- Max. Cutting Height: 55mm @ 45°
80mm @ 0°



3 200MM SLIDING TABLE PANEL SAW WITH SCORING UNIT

R49950

WSAWPN-302 230V WSAWPN-303 380V

PROFESSIONAL



- Motor Power: 2.2kW
- Sliding Stroke: 2 800mm
- Blade Diameter: Ø300mm
- Main Table Size: 385 x 800mm
- Sliding Table Length: 3 200mm
- Suitable for Cutting Standard Full Sheet Panels

ALSO AVAILABLE

Adjustable Roller Stands

250MM SLIDING COMPOUND MITRE SAW

R4495

WSAWMT-200

PROFESSIONAL'S CHOICE



- 230V • 50Hz • **2 000W** • 4 500rpm
- Cuts 0 - 45° • 45° Tilting Motor
- Blade Size: 254 x 15.9 x 2.8mm

250MM TILTING ARBOR TABLE SAW

R17995

WSAWHD-250

HEAVY DUTY



- Motor: 2.2kW (3HP), 230V, 50Hz
- Speed (no load): 3 400rpm
- Blade: Ø250mm x Ø16mm
- Tilt Range: 0°-45° (Blade and Mitre)
- Max. Cutting Depth: 85mm
- Table Size: 508 x 686mm
- With Extensions: 1 117 x 686mm

A powerful and stable table saw for precision cutting and professional woodworking

MAC AFRIC.

BAND SAWS



	350mm (14")	400mm (16") <i>(shown)</i>
Motor	0.75kW, 230V	1.55kW, 230V
Capacity	335 x 160mm	370 x 200mm
Table Pivot Capacity	0 - 45°	0 - 45°
Blade Size	2 480mm	3 050mm

R12450
WSAWBS-014

R19895
WSAWBS-016



230MM (9"), BENCH TYPE MODEL

R3795

WSAWBS-009

- Motor: 350W, 230V, 50Hz
- Max. Cutting Depth: 80mm
- Max. Cutting Width: 230mm
- Table Size: 305 x 305mm
- Blade Length: 1 575mm, Width: 6.35mm, Teeth: 6 TPI, Thickness: 0.3mm

EXCELLENT QUALITY

MAC AFRIC 305MM THICKNESS PLANER

R7995

WPLANE-300

MAC AFRIC.



- Motor 1.8kW, 230V / 50Hz
- Max. Work-piece Width: 330mm
- Feed Rate (variable): 4m/min (slow) to 6m/min (fast)
- Max. Cut Depth Per Pass: 3mm
- Work-piece Height Range: 4.2mm - 150mm

INDUSTRIAL AUTOMATIC PLANERS

MAC AFRIC.



(shown)

381mm (15") **508mm (20")**

	2.2kW, 230V	2.2kW, 230V
Motor	2.2kW, 230V	2.2kW, 230V
Cutter Head	76mm	80mm
Thickness of Stock	152mm	204mm
Width of Stock	305mm	508mm
Depth of Cut	3mm	3mm
Table Size	381 x 508mm	630 x 510mm
Weight	210kg	375kg

R24950 **R34950**
WPLANE-375 WPLANE-020

ALSO AVAILABLE

COMBINATION 12" PLANER & THICKNESSER

R39950

230V WPLANE-402 380V WPLANE-400

ENQUIRE IN STORE

DUST COLLECTORS


	0.75kW 230V Motor	1.5kW 230V Motor	2.2kW 380V Motor, Double Head <i>(shown)</i>
	Single Bag	Single Bag	Double Bag
Fan Ø	230mm	300mm	305mm
Inlet Ø	100mm	125mm	150mm
Bag Ø	370mm	500mm	500mm
Bag Height	640mm	850mm	850mm
Air Speed	600cfm (14.15m³/min)	1 490cfm (42.15m³/min)	2 300cfm (65.09m³/min)
	R4495 WDUSTC-001	R5695 WDUSTC-002	R7895 WDUSTC-003

MAC AFRIC.



CHAIN SAWS

PROFESSIONAL'S CHOICE



- Premium Components: Oregon Chain & Walbro Carburetor
- Effortless Starting with Decompression Valve & Primer Bulb
- Long-Life Air Filtration for Reduced Maintenance
- Controlled-Delivery Oil Pump for Optimal Lubrication
- Anti-Vibration System for Improved Comfort
- Automatic Choke System for Smooth Operation

(shown) 45cc
R2950

MSAWCH-045

62cc
R4995

MSAWCH-062



2 000W ELECTRIC CHAINSAW

R1295 MSAWCH-020

ELECTRICAL CHAINSAW SHARPENER

R895

MSAWCS-001



MAIZE GRINDERS

ELECTRIC

2.6KW ELECTRIC MAIZE POWDER CRUSHING MACHINE

R6995

MCRUSH-003



ELECTRIC

2.6KW ELECTRIC HIGH CAPACITY SELF PRIMING MAIZE POWDER GRINDING MACHINE

R7895

MCRUSH-004



PETROL

PETROL POWERED MAIZE POWDER CRUSHING MACHINE

R6295

MCRUSH-002



DIESEL

DIESEL POWERED MAIZE POWDER CRUSHING MACHINE

R11950

MCRUSH-001



TILLERS



Engine

①

52cc (3hp)

②

212cc (8hp)

Working Width

300mm

700mm

Working Depth

100 - 150mm

150mm

G.W./N.W

15.5/14.5kg

62/59.7kg

R3595

MTILER-001

R9950

MTILER-002

TARPAULINS



180GSM (MEDIUM WEIGHT)

± 2 x 4m

R175 TTARPL-204

± 3 x 5m

R345 TTARPL-305

± 5 x 6m

R595 TTARPL-506

60GSM (LIGHT WEIGHT)

± 5 x 6m

R245 TTARPL-507

PVC 550GSM (HEAVY WEIGHT)

5 x 6m

R1795 TTARPL-156


3 x 5m

R895 TTARPL-135

1.1KW ELECTRIC CORN THRESHER MACHINE

ELECTRIC

R3995 MCRUSH-005



8 TON ELECTRIC KINETIC LOG SPLITTER



R8950

WLOGSP-008

EFFICIENT & FASTER

- Model no: HLS8T
- Motor: 230V, 50Hz, 1 800W, IP54
- Log Capacity: Ø: 50 - 300mm
Length: 520mm
- Weight: 84kg

BRUSH CUTTERS

43cc

R1995

MBRUSH-043

68cc

R2795

MBRUSH-068

ALSO AVAILABLE

PROFESSIONAL

MAC AFRIC COMMERCIAL BRUSH CUTTER (shown)

• Displacement: 52.8 / 53cc

R4995 MBRUSH-052



KNAPSACK MIST BLOWER-DUSTER - 25L

R2950

MMISTR-050

- Model GX50 • 50cc
- Range: Max. ±12m

MAC AFRIC.

PETROL



MAC AFRIC 2-STROKE HEDGE TRIMMER

R3295 MHEDGE-022

PROFESSIONAL

- Engine Displacement: 22.5cc
- Trimming Length: 560mm

MAC AFRIC.



VACUUM BLOWERS

PETROL

HANDHELD TYPE, 25.4CC

R1995 MBLOWR-026

- Powerful 25.4cc, 2-stroke engine with efficient low-emissions performance
- Easy-start electronic ignition system
- Two-piece blower tube for convenient storage
- Light weight design for comfortable handling and easy manoeuvring


BACKPACK TYPE, 52.8CC

R3695 MBLOWR-053

PETROL



- High-performance 52.8cc, 2-stroke engine with low-emissions
- Ideal for cleaning debris, leaves and grass from large areas
- Backpack design provides comfort during extended use
- High blowing force for fast, effective cleanups



PROFESSIONAL

750MM GEARED HEAD BENCH LATHE

R59950 ELATHE-750

The MAC AFRIC ELATHE-750 delivers exceptional precision and solid engineering, making it an excellent choice for tool rooms, workshops, training facilities and professional hobbyists. Designed for accuracy and reliable performance, it features a quick-change toolpost, coolant system, LED worklight and D.R.O. system for repeatable, high-accuracy machining. A steady and follow rest come standard, ensuring versatility in turning tasks.

- KEY SPECIFICATIONS:**
- Max. Swing Over Bed: 330mm
 - Max. Swing Carriage: 220mm
 - Max. Workpiece Length: 750mm
 - Bed Width: 160mm
 - Spindle Bore: 38mm (MT#5 taper)
 - Power Output: 1 100W
 - Spindle Speeds: 12 steps (60 - 1 650 rpm) (60, 90, 120, 160, 220, 300, 380, 500, 640, 850, 1 110, 1 650rpm)

WHY CHOOSE THIS LATHE:

- ✓ Precision machining with D.R.O.
- ✓ Faster setup using a quick-change tool post
- ✓ Rugged geared-head design for high torque turning
- ✓ Coolant system for long tool life & cleaner work
- ✓ Outstanding value for a professional-grade machine

OPTIONAL EXTRA
STAND

R5995 ELATHE-751

500MM GEARED HEAD METAL SCREWCUTTING BENCH LATHE

R22950 ELATHE-500

- Motor: 370W, 230V
- Swing Over Bed: 205mm
- Spindle Bore: 20mm
- Thread Pitches: 0.4 to 3mm
- Auto Feed
- Distance Between Centres: 550mm
- Includes 3 Jaw Chuck (125mm)
- Weight: 125kg



OPTIONAL EXTRA
STAND

R3695 ELATHE-501

550MM GEARED HEAD BENCH LATHE

R41950 ELATHE-613

PROFESSIONAL'S CHOICE

- Motor: 1.1kW, 230V
- Max. Swing Over Bed: 330mm
- Spindle Bore: 38mm
- Spindle Taper: MT5
- Tail Stock Sleeve Taper: MT3
- Swing Over Carriage: 210mm
- Distance Between Centres: 550mm



OPTIONAL EXTRA

STAND R4895 ELATHE-614

520MM BELT DRIVEN SCREWCUTTING BENCH LATHE

R19995 ELATHE-520

- Motor: 0.55kW, 230V
- Swing Over Bed: 210mm
- Spindle Bore: 20mm
- Spindle Taper: MT3
- Spindle Speed: 140 - 1 800rpm
- Distance Between Centres: 520mm
- Includes 3 Jaw Chuck (100mm)



OPTIONAL EXTRA STAND

R3495 ELATHE-521

500MM GEARED HEAD BENCH LATHE

R28995 ELATHE-250

- Motor: 750W, 230V
- Including 3 Jaw Chuck
- Distance Between Centres: 500mm
- Max. Swing Over Bed: 250mm
- Range of Thread: 0.25 - 2.5mm
- Spindle Bore: MT3
- Spindle Speeds: 12 Steps 80 - 1 600rpm • Weight: 180kg



180MM VARIABLE SPEED MINI BENCH LATHE

R11950 ELATHE-181

- Motor: 0.4kW, 230V
- Swing Over Bed: 180mm
- Spindle Bore: 20mm
- Spindle Speed Range: (L) 200 - 1 150rpm (H) 460 - 2 500rpm
- Distance Between Centres: 310mm • Tail Stock Taper: MT2



BRAKE DISC AND DRUM LATHE

R49950 ELATHB-001

The MAC AFRIC disc and drum lathe is an excellent edition to our professional garage range. This machine revolutionizes the concept of brake lathing and offers a complete solution for brake disc and drum reconditioning. It features a solid construction and dual functionality with a 3-speed spindle, delivering a high-quality finish in less time. Ideal for disc sizes from 180 - 400mm (up to 40mm thick) and brake drum outer diameters from 180 - 450mm. The user-friendly design incorporates an infinitely adjustable spindle-feed gearbox, allowing the operator to precisely pinpoint the right settings for accurate timing. The machine is a versatile all rounder, offering the reliability and durability required in a professional workshop.



550MM MULTI PURPOSE GEARED HEAD BENCH LATHE

R38950 ELATHE-251

with Mini Milling and Drilling Function



Lathe

- Motor: 550W, 230V
- Distance Between Centres: 550mm
- Max. Swing Over Bed: 250mm
- Range of Thread: 0.25 - 3.5mm

Milling

- Motor: 350W, 230V
- Max. Drilling Capacity: 13mm
- Max. Milling Capacity: 16mm
- Max. Face Milling: 30mm

ONLY AVAILABLE AT CERTAIN STORES



GEARED HEAD METAL LATHES



PROFESSIONAL'S CHOICE

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

ALSO AVAILABLE

LARGER MODELS: 1.5m and 2m from Aeroton Johannesburg South Warehouse Only

ONLY AVAILABLE AT CERTAIN STORES

	(shown) 632C	636A	Turner 3610	Industrial Tool Room D420
Motor	1.5kW, 230V	1.5kW, 230V	1.5kW, 230V	3kW, 380V
Swing Over Bed	320mm	356mm	356mm	410mm
Swing Over Cross Slide	178mm	220mm	220mm	255mm
Distance Between Centres	1 000mm	1 000mm	1 000mm	1 000mm
Swing over Gap	450mm	506mm	506mm	540mm
Spindle Bore	38mm	38mm	52mm	52mm
Spindle Taper/Tail Stock	MT5/3	MT5/3	MT5/3	MT6/4
Gross Weight	550kg	650kg	650kg	1 500kg

PLEASE ENQUIRE AT YOUR NEAREST STORE FOR STOCK AVAILABILITY

R76950 ELATHE-100 **R89950** ELATHE-107 **R99950** ELATHE-106 **R164950** ELATHE-104

ACCESSORIES INCLUDED

Pedestal & Splash Cover	Footbrake, Pedestal & Splash Cover	3-axis D.R.O. Footbrake, Pedestal & Splash Cover	Footbrake, Stand & Splash Cover
-------------------------	------------------------------------	--	---------------------------------



BENCH TYPE MILLING MACHINES

Reversible Motor enables Milling and Tapping

	(shown) 40mm	32mm
Motor	1.5kW, 230V	0.75kW, 230V
Max. Drilling Ø	45mm	32mm
Face Mill Capacity	80mm	63mm
End Mill Capacity	28mm	28mm
Headstock Swivel	±90°	±90°
Max. Distance Nose to Table	450mm	450mm
Spindle Taper	MT4	MT3
Forward and Backward Travel	175mm	175mm
Working Area of Table	800 x 240mm	700 x 240mm

OPTIONAL EXTRA


Stand **R2695** EMILST-001

Horizontal x-axis Auto Feed

R5995 EMILAF-000

MINI DRILLING/MILLING MACHINES

BENCH TYPE



With Auto Feed

R15950

EMILGH-130

R19950

EMILGH-131

CAPACITY & TABLE • Drilling Capacity: 13mm
• Milling Capacity (End/face): 16mm/30mm
• Table Size: 390 x 92mm (T-slots: 12mm)

TRAVEL & SPINDLE

• Axis Travel (X/Y/Z): 220mm/100mm/180mm
• Spindle Taper: MT3 • Throat: 167mm
• Column Swivel Angle: ±45°

MOTOR

• Main Motor Output: 0.35kW

Recommended for: Light milling and precision drilling in workshops, tool rooms and in educational environments

COMBINATION BENCH LATHE, MILLING & DRILLING MACHINES

With Auto Feed & Adjustable Head



EXCELLENT QUALITY

HQ500 **HQ800**

	HQ500	HQ800
Turning		
Swing Over Bed	420mm	420mm
Distance Between Centres	500mm	800mm
Spindle Bore	28mm	28mm
Spindle Taper	MT4	MT4

	Drilling and Milling	
Drilling Capacity Ø	22mm	22mm
Powerful Motors	① Lathe 0.55kW, 230V	0.55kW, 230V
	② Drill 0.55kW, 230V	0.55kW, 230V

PLEASE ENQUIRE AT YOUR NEAREST STORE FOR STOCK AVAILABILITY

R39995 EMILHQ-500 **R45950** EMILHQ-800

MILLING MACHINES

ONLY AVAILABLE AT EX JHB SOUTH DEPOT



TURRET HEAD 380V

R149950 EMILGH-632

- Max. Drilling Ø: 50mm
- Max. Boring Ø: 152.4mm
- Distance Spindle to Table Surfaces: 0 - 405mm
- Spindle Speeds: 60 - 3 600rpm
- Table Size: 1 370 x 254mm
- Table Travel: 400 x 800mm
- Motor: 2.2kW
- Weight: 1 320kg

ACCESSORIES INCLUDED

Water Pump, Light, D.R.O. 3-axis & Auto Feed



GEAR DRIVEN 380V

R134950 EMILGH-635

- Max. Drilling : 50mm
- Max. Boring Ø: 120mm
- Distance Spindle to Table Surfaces: 100 - 480mm
- Spindle Speeds: 115 - 1 750rpm
- Max. Tapping Ø: M16
- Table Size: 1 120 x 230mm
- Table Travel: 630 x 350mm
- Motor: 1.5kW horizontal, 2.2kW vertical
- Weight: 1 450kg

ACCESSORIES INCLUDED

Water Pump, Light, D.R.O. 3-axis & Auto Feed

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

MACHINE TOOL VICES



(shown) 80MM **R1395** EVICEM-001
 125MM **R2195** EVICEM-125
 200MM **R4895** EVICEM-200

DRILL PRESS VICES

75MM **R275** EVICDP-001
 100MM **R295** EVICDP-004
 150MM **R445** EVICDP-006

PROFESSIONAL

100MM **R795** EVICDP-002
 150MM **R995** EVICDP-003


OFFSET VICE



HEAVY DUTY
R3195
 EVICES-605

CROSS SLIDE VICES

100MM **R1195** EVICEC-101
 150MM **R1695** EVICEC-151



MAC AFRIC PRECISION TILTING MACHINE TOOL VICES



(shown)
 4" **R2695** EVICEM-100
 8" **R2995** EVICEM-126



BORING BAR SETS

9 Piece: 12mm Round Shank **R445** EABORI-009
 13 Piece: 18mm Round Shank **R745** EABORI-012



"LIVE" CENTRES

MT1 **R395** EACENT-002
 MT2 **R425** EACENT-000
 MT3 **R495** EACENT-001
 MT4 **R645** EACENT-004
 MT5 **R995** EACENT-005



58 PIECE CLAMPING KITS



Stud Size	Table Slot	Price
M10	T12mm	R995 EACLAM-010
M12	T14mm	R1095 EACLAM-012
M14	T16mm	R1295 EACLAM-014

QUICK CHANGE TOOL POSTS

4 (STANDARD) HOLDERS INCLUDED

FEATURES:

- High-efficiency design reduces set-up time by up to 90%
- Ideal lathe accessory for tool rooms and general engineering workshops
- No shims required to set tools to correct centre height
- Repeatability accuracy: 0.0003 mm




10MM **R3495** EAPOST-010
 12MM **R2495** EAPOST-012
 16MM **R2895** EAPOST-016
 25MM **R5295** EAPOST-025



NOTE: Lathe modification/machining required for installation

BENCH TOP VICES



R1950 EVICES-601
R1695 EVICES-010

WHY DUCTILE IRON? Ductile iron is more flexible and elastic than standard cast iron due to its nodular graphite structure, offering superior impact and fatigue resistance

① 6" 150mm Industrial Bench Ductile Iron, Swivel Base, 16.5kg (shown) **R1950** EVICES-601

CAST IRON

② 4" 100mm Swivel Base, 6kg **R595** EVICES-404
 6" 150mm Fixed Base, 15.5kg **R1695** EVICES-010 (shown)
 6" 150mm Fixed Base, 28kg **R1995** EVICES-603
 8" 200mm Fixed Base with Anvil, 45kg **R3295** EVICES-803

HEAVY DUTY

ALSO AVAILABLE

Wide range of Bench Vices (4" - 8") and Anvils (20, 30 & 50kg) - Available in store and online www.adendorff.co.za

F1 - 50 BORING HEAD



• MT3
R1695
 EABORI-050

H.S.S. END MILL SETS



	Round Shank	Price
13 Piece	4 - 16mm	R975 EAMILS-016
23 Piece	3 - 25mm	R2595 EAMILS-023

Range of loose End Mills available

COMPOUND CROSS SLIDE TABLES



Table Size	① 330 x 220mm	② 425 x 240mm
Height	115mm	125mm
x-travel	190mm	225mm
y-travel	100mm	150mm

R3695 EATABL-001 **R6495** EATABL-002

SEMI UNIVERSAL DIVIDING HEAD

INCLUDING 130MM 3 JAW CHUCK

R9950 EADIVH-100



VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

ONLY AVAILABLE AT CERTAIN STORES

LATHE CHUCKS

3 Jaw (self centering)
 • 100 - 200mm
 4 Jaw (independent)
 • 100 - 250mm



PLEASE NOTE:
 To fit these Chucks, Back Plate modifications are required

ENQUIRE IN STORE

CUTTING TOOL SETS

PROFESSIONAL

INDEXABLE 7 PIECE

10MM **R1395** EACUTT-001
 12MM (shown) **R1595** EACUTT-000
 16MM **R1895** EACUTT-016

INDEXABLE 9 PIECE



20MM **R1995** EACUTT-020
 25MM **2795** EACUTT-025

ALSO AVAILABLE

Assorted replacement Cutting Tips for these sets

ENQUIRE IN STORE www.adendorff.co.za

PARTING TOOLS

• Square Shank Size: 12 & 16mm

12MM **R95** EACUTP-012
 16MM **R145** EACUTP-016

ASSORTED D.I.Y. METAL LATHE CUTTER SET



	Shank Size	Price
5 Piece	8mm x 8mm	R295 EACUTB-004
5 Piece	10mm x 10mm	R340 EACUTB-005
8 Piece	6mm x 6mm	R395 EACUTB-008

ARBOR COLLET CHUCK SETS

8 PIECE MT2 (2 - 10MM) **R1395** EACOLT-002



8 PIECE R8 (2 - 10MM) **R1895** EACOLT-008
 Collet Ø: 2-1.5, 3-2, 4-3, 6-5, 7-6, 8-7, 10-9mm

8 PIECE MT3 (4 - 16MM) **R1495** EACOLT-016



12 PIECE MT3 (M12) ER32 (shown) **R2495** EACOLT-032

12 PIECE R8 (M12) ER32 **R2495** EACOLT-031



DIAL GAUGES & MAGNETIC BASES



① Dial Test Indicator Gauge Plunger Type **R345** EGAUD-001
 • 0.01mm (shown)

② Magnetic Base (shown) **R295** EAMAGB-001

Magnetic Base with Micro Adjusting Arm **R595** EAMAGB-002

Dial Test Indicator Gauge with Toggle Switch **R645** EGAUG-002
 • Toggle Type: 0 - 10mm • Reading: 0.01mm

Electronic Digital Dial Indicator Gauge Plunger Type **R985** EGAUD-002
 • Range: 0 - 12.7mm

MICROMETERS

INSIDE

(shown)
 5 - 100MM **R2895** EAMICR-100



5 - 30MM **R695** EAMICR-030

OUTSIDE

Set of 4 **R995** EAMICR-004
 • 0 - 100mm • Accuracy, Scale: 0.01mm

DIGITAL OUTSIDE

R995 EAMICR-025
 0 - 25MM

ALSO AVAILABLE: INDIVIDUALLY

0 - 25MM **R195** EAMICR-125
 100 - 200MM **R1495** EAMICR-200
 150 - 300MM **R1995** EAMICR-300

MACHINIST 1-2-3 SET-UP BLOCKS

R495 EABLOC-123



150MM MEASURING CALIPERS

OUTSIDE

R145 EAVERO-150

INSIDE

R135 EAVERI-150

5 PIECE WIGGLER & CENTRE FINDER SET

R245 EAFIND-002



300MM SURFACE GAUGE

R595 EGAUS-300



EDGE FINDER

R135 EAFIND-001



VERNIERS

Digital Vernier Calipers

• Power on/off Switch • Metric/Imperial Switch

150mm Caliper (shown) **R375** EAVERD-151
 • High Accuracy: Scale: 0.02mm (0.01mm)

200mm Caliper **R595** EAVERD-200
 • High Accuracy: Scale: 0.02mm (0.01mm)

300mm Caliper **R895** EAVERD-300
 • High Accuracy: Scale: 0.02mm (0.01mm)

Vernier Calipers • Stainless Steel

150mm Caliper **R275** EAVERN-150
 • Accuracy: 0.02mm

200mm Caliper **R295** EAVERN-201
 • Accuracy: 0.02mm

300mm Caliper **R595** EAVERN-301
 • Accuracy: 0.02mm

150MM DIAL GAUGE (shown) **R495** EAVERN-155

• Stainless Steel
 • High Accuracy, Scale: 0.01mm


4 PIECE MEASURING SET

R695 EAMICM-004



• 150mm Vernier • 150mm Steel Rule
 • 0 - 25mm Outside Micrometer
 • 100 x 70mm Square • In Case

SLIP ROLLERS



- High-strength Steel Rollers • Quick Release Top Roller
- Hardened Steel Gearing

Capacity	Roll Ø size	Price
Mini 305mm x 0.8mm	32mm	R3595 ESLIPR-002
900mm x 1.5mm	50mm	R14950 ESLIPR-001
1 300mm x 1.5mm	75mm	R26950 ESLIPR-003

Perfect for forming sheet metal, cylinders and curve panels in workshops and fabrication environments

MINI GUILLOTINE, BENDER & ROLLER


R6995 ESHEET-305



- Capacity: 1mm x 305mm
- Roller Ø: 38mm

3 IN 1

ARBOR PRESSES



	Throat Depth	Price
1 Ton	110mm	R1195 EPRESA-001
2 Ton	190mm	R2895 EPRESA-002
3 Ton	300mm	R4495 EPRESA-003
5 Ton	450mm	R9950 EPRESA-005

BOX AND PAN SHEET METAL FOLDERS



*Rated Mild Steel
Material Dependant*

R35950 EBENDB-127

- Capacity: 2.0mm x 1 270mm
- Folding Angle: 135° • Weight: 385kg
- Max. Clamping Bar Lift: 47mm
- With Foot Control for Easy Operation



(shown)

R5995 EBENDB-160	R14950 EBENDB-122
1.0MM X 610MM	1.2MM X 1 220MM

RING ROLLERS

SUPPLIED WITH STANDARD SET OF FORMING DIES

MANUALLY OPERATED

FOR SOLIDS R24950 EBENDR-004

- Solid Flat Bar Mild Steel: 20mm x 5mm min. Ø 160mm
- 50mm x 10mm min. Ø 400mm
- Solid Square Bar Mild Steel: 10mm x 10mm min. Ø 160mm
- 20mm x 20mm min. Ø 500mm



BENCH TYPE R1995 EBENRR-001



- Ring Size Range: 25 - 75mm
- Round Steel Capacity: 6mm
- Flat Steel Capacity: 5 - 25mm

BENDERS

COMPACT BENDER SET R2695 EBENDR-002



- 1" - 3" • Mild Steel
- Right Angle Bending
- Capacity: 0 - 200mm
- Suitable for Flat, Square, and Solid Bar

UNIVERSAL TYPE FOR HOT OR COLD BENDING (various shapes) R3995 EBENDR-001



- **Cold Bending:** • Square Steel: 16 x 16mm
- Round Steel Ø: 18mm • Angle: 60 x 8mm
- Flat Steel: 70 x 6mm; 60 x 8mm; 30 x 12mm
- **Hot Bending:** • Square Steel: 30 x 30mm
- Round Steel Ø: 30mm • Angle: 70 x 15mm
- Flat Steel: 70 x 15mm; 60 x 20mm

UNIVERSAL SCROLL BENDER R5195 EBENDR-000



Capacity:

- Round Bar Ø: 10mm
- Flat Bar: 30 x 10mm
- Square Bar: 10 x 10mm

HAND PIPE BENDING SET



R3495 GPIPHB-001

- Max. Bending Angle: 180°
- Round Pipe: 10, 12.5, 16, 19, 22mm
- Pipe Wall Thickness: 0.8mm - 1.2mm (Material Dependant)
- 2 Set Square Pipe Dies and Rollers: 19, 25mm

ALSO AVAILABLE AS AN OPTIONAL EXTRA 25MM ROUND PIPE DIE

R495 GPIPHB-000

1 320MM FOOT SHEARER/GUILLOTINE R39950 ESHEAR-132

HEAVY DUTY

A heavy duty foot operated shear designed for clean, accurate cutting of mild steel sheets

- Capacity: 1.5mm x 1 320mm
- Foot Control Operation for Hands Free Cutting



EXCELLENT QUALITY

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

GUILLOTINE/SHEARS R6950 ESHEAR-101



*Rated Mild Steel
Material Dependant*

- Capacity: 1 000 x 1.5mm
- Mild Steel: 1.5mm

280MM METAL SHEAR, BENCH TYPE R1095 ESHEAR-003

- Mild Steel: 1mm

PIPE BENDERS

The Hydraulic Pipe Benders in our collection are specifically crafted for precise cold bending of schedule 40/80 (thick wall) pipes, perfectly suited for a diverse range of pipe installations and general engineering purposes (not recommended for thin-wall piping). They are particularly useful for crafting items like gates and more.



Pipe Wall Thickness requirement: minimum 4mm

12 Ton (shown) • Bending Capacity: R2595
1/2" - 2" (12.5, 20, 32, 40, 50mm) **GPIPEB-012**

16 Ton • Bending Capacity: 1/2" - 3" R3895
(12.5, 20, 32, 40, 50, 65, 75mm) **GPIPEB-016**

MULTI FUNCTION ROLLING TYPE PIPE BENDING MACHINE R22995 GPIPEB-005



- Motor: 1.5kW, 230V
- Includes 9 Round Pipe Moulds: 16, 19, 22, 25, 51, 32, 38, 63, 76mm
- 8 Square Pipe Moulds: 16, 19, 22, 25, 30, 38, 40, 50mm
- Bending Wall Thickness: 0.5 - 2mm

*Rated Mild Steel
Material Dependant*

MAC AFRIC

BENCH GRINDERS



- ① Multi-purpose Bench Grinder with Flexible Shaft **R945** EGRINB-075
- ② 150mm, 230V, 2 950rpm, 0.25kW **R795** EGRINB-151
- ③ 200mm, 230V, 2 950rpm, 0.35kW **R1195** EGRINB-200
- ④ Combination Grindstone / Wire Polisher, 150mm, 230V, 2 950rpm, 0.52kW **R2695** EGRINB-300
- ⑤ 150mm, 230V, 2 950rpm, 0.52kW **R2595** EGRINB-152
- ⑥ 250mm, 230V, 2 950rpm, 0.9kW **R3495** EGRINB-255
- ⑦ 200mm, **380V** (Three Phase), 2 950rpm, 0.9kW **R3295** EGRINB-250
- ⑧ Combination Grindstone / Belt, 150mm, 230V, 2 950rpm, 0.52kW **R2895** EGRINB-305
- ⑨ Wet & Dry Bench Grinder, 150mm, 230V, 2 950rpm, 0.52kW **R2895** EGRINB-310
- ⑩ 200mm Bench Buffer & Polisher, 230V, 2 950rpm, 0.75kW **R2495** EGRINB-201

CUT-OFF MACHINES

MAC AFRIC



COLD CUT

- 180MM**
- 1 280W, 230V (shown) **R2995** ECUTLD-180
- 355MM** • 2 400W, 230V **R6995** ECUTLD-002

DIRECT DRIVE
ABRASIVE CUT

- 2 000W, 230V, 355MM



R2495 ECUTLD-001

GOLD CUT



- 2 600W, 230V, 50Hz
- R7495** ECUTLD-050



- Blade diameter: 355mm
- Blade shaft hole diameter: 25.4mm
- Thickness of blade teeth: 2.2mm

ALSO AVAILABLE

66T BLADE (SOLID MATERIAL)
For solid bar & thick-wall steel.

R845 ECUTLD-051

72T THIN-WALL BLADE (LIGHT MATERIAL)
For tubing & thin-wall profiles.

R845 ECUTLD-052

VIEW DETAILED SPECIFICATIONS ONLINE @ www.adendorff.co.za

STEEL CROPPER FOR ROUND, ANGLE AND FLAT STEEL

R5495 ESHEAR-002



VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

TUBE NOTCHER ATTACHMENT

ATTACHMENT FOR PEDESTAL DRILL

R1395 ETUBEN-001



- Spindle: 1/2"
- Tube Capacity: 2" (50mm)
- Angle Capacity: 0 - 60°

SQUARE TUBE ROLLER

R4595 EBENDR-006

COMPLETE WITH A SET OF ROLLERS

Max. Capacity Mild Steel

	Min. Ø	Min Radius
20 x 20 x 1.2mm	450mm	180mm
25 x 25 x 1.2mm	500mm	170mm
30 x 30 x 1.5mm	550mm	200mm
40 x 40 x 1.5mm	600mm	220mm



200MM METAL CUTTING BANDSAW WITH SWIVEL BOW

R29950 ESAWHV-200

- Power Output: 1.1 KW
- Power Input: 230 V @ 50 HZ
- Cutting Capacity Round: 205mm
- Cutting Capacity Square: 215 x 205mm
- Blade Size: 2.36m



HORIZONTAL METAL OR WOOD CUTTING BAND SAW

R7995 ESAWHV-115

- With Vice on Stand • Motor: 0.55kW, 230V
- Blade Size: 1 640 x 13 x 14TPI
- Suitable for Metal, Wood, Plastic and Steel
- Capacity: Round: 110mm
Rectangular: 100 x 130mm



MAGNETIC BASE DRILLS WITH COOLANT FEATURE

The MAC AFRIC portable Magnetic Base Drill showcases a high-performance motor within a robust, sturdy design, enhancing overall productivity. Ideal for on-site hole cutting in steel plates, including H-beams, framework, ship building, bridge construction, steel reinforcements, and various other metal working and construction tasks.

Motor	1 200W, 230V	1 850W, 230V
Capacity	35mm	75mm

R8450 EDRILM-001 **R18995** EDRILM-002

ALSO AVAILABLE

Large Range Annular Core Bits

ENQUIRE IN STORE



PROFESSIONAL'S CHOICE

BENCH & PEDESTAL DRILLS

13MM BENCH DRILL

- Motor: 0.35kW, 230V
- 5 Speed

R1945 EDRILB-002



16MM PEDESTAL TYPE (shown)

R5795 EDRILP-002

- Motor: 0.55kW, 230V, 12 Speed

16MM BENCH TYPE
R4995 EDRILB-001



ALSO AVAILABLE

PEDESTAL DRILLS

- Motor: 1.1kW, 230V • 12 Speed
- 25mm 32mm



R11450 EDRILP-003 **R12950** EDRILP-004

ENGINEERING

TIG/DC 230V INVERTER WELDERS WITH HIGH FREQUENCY START

- ① **Model TIG 160** **R3995**
• 3.3kW • 60% Duty Cycle **EWELDT-160**
- ② **Model TIG 200 with MMA Function** **R4695** *(shown)*
• 4.8kW • 60% Duty Cycle **EWELDT-200**



TIG

Suitable for Mild Steel & Stainless Steel (Ferrous Metals Only)

AC/DC TIG INVERTER WELDERS

PROFESSIONAL'S CHOICE



- **200A** • 230V **R14495** **EWELDT-201**
- Output Current (A) 10 - 200A (TIG), 10 - 160A (MMA)
- HF Arc • 60% Duty Cycle

Suitable for Ferrous & Non Ferrous Metals, Mild Steel, Stainless Steel & Aluminium



HIGH FREQUENCY START

R19995

- **300A** • 380V **EWELDT-315**
- Output Current (A) 12 - 300 (TIG), 15 - 240 (MMA)
- HF Arc • 60% Duty Cycle

MAC AFRIC 200A TIG AC/DC INVERTER WELDER

TIG

R8995 **EWELDT-204**

- Input Voltage: Single phase 230 V @ 50 Hz
- Welding Modes: TIG / MMA
- Input Current: 24 A (TIG), 26 A (MMA)
- Input Power: 5.6 kVA (TIG), 6.0 kVA (MMA)
- Welding Current: 10-200 A (TIG), 30-160 A (MMA)
- Welding Voltage: 10.4-18 V (TIG), 21.2-26.4 V (MMA)
- Rated Duty Cycle: 40% (TIG) • Pre-flow Time: 0-2 seconds
- AC Balance: 10%-50% • Pulsed Frequency: 1-100 Hz
- AC Frequency: 40-100 Hz • Pulsed Duty Cycle: 10%-90%
- Post-flow Time: 1-10 seconds • Electrode Diameter (MMA): 1.6-4.0 mm
- Efficiency: 85% • Power Factor: 0.7



AC/DC 185A TIG INVERTER WELDER WITH MMA FUNCTION

TIG

R11950 **EWELDT-185**

- 150A • 230V
- 35% Duty Cycle

Suitable for Ferrous & Non Ferrous Metals, Mild Steel, Stainless Steel & Aluminium



POPULAR CHOICE

OPTIONAL EXTRA

FOOT PEDAL FOR 185A TIG WELDER

R895 **EWELDT-181**



PLASMA CUTTERS (DC INVERTER)

PLASMA CUT

Cut 40 (shown) R4295 **EWELDP-040**

- 230V
- HF Arc Max. Cutting: 8mm Mild Steel, 3mm Stainless Steel

Cut 60 230V **R7495** **EWELDP-059** 380V **R7695** **EWELDP-060**

- HF Arc
- Max. Cutting: 1 - 15mm Mild Steel; 1 - 8mm Stainless Steel

Cut 100 (shown) R15950 **EWELDP-100**

- 380V • Max Cutting: 1 - 25mm
- 60% Duty Cycle • HF Arc • 20 - 100A



Compressor Required

OXYGEN ACETYLENE KIT

R2895 **EOXYAC-001**

Complete set includes: Oxygen & Acetylene Regulators, Cutting/Welding Torch, Nozzles, Goggles, Spark Lighter, Hoses and Flashback Arrestor For use with large gas cylinders only (Cylinders not included)



GAS

MAC AFRIC

SPOT WELDING

R13950

EWELSP-026 230V
EWELSP-025 380V

- Rated Power: 25kVA
- Rated Current: 60A • Arm Length: 250mm
- Max. Welding Thickness: 3 + 3mm
- Duty Cycle: 20% • Weight: 120kg



HAND HELD (HS3000) 230 VOLT
R13995 **EWELSP-001**

- Max. Spot Weld Thickness: 2 + 2mm
- Max. Clamping Force: 120kg
- Min. Rest Period between Welds: 20 sec.
- Weight: 10.5kg



AUTO DARKENING WELDING HELMETS

WELDERS CHOICE

R395 **EWELDH-006**

- Viewing Area: 96 x 39mm • Shade Control: Adjustable
- Sensitivity Control: Adjustable
- Switching Time: 1/25 000s • Colour: Black



NON-ADJUSTABLE

R275 **EWELDH-002**

- View Area: 91 x 39mm
- Colour: Matt Black



PANORAMIC VIEW AUTO DARKENING WELDING HELMET

R1295 **EWELDH-007**

- A wide, 180° viewing Angle
- Advanced Auto-darkening Features
- Perfect for Welding, Cutting and Grinding Applications
- With TrueView+ Technology and Multiple Modes
- Optimal Visibility and Protection



FAST REACTION TIME & FINE ADJUSTMENT, FULLY AUTOMATIC

PROFESSIONAL

- Welding & Grinding Function
- Viewing Area: 100 x 60mm
- Switching Time: 1/25 000s
- Colour: Carbon Fibre

R795

EWELDH-005



- Large Viewing Area: 98 x 87mm
- Shade Range: Internal Selection (9-13/5-8)
- Grinding Function: DIN4 (Internal)
- Delay Time: 0.1 - 1.0s Stepless Variable (Internal)

R895 **EWELDH-004**



MAC AFRIC WELDING HELMET WITH AIR RESPIRATOR

R5495 **EWELDH-010**

Professional welding helmet with integrated powered air-purifying respirator (PAPR) provides continuous clean airflow to protect lungs, eyes and face from harmful fumes, dust, sparks and UV/IR radiation. Features an auto darkening visor, adjustable shade range, and fast switching for MIG, TIG, MMA, and Plasma welding. Includes rechargeable battery and carry accessories for industrial use. Includes PAPR unit, filter cartridge, hose, rechargeable battery, charger, harness and carry bag.



NEW

ONLY AVAILABLE AT CERTAIN STORES

MAC AFRIC 160A MIG/MMA INVERTER WELDER (LCD SCREEN)

R3295 EWELDM-160

A compact and versatile MIG/MMA inverter welder equipped with a user-friendly LCD screen. Designed for home users and light workshop applications, this unit operates efficiently on standard 230V power. Ideal for DIY projects, light fabrication, and general repair work.



MIG-MMA

MAC AFRIC MIG WELDER

PRO-MIG 180, 230V

- Gas/No Gas • 30 - 180A
- MIG/MMA-function

R6595

EWELDM-180



MIG

ACCESSORIES INCLUDED

MIG Torch & Earth Clamp



OPTIONAL EXTRA

MIG Spool Gun for Aluminium Welding. Includes roll of 0,8mm - 500g aluminium welding wire



R2795

EWELDM-181

MAC AFRIC MODEL 250 MIG WELDER

- Model 250 • 230V • 60% @ 160A
- Output Current: 40A - 210A

R9950

EWELDM-203

ACCESSORIES INCLUDED

MIG Torch & Earth Clamp

MIG

MAC AFRIC MIG 500 INVERTER MIG/MAG WELDING MACHINE KIT

R34950 EWELDM-500

Experience unparalleled efficiency in industrial welding tasks with our high performing MIG 500 inverter MIG-MAG welding machine. Designed to tackle heavy duty assignments, this robust welding solution stands as the optimal choice for heavy duty applications.

- Input Voltage/Phase/Frequency: 380V/3P/50Hz
- Output Current/Voltage/Duty Cycle @ 40°C: MIG: 500A/39V/60%
- MIG: 387A/34V/100%
- Amps Input at Rated Output: MIG: 38.4A@500A
- Output Range: MIG: 50-500A/72V, MMA: 50-500A/72V • Weight: 42kg



MIG-MAG

MAC AFRIC COMBINATION DC MIG INVERTER WELDERS

New Improved Professional Quality with IGBT Technology & Flux Core Option (Gas/No Gas)

Compact, powerful & easy to use for MIG and ARC welding. With adjustable consistent wire feed for smoother, more even welds. This will suit general metal fabrication, which makes it ideal for the general workshop. With the flip of a switch it can change from MIG to ARC.



MIG

Model	Voltage	Amp	Duty Cycle	Duty Cycle	Price
Model 200 (shown)	230V	200A	60% @ 200A	100% @ 130A	R8995 EWELDM-202
Model 250	380V	250A	60% @ 250A	100% @ 180A	R14995 EWELDM-205
Model 350	380V	350A	60% @ 350A	100% @ 270A	R24950 EWELDM-351

WELDING MAGNETS



Size	Price
Large: 190mm across	R75 EAMAGW-001 (shown)
Medium: 155mm across	R55 EAMAGW-002
Small: 120mm across	R35 EAMAGW-003

LASER WELDERS

1 500W (shown)

R109950 EWELDL-150

2 000W

R144950 EWELDL-200

Visit us online for detailed specifications



YouTube



LASER

MAC AFRIC

MIG135 D.I.Y. FLUX CORED WELDER

R1995 EWELDM-135

The all-new MAC AFRIC 100A IGBT MIG Welder is our smallest MIG welder! Absolutely no gas is required – making this the ultimate welder for portability, convenience, and simplicity. With Improved welding performance on a lower current to enhance welds on thinner materials.



MIG

- Input voltage: 230V 50Hz • Output Current: 40 - 100A • Duty Cycle: 20% @ 90A, 60% @ 45A • Wire Diameter: 0.8mm (Flux-cored Wire)

MAC AFRIC 4-IN-1 MIG/CUT/MMA/LIFT TIG INVERTER WELDER

R7995 EWELDM-240

- Max. Output Current: 200A
- Rated Max. Input Power: 7.9kVA • Power Input: 230V
- Current Range: MIG: 20 - 200A / CUT: 20 - 40A / MMA: 20 - 180A / LIFT TIG: 20 - 180A
- Electrode Ø: MIG: 0.6 - 1.0mm / MMA: 1.6 - 5.1mm
- Max. Cutting Thickness – CUT: 12mm • Duty Cycle: 25%



4-IN-1

MAC AFRIC DC INVERTER WELDERS

MMA



ACCESSORIES INCLUDED

Electrode Holder and Earth Clamp

PLEASE NOTE: Use minimum 2.5mm² Core Extension Cord

EXCELLENT QUALITY

	Model	Voltage	Duty Cycle	Price
IGBT	Model 140 Mini D.I.Y.	230V	35%	R1295 EWELDS-140
	Model 161 D.I.Y.	230V	60%	R1695 EWELDS-161
	Model 201 D.I.Y.	230V	60%	R1995 EWELDS-201
	Model 315	380V	40%	R7495 EWELDS-315
MOSFET	Model 160	230V	60%	R2595 EWELDS-160
	Model 200	230V	60%	R2895 EWELDS-200
	PREMIUM QUALITY			
	Model 200 with V.R.D.	230V	60%	R3995 EWELDS-202
	Model 250	230V	60%	R4995 EWELDS-251
	Model 250	380V	60%	R4995 EWELDS-250

WELDING

MAC AFRIC HDPE BUTT FUSION WELDERS

Achieve strong, permanent HDPE pipe joints with confidence. MAC AFRIC Butt Fusion Welders use the industry-standard method for joining high-density polyethylene (HDPE) pipes, creating a seamless, monolithic bond with strength equal to the pipe itself. Through precise control of heat, pressure, and alignment, pipe ends are fused into a single, durable joint that offers excellent reliability, leak-proof performance, and long-term structural integrity for industrial, civil, and infrastructure applications. The MAC AFRIC range is engineered for accuracy and durability, featuring high-quality heating plates, robust milling cutters, and smooth mechanical operation for perfectly aligned joints and consistent heat distribution. Models are available in both manual and hydraulic configurations to suit a wide variety of pipe diameters and job requirements. **BUILT FOR PROFESSIONALS WHO DEMAND STRENGTH, PRECISION, AND RELIABLE PERFORMANCE – EVERY TIME.**

	Model	Heating Board Power	Milling Cutter Power	Working Temperature	Pipe Range (mm)	Price
①	Manual	2kW	0.8kW	270° C	63 - 200mm	R5995 EWELDP-003
②	Manual	3kW	0.9kW	270° C	90 - 250mm	R10950 EWELDP-004
③	Hydraulic (Pro)	2.8kW	1.3kW	270° C	90 - 250mm	R24950 EWELDP-005



ELECTRIC MULTI FUNCTION PIPE THREADING MACHINE WITH DIES

(shown) 1/2" - 2" **R11950** GPIPTH-003

1/2" - 4" **R17995** GPIPTH-007



CHAIN PIPE WRENCH

100MM (4") **R995** TPIPCW-004

200MM (8") **R1595** TPIPCW-008



MAC AFRIC 6.5HP PRESSURE SPRAYERS

① **R5495** MSPRAY-006


② **R8450** MSPRAY-007

Fitted with hose reel and wheels

	①	②
Spraying Pressure	15 - 50kg/cm ²	15 - 50kg/cm ²
Flow Rate	14 - 22l/min	19.5 - 34l/min
No Load Speed	800 - 1 200rpm	520 - 900rpm

① **R5495** MSPRAY-006

② **R8450** MSPRAY-007



LOG SAWS

PETROL **DIESEL**

(shown) **LS 710** **LS 700**

Motor	13hp	13hp
Blade	700 x 30 x 3.0mm	700 x 30 x 3.0mm
Max. Cutting Ø	240mm	240mm
Max. Cutting Length	2m	2m

R17495 WLOGSW-701 **R22950** WLOGSW-703



PLUMBERS DRAIN CLEANERS

PROFESSIONAL

R14995 TDRAIN-201 (shown)
MODEL 200 (MANUAL FEED/PUSH)

ALSO AVAILABLE

MODEL 75 Ideal for Kitchen/
Sink Drains, Hotel Industry

R7995 TDRAIN-075

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



PIPE CHAIN VICES

BENCH TYPE **R1595** EVICES-004

Capacity: 1/8" (3.2mm) - 4" (100mm)

TRI STAND TYPE **R4495** EVICES-003

Capacity: 1/8" (3.2mm) - 6" (150mm)



14 PIECE PLUMBERS DRAIN CLEANING ROD SETS

10 x 1m x 6mm **R1795** XRODRN-001

10 x 2m x 6mm **R2295** XRODRN-003

10 x 2m x 8mm **R3395** XRODRN-002

HEAVY DUTY



WOOD CHIPPERS

150MM, 15HP **R25950** WCHIPR-003 **PETROL**

100MM, 6.5HP **R12950** WCHIPR-002

50MM, 6.5HP **R8450** WCHIPR-001

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



DRIVE UNIT WITH FEMALE COUPLING FOR VIBRATING POKER

R5995

MVIBRA-001

• 5HP

PETROL



OPTIONAL EXTRA



Vibrating Pokers

Length: 6m

50MM **R1895** MVIBRA-002

38MM **R1795** MVIBRA-003

PLATE COMPACTORS

CONTRACTORS CHOICE

(shown)

Model	HS070	HS090	HS120
Petrol Engine	5.5hp	5.5hp	5.5hp
Plate Size	350 x 535mm	540 x 440mm	680 x 480mm
Weight	62kg	90kg	120kg
	R11995 MCOMPT-070	R15450 MCOMPT-090	R16495 MCOMPT-120



TAMPING RAMMERS



PETROL

CONTRACTORS CHOICE

	①	②
Petrol engine	4 Stroke, 4hp	4 Stroke, 4hp
Fuel Tank Capacity	3ℓ	3ℓ
Impact Force	16kn	14kn
Shoe Size	L = 350mm W = 280mm	L = 350mm W = 280mm
Weight	82kg	70kg
	R29950 MRAMMR-004	R24950 MRAMMR-003

DFS400 CONCRETE CUTTER


R18950 MCUTTR-001



PETROL

- Cutting Speed Range: 5-50m/s for versatile applications
- Max Cutting Depth: 120mm
- Blade Width Compatibility: 3-5mm
- Engine Power: 9 hp (3 600rpm)
- Integrated Water Tank: 2ℓ for efficient cooling • Cooling System: Spray
- Unit Weight: 110kg
- Overall Dimensions: 1 580 x 500 x 900 mm
- **Blade not included**

SCAFFOLDING



- ① Tubular Frame 1.5m x 1m Panel **R550** TSCAFO-001
- ② Castor Wheel **R425** TSCAFO-002
- ③ Cross Brace **R235** TSCAFO-003
- ④ Board **R545** TSCAFO-004
- ⑤ Tiebar **R220** TSCAFO-005
- ⑥ Leveling Jack **R295** TSCAFO-007

DUMPY LEVEL KIT

WITH AUTOMATIC LEVELING FUNCTION INCL. TRIPOD AND 5M STAFF

R5295

TLEVEL-320



ALSO AVAILABLE: SOLD SEPARATELY

- Staff **R845** TLEVEL-322
- Tripod **R845** TLEVEL-321

POWER TROWEL FLOAT

R15995 MPOWER-001

• Ø = 915mm • 5.5hp Petrol Engine

PETROL

CONTRACTORS CHOICE

MAC AFRIC



PROFESSIONAL

ROTOSURE MEASURING WHEELS

- ① MODEL 32 DELUXE **R1195** HWHEEL-001
- ② MODEL 16 DELUXE **R895** HWHEEL-002
- ③ MODEL 24 (LARGE) **R565** HWHEEL-000



7HP TRENCH DIGGER

R35950 MTREND-001

- 7hp • 4 Stroke • Trench Width: 100mm
- Trench Depth: 150/250/340/450mm
- Average digging speed: 60m/hr

PETROL



MAC AFRIC


BACKHOE DIGGER

R58950 MDIGBH-001

- 15hp LIFAN Engine
- 250mm Bucket



VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



TAIFU WATER PUMPS
PRECISION POWER PERFORMANCE

Explore full specs and our complete pump range online - Scan Here



	Motor/voltage	Price	
1 Pro Submersible pump with float switch	0.37kW/230V	R1445	HPUMPS-005
2 Pro Submersible pump with float switch	0.55kW/230V	R1745	HPUMPS-006
3 DIY Submersible pump with float switch	0.75kW/230V	R1295	HPUMPS-004
4 Submersible Sewage Pump	0.55kW/230V	R2895	HPUMPD-102
5 Centrifugal pressure pump TCP170	1.2kW/230V	R2895	HPUMPP-170
6 Centrifugal pressure pump TCP200	1.5kW/230V	R2995	HPUMPP-200
7 Stainless Steel Pressure Pump SGJ600	0.6kW/230V	R2295	HPUMPP-600
8 3" Solar DC Borehole Pump (Max -150m Head) (pump & controller only)	0.75kW/72V DC	R4295	HPUMPB-011
9 4" Borehole Pump (Max - 73m Head) (pump & controller only)	0.75kW/230V	R2695	HPUMPB-007

MULTI PURPOSE BAND SAW

R7495 WSAWMF-001

- 550W • 230V
- Table Size: 600 x 465mm
- Cutting Depth: 240mm
- Blade Size: 2 085 x M13 x 6TPI

Meat Mincer

NEW IMPROVED MODEL

MEAT PROCESS BONE SAWS

(shown) **R7995**

- 750W • 230V
- Cutting Depth: 250mm
- Table Size: 375 x 380mm
- Blade Size: 1 650 x 16 x 0.5mm

WSAWMF-004

R9950

- STAINLESS STEEL • 750W • 230V
- Table Size: 495 x 440mm
- Cutting Depth: 240mm
- Blade Size: 1 650 x 16 x 0.5mm

WSAWMF-006

ELECTRIC MEAT MINCER

R7995

HMIXER-012

When it comes to kitchen appliances, you can rely on our MAC AFRIC Meat Mincer. Perfectly suitable to process and mince fresh meat. Ideal for farmers, hunters, game lodges and home industries.

- Motor: 850W • Voltage: 230V

5L SAUSAGE FILLER

R2695

HFILER-005

With our MAC AFRIC Sausage Filler, you can make your own sausages/boerewors. With its manual crank, it is an easy process of stuffing and rolling out your own sausages. This kit also comes with a wide variety of filler sizes to suit your needs. Ideal for farmers, hunters, game lodges and home industries.

- Kit includes: 16, 22, 32, 38mm Stainless Steel Tubes.

HIGH PRESSURE CLEANERS

R1595 **HCLEAN-130**

R3695 **HCLEAN-150**

R11950 **HCLEAN-003**

R12950 **HCLEAN-299**

ELECTRIC DRIVEN Includes 5m Hose, Gun & Lance

	Voltage kW	Rated Bar Pressure	Flow Rate /min	Price
1	1.5kW, 230V (shown)	90	6	R1595 HCLEAN-130
2	1.9kW, 230V	110	6	R2195 HCLEAN-200
3	3kW, 230V (shown)	150	6.8	R3695 HCLEAN-150

ELECTRIC DRIVEN Includes 10m High Pressure Hose with Gun & Lance

PROFESSIONAL

4	2.2kW, 230V (shown)	100	15	R11950 HCLEAN-003
5	3kW, 380V	150	15	R11950 HCLEAN-004

PETROL DRIVEN Includes 10m High Pressure Hose with Gun & Lance & 5 x Quick Change Nozzles for various applications

	Motor	Rated Bar Pressure	Flow Rate /min	Price
6	4kW, 5.5hp	124	7.5	R8495 HCLEAN-220
7	5kW, 6.7hp	186	11.4	R10750 HCLEAN-201
8	6.6kW, 9hp (shown)	206	11.35	R12950 HCLEAN-299

DIESEL DRIVEN Includes 10m High Pressure Hose with Gun & Lance & 5 x Quick Change Nozzles for various applications

9	6.6kW, 9hp	248	15.1	R19995 HCLEAN-360
---	------------	-----	------	---------------------------------

FOAM MACHINE

R1995 **HFOAMS-070**

Compressor Required

- Capacity: 70L • Low Pressure Operating Pressure: 1 - 2.5 bar
- Pneumatic

Ideal for Car Wash

VACUUM CLEANERS

30% WATER FILTER VACUUM CLEANER **R3495** **HVACUM-001**

This 1600W vacuum features a 3-stage filtration system: dust cloth filter, water filter, and HEPA filter. Designed to capture everything from coarse debris to fine dust, it delivers cleaner air and efficient performance for home, car, or workshop use.

70% WET & DRY

- 2 000W • Dual Motor

R4695 **HVACUM-070**

30% WET & DRY VACUUM CLEANER

- 1 200W

R2295 **HVACUM-030**

CONCRETE MIXERS



① 135ℓ (shown) • Motor: 0.55kW	R3995 MMIXER-130	ELECTRIC
180ℓ • Motor: 0.65kW	R4950 MMIXER-180	
210ℓ • Motor: 1kW	R8695 MMIXER-210	PETROL
160ℓ • 3hp	R6995 MMIXER-161	
② 350ℓ • 6.5hp • 4 Stroke • Working Capacity: 254ℓ Volume	R21950 MMIXER-350	
500ℓ • 8hp	R29950 MMIXER-500	
500ℓ • 8hp	R31950 MMIXER-501	

MAC AFRIC AIRLESS LINE STRIPER



① 2.4 LPM • 1 Nozzle	R32950 MSPRAY-024
② 3.2 LPM • 2 Nozzles	R44950 MSPRAY-032

Enhance your road marking and line striping projects with the MAC AFRIC Airless Line Stripper. Built for professionals, this powerful unit delivers precision and efficiency, making it ideal for marking roads, parking lots, sports fields and warehouses. • Power: 6.5Hp • Petrol Driven

MAC AFRIC FLOOR GRINDERS

Professional concrete surface preparation made easy. The MAC AFRIC range of Floor Grinders delivers reliable 2.2kW power for levelling concrete, removing coatings or adhesives, and achieving smooth, even floor finishes. Built with durable frames, stable grinding heads, and easy-handling ergonomics, these machines offer consistent performance on construction sites, workshops, and renovation projects. Ideal for: Floor smoothing, surface prep, coating removal, and general concrete finishing.

	Motor	Grinding Width	Price
①	2.2kW (3HP), 220V (shown)	250mm	R23950 MGRIND-250
②	2.2kW (3HP), 220V	300mm	R32950 MGRIND-300

MAC AFRIC 1.2KW INDUSTRIAL VACUUM

- R26950** MVACUM-100
- Voltage: 220 - 240V
 - Power (max): 1.2kW / 17hp
 - Airflow (max) 200m³/h (118cfm)
 - Vacuum (max): 240 mbar (100 inch water lift)
- Ideal for Floor Grinders*

PROFESSIONAL LASER LEVELS

LASER LEVELS

- ① 3-LINE PROFESSIONAL LASER LEVEL (EXCL. TRIPOD) (shown) **R2595** TLASER-300
 - ② 5-LINE PROFESSIONAL LASER LEVEL (EXCL. TRIPOD) **R3495** TLASER-500
- OPTIONAL EXTRA
- ③ Tripod Stand (shown) **R345** TLASER-100



MAC AFRIC PORTABLE VENTILATORS



- 500W 220V (12 INCH) **R3995** XPFANV-011 EXPLOSION PROOF
- CTF-20 (8 INCH) **R2295** XPFANV-008
- CTF-60 (24 INCH) **R9950** XPFANV-024
- CTF-30 (12 INCH) **R2595** XPFANV-012

AIR COOLERS

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



- 60SQM **R3895** XPCFAN-006
- 80SQM **R8495** XPCFAN-001
- 100SQM **R10950** XPCFAN-002

LED 3-WAY PORTABLE TRIPOD WORKING LIGHT



- ADJUSTABLE: Vertical: 180° Horizontal: 270°
- R1495** HLIGHTS-300
- 3 settings: 1 500, 4 000, 7 000 Lumens • Provides adjustable brightness settings of up to 7000 lumens • Features an adjustable light angle • Powered by a rechargeable 7.3V (4000mAh) battery • Offers between 1.5 to 7 hours of runtime, making it the perfect companion for projects on the go.

EARTH AUGER



- ① 68CC 2 STROKE EARTH AUGER DRIVE UNIT ONLY (shown) **R2950** MAUGER-002
- 150MM AUGER BIT **R395** MAUGER-150
- ② 200MM AUGER BIT (shown) **R485** MAUGER-200

WALK BEHIND DRUM ROLLERS



- SINGLE DRUM **R42950** MROLLER-060
- DOUBLE DRUM **R54950** MROLLER-061



MAC AFRIC. RELIABLE SOLUTIONS

PETROL STANDBY GENERATORS

kVA	Nominal Output	Rated Current Output (A)	Voltage (V)	Estimated average fuel consumption (Load dependant)	AVR	Electric Start	Recoil Start	Price
1.25kVA	1kW	4.5 Amp	220V	0.43ℓ/h	✓	✗	✓	R3595 MGENER-201
2.8kVA	2kW	9.1 Amp	220V	0.8ℓ/h	✓	✗	✓	R4495 MGENER-220
2.8kVA	2kW	9.1 Amp	220V	0.82ℓ/h	✓	✓	✓	R4995 MGENER-221
5.6kVA	4kW	18.2 Amp	220V	2.2 - 3.15ℓ/h	✓	✗	✓	R8495 MGENER-450
6.5kVA	5kW	22.7 Amp	220V	2.2 - 3.15ℓ/h	✓	✓	✓	R8595 MGENER-553
7.5kVA shown	6.2kW	25 Amp	220V	2.5 - 3.15ℓ/h	✓	✓	✓	R10950 MGENER-006
8.75kVA shown	7kW	31.8 Amp	220V	2.84 - 3.15ℓ/h	✓	✓	✓	R12450 MGENER-008
12.5kVA	10kW	45.5 Amp	220V	4.06ℓ/h	✓	✓	✗	R35995 MGENER-010
12.5kVA	10kW	18.6 Amp (380V)/ 15 Amp (220V)	380V/220V	4.06ℓ/h	✓	✓	✗	R36995 MGENER-011



① 7.5kVA **R10950** MGENER-006



② 8.75kVA **R12450** MGENER-008

GENERATORS & WATER PUMPS

INVERTER GENERATORS

- Pure Sine Wave Output
- Lower Noise Level
- Power Factor P/F = 1



1.8kW **R6495** MGENER-001



3.2kW **R11450** MGENER-003



3.2kW Open Type **R6750** MGENER-004



Generator warranties are void if installation is not carried out by a qualified electrician registered with the Department of Labour and authorised to issue a certificate of compliance (COC). Batteries are excluded from all warranties. Refer to our website for full Terms and Conditions

③ **R159950** MGENER-050 DIESEL

DIESEL STANDBY GENERATORS

kVA	Nominal Output	Rated Current Output (A)	Voltage (V)	Model Description	Estimated average fuel consumption (Load dependant)	AVR	Price
6.5kVA	5kW	22.7 Amp	220V	Open Frame Type	1.67ℓ/h	✓	R17995 MGENER-656
6.5kVA	5kW	22.7 Amp	220V	Enclosed Type 73 db(A) @ 7m	1.67ℓ/h	✓	R20950 MGENER-604

Powered by **FAWDE**

20kVA P/F = 0.8	16kW	69.6 Amp (220V)	220V	Silent Type with ATS 70 db(A) @ 7m	6ℓ/h	✓	R94950 MGENER-017
20kVA P/F = 0.8	16kW	24.3 Amp	380V	Silent Type with ATS 72 db(A) @ 6.7m	6ℓ/h	✓	R94950 MGENER-022
30kVA	24kW	43.2 Amp	380V	Silent Type with ATS 72 ~ 75 db(A) @ 7m	7.85ℓ/h	✓	R132950 MGENER-030
40kVA	32kW	57.6 Amp	380V	Silent Type with ATS 72 ~ 75 db(A) @ 7m	9.04ℓ/h	✓	R144950 MGENER-040
50kVA shown	40kW	72 Amp	380V	Silent Type with ATS 72 ~ 75 db(A) @ 7m	14.6ℓ/h	✓	R159950 MGENER-050



MAC AFRIC

WATER PUMPS

CONTRACTORS CHOICE

PETROL	2" (50mm)	3" (75mm)	4" (100mm)
Motor	5.5hp	6.7hp	9hp
Head	26m	22m	20m
Suction Height	7m	7m	7m
Capacity	22 000ℓ/h	50 000ℓ/h	75 000ℓ/h
Recoil Start	R2995 MPUMPS-552	R3695 MPUMPS-553	R7295 MPUMPS-804

PETROL	For Dirty Water 3" (75mm)	High Pressure	Chemical Pump 2" (50mm)
Motor	5.5hp	5.5hp	5.5hp
Head	25m	55m	25m
Suction Height	6m	6m	8m
Max. Capacity	45 000ℓ/h	10 000ℓ/h	49 000ℓ/h
Recoil Start	R5995 MPUMPS-006	R4495 MPUMPS-005	R4995 MPUMPS-550

DIESEL	2" (50mm)	3" (75mm)	4" (100mm)
Motor	2.8kW	4kW	6.3kW
Head	25m	25m	31m
Suction Height	8m	8m	7m
Rated Speed	3 600rpm	3 600rpm	3 600rpm
Capacity	25 000ℓ/h	50 000ℓ/h	75 000ℓ/h
Electric and Recoil Start	R9950 MPUMPS-007	R10950 MPUMPS-008	R13995 MPUMPS-009